

was an add-on or discount type finance charge, the creditor need only disclose:

(i) The unpaid balance of the obligation assumed;

(ii) The total amount of the charges imposed by the creditor, individually itemized, in connection with the assumption;

(iii) The number, amount, and due dates of remaining payments to be made after assumption, the total of such payments, and any other applicable information required under § 226.8(b)(3);

(iv) Identification of the type of security interest, if any, retained or to be required in any property of the assuming customer and a brief identification of that property;

(v) The information required to be disclosed under § 226.8(b)(4), (6), and (7);

(vi) If applicable in connection with the assumption, the disclosures required under § 226.4(a)(5) and (6); and

(vii) If that obligation was entered into on or after July 1, 1969, the annual percentage rate originally disclosed on the existing obligation.

(2) If the existing evidence of debt is subject to a finance charge computed from time to time by application of a percentage rate to an unpaid balance, the creditor shall make the disclosures required under § 226.8(b) and (d) and, if applicable in connection with the assumption, the disclosures required under § 226.4(a)(5) and (6), except that in determining the amount of the finance charge and the annual percentage rate to be disclosed to the customer who assumes the obligation, the creditor may disregard any prepaid finance charges paid by the original customer, but shall include in the finance charge as a "prepaid finance charge" the total amount of the charges imposed by the creditor, individually itemized, in connection with the assumption.

(Interprets and applies 15 U.S.C. 1638 and 15 U.S.C. 1639)

§ 226.808 Disclosure of amount of scheduled payments.

(a) Section 226.8(b)(3) requires the creditor to disclose the "amount * * * of payments scheduled to repay the indebtedness." In certain transactions each payment consists of an equal amount to apply on principal and a finance charge which is determined by application of a rate to the decreasing unpaid balance. In such cases no two payments are equal in amount. The question arises as to whether it is necessary to list the respective dollar amount of each such payment to comply with this requirement of § 226.8(b)(3), or whether an optional disclosure is permitted.

(b) In any transaction in which the amount of each regularly scheduled payment (other than a first or last payment) includes an equal amount to be applied on principal and a finance charge computed by application of a rate to the decreasing unpaid balance, at the creditor's option the requirement of § 226.8(b)(3) with respect to the amount of

each payment may be met by disclosing the following information:

(1) The amount of each payment to be applied on principal, and an identification of that amount as payment on principal; and

(2) The respective amount of finance charge included in the first and last scheduled payments so described.

(c) If this option is utilized, the exceptions provided under paragraphs (b)(3), and (c)(8) and (d)(3) of § 226.8 shall not apply.

(Interprets and applies 15 U.S.C. 1638 and 15 U.S.C. 1639)

§ 226.809 Disclosures for certain student loans.

Footnotes 10 and 11 to Regulation Z provide an exception from specified disclosure requirements for interim student loans under certain federally insured student loan programs. These exceptions are applicable to other student loans of the same type, including those made to students under federally supported loan programs or programs of loan guarantee, administered by or under agreement with the U.S. Department of Health, Education, and Welfare. In all of such cases, however, all disclosures must be made prior to the time the final note is executed or repayment schedule is agreed upon.

(Interprets and applies 15 U.S.C. 1639)

Dated at Washington, D.C., this 10th day of June 1969.

By order of the Board of Governors.

[SEAL] ROBERT P. FORRESTAL,
Assistant Secretary.

[F.R. Doc. 69-7224; Filed, June 18, 1969; 8:45 a.m.]

Title 14—AERONAUTICS AND SPACE

Chapter I—Federal Aviation Administration, Department of Transportation

[Airspace Docket No. 69-CE-38]

PART 73—SPECIAL USE AIRSPACE

Alteration of Restricted Area

The purpose of this amendment to Part 73 of the Federal Aviation Regulations is to reduce the designated altitudes of the Brookville, Kans., Restricted Area R-3601.

The U.S. Air Force has agreed to reduce the designated altitudes of R-3601 from surface to Flight Level 260 to surface to Flight Level 200.

Since this amendment will restore airspace to the public use, notice and public procedure are unnecessary and for this reason the amendment may be made effective without regard to the 30-day period preceding effectiveness.

In consideration of the foregoing, Part 73 of the Federal Aviation Regulations is amended, effective upon publication in the Federal Register, as hereinafter set forth.

Section 73.36 (34 F.R. 4828) is amended as follows:

In R-3601 Brookville, Kans., delete "260" and substitute "200" therefor.

(Sec. 307(a), Federal Aviation Act of 1958; 49 U.S.C. 1348; sec. 6(c), Department of Transportation Act; 49 U.S.C. 1655(c))

Issued in Washington, D.C., on June 11, 1969.

T. McCORMACK,
Acting Chief, Airspace and
Air Traffic Rules Division.

[F.R. Doc. 69-7236; Filed, June 18, 1969; 8:46 a.m.]

[Airspace Docket No. 68-WE-77]

PART 75—ESTABLISHMENT OF JET ROUTES

Alteration of Jet Route Segments

On December 6, 1968, a notice of proposed rule making was published in the Federal Register (33 F.R. 18199) stating that the Federal Aviation Administration was considering amendments to Part 75 of the Federal Aviation Regulations that would realign Jet Route No. 20 segment between Pendleton, Oreg., and Rock Springs, Wyo., and realign and extend Jet Route No. 54 segment from Pendleton to Pocatello, Idaho.

Interested persons were afforded an opportunity to participate in the proposed rule making through the submission of comments. All comments received were favorable.

In consideration of the foregoing, Part 75 of the Federal Aviation Regulations is amended effective, 0901 G.m.t., August 21, 1969, as hereinafter set forth.

Section 75.100 (34 F.R. 4856) is amended as follows:

a. In the text Jet Route No. 20 "Boise, Idaho; Malad City, Idaho;" is deleted and "McCall, Idaho; Pocatello, Idaho;" is substituted therefor.

b. Jet Route No. 54 is amended to read:

Jet Route No. 54 (Pendleton, Oreg., to Pocatello, Idaho) from Pendleton, Oreg., via Boise, Idaho, to Pocatello, Idaho.

(Sec. 307(a), Federal Aviation Act of 1958; 49 U.S.C. 1348; sec. 6(c), Department of Transportation Act; 49 U.S.C. 1655(c))

Issued in Washington, D.C., on June 11, 1969.

T. McCORMACK,
Acting Chief, Airspace and
Air Traffic Rules Division.

[F.R. Doc. 69-7235; Filed, June 18, 1969; 8:46 a.m.]

[Docket No. 9656; Amdts. 151-32, 153-5]

PART 151—FEDERAL AID TO AIRPORTS

PART 153—ACQUISITION OF U.S. LAND FOR PUBLIC AIRPORTS

Exclusive Rights at Airports and Correction of References to FAA Forms

The purpose of these amendments to Parts 151 and 153 of the Federal Aviation Regulations is to (1) clarify the

language of the regulations relating to exclusive rights at airports; and (2) correct the references to FAA Form in §§ 151.21 (a) and (c), 151.57(a), and 151.67(a) (3).

On February 25, 1969, the FAA issued Amendment 151-30 to clarify the policy on exclusive rights, at airports on which sponsors desired assistance under the Federal-Aid Airport Program, that were contrary to section 308(a) of the Federal Aviation Act (49 U.S.C. 1349(a)) and the Policy on Exclusive Rights at Airports issued October 25, 1965 (30 F.R. 13661). In order to accurately reflect that policy, Amendment 151-30 distinguished between exclusive rights that were contrary to the FAA's exclusive rights policy at the time they were granted, and those that were not, by requiring termination at different times.

Since Amendment 151-30, §§ 151.121 (d) and 153.13(d) (3) require the sponsor or grantee, respectively, to agree to terminate "any other exclusive right." In its context, this language covers aeronautical activities alone. However, some sponsors under the Federal-Aid Airport Program have asserted that the phrase "any other exclusive right" can be interpreted to mean all exclusive activities on the airport, including nonaeronautical activities. In order to avoid this interpretation, §§ 151.121(d) and 153.13(d) (3) are now amended to relate to aeronautical activities alone.

The amendments to §§ 151.21(a) and 151.57(a) are made to conform references to the FAA Forms to the forms now used. The amendments to §§ 151.21 (c) and 151.67(a) (3) are made to strike out references to an FAA form that has been discontinued.

Since these amendments relate to public grants and benefits, and are only clarifying or procedural in nature, I find that notice and public procedure thereon are not required, and that they may become effective upon publication.

In consideration of the foregoing, effective June 19, 1969, Parts 151 and 153 of the Federal Aviation Regulations are amended as follows:

1. By amending Part 151 as follows:

§ 151.21 [Amended]

a. By striking out the words "Form FAA-1623" in § 151.21(a), and inserting the words "FAA Form 5100-3" in place thereof.

b. By striking out the words "Form FAA-1624" and "Form FAA-1624.1," in the first and third sentences of § 151.21 (c), respectively, and inserting the words "FAA Form 1624" in place thereof.

§ 151.57 [Amended]

c. By striking out the words "Form FAA-1625.1" in § 151.57(a), and inserting the words "FAA Form 5100-6" in place thereof.

§ 151.67 [Amended]

d. By striking out the words "Form FAA-1624.1" and "Form FAA-1624" in § 151.67(a) (3), and inserting the words "FAA Form 1624" in place thereof.

e. By amending paragraph (d) of § 151.121 to read as follows:

§ 151.121 Procedures: offer; sponsor assurances.

(d) Agrees that it will terminate any other exclusive right to conduct any aeronautical activity now existing at such an airport before the grant of any assistance under the Federal Airport Act.

2. By amending paragraph (d) (3) of § 153.13 to read as follows:

§ 153.13 Covenants in conveyances.

(d) * * *
(3) Agrees that it will terminate forthwith any other exclusive right to conduct any aeronautical activity now or hereafter existing at such an airport;

(Sec. 308(a), 313, Federal Aviation Act of 1958 (49 U.S.C. 1349(a), 1354); Federal Airport Act, as amended (49 U.S.C. 1101-1120); sec. 6(c), Department of Transportation Act (49 U.S.C. 1655(c)); § 1.4(b) (2), regulations of the Office of the Secretary of Transportation)

Issued in Washington, D.C., on June 12, 1969.

G. S. MOORE,
Acting Administrator.

[F.R. Doc. 69-7234; Filed, June 18, 1969; 8:46 a.m.]

Title 30—MINERAL RESOURCES

Chapter I—Bureau of Mines, Department of the Interior

[Bureau of Mines Schedule 21B]

PART 14—FILTER-TYPE DUST, FUME, AND MIST RESPIRATORS

Requirements for Investigation, Testing, and Certification

On pages 6735 and 6736 of the FEDERAL REGISTER of April 22, 1969, there was published a notice and text of proposed amendments of Part 14 of Subchapter B of Chapter I, Title 30, Code of Federal Regulations, prescribing requirements for investigation, testing, and certifying Filter-Type Dust, Fume, and Mist Respirators.

Interested persons were allowed 30 days after publication of the notice to submit written comments, suggestions, or objections concerning the proposed amendment. The proposed amendments are adopted without change except for an addition in § 14.30(b) applying to respirators for protection against fumes of metals having a TLV not less than 0.1 milligram per cubic meter. No other comments or suggestions were received.

These amendments shall be effective on the date of publication in the FEDERAL REGISTER.

Dated: June 12, 1969.

JOHN F. O'LEARY,
Director, Bureau of Mines.

Part 14 of Subchapter B of Chapter I of Title 30 is amended as follows:

1. Paragraph (b) of § 14.2 is amended as follows:

§ 14.2 Definitions.

(b) "Bureau" means the Bureau of Mines of the U.S. Department of the Interior.

2. Section 14.3 is amended as follows:

§ 14.3 Consultation.

By appointment, applicants or their representatives may visit the Bureau's Health and Safety Research and Testing Center, 4800 Forbes Avenue, Pittsburgh, Pa. 15213, to discuss with qualified Bureau personnel proposed respirators to be submitted in accordance with the regulations of this part. No charge is made for such consultation and no written report thereof will be made to the applicant.

3. A new subparagraph (7) is added to paragraph (b) of § 14.4, as follows, and the present subparagraphs (7) and (8) are renumbered (8) and (9), respectively:

§ 14.4 Types of respirators for which certificates of approval will be issued.

(b) * * *
(7) Respirators for radon daughters and radon daughters attached to dusts, fumes, and mists.

4. Paragraphs (a) and (h) of § 14.5 are amended as follows:

§ 14.5 Applications.

(a) Investigation or testing, including retesting of equipment that has been previously tested and disapproved, will be undertaken by the Bureau only pursuant to a written application, in duplicate, accompanied by all prescribed drawings, specifications, and related materials; and accompanied by a check, bank draft, or money order payable to the Bureau of Mines, to cover the fees. The application, all related matters, and all correspondence concerning it shall be sent to the Bureau of Mines, Health and Safety Research and Testing Center, 4800 Forbes Avenue, Pittsburgh, Pa. 15213, Attention: Approval and Testing.

(h) When the Bureau notifies the applicant that the application has been accepted, it will also notify him as to the number of completely assembled respirators, together with the number of filters and other parts, that will be required for testing. All materials required for testing shall be delivered (charges prepaid) to the Bureau of Mines, Health and Safety Research and Testing Center, 4800 Forbes Avenue, Pittsburgh, Pa. 15213, Attention: Approval and Testing.

5. New items (l) and (p) are added to § 14.6, as follows, and present items

(l), (m), (n), (o), and (p) are relettered (m), (n), (o), (q), and (r), respectively:

§ 14.6 Fees.

(l) Radon daughters and radon daughters attached to dusts, fumes, and mists.....	\$740
(p) Facepiece only for respirator (1).....	325

6. Section 14.8 is amended as follows:

§ 14.8 Conduct of investigations, tests, and demonstrations.

(a) Prior to the issuance of a certificate of approval, only Bureau personnel, representatives of the applicant, and such other persons as may be mutually agreed upon, may observe the investigations or tests. The Bureau shall hold as confidential, and shall not disclose, principles or patentable features prior to certification. It shall not disclose any analyses, nor any details of the applicant's drawings, specifications, and related material. The conduct of all investigations, tests, and demonstrations shall be under the sole direction and control of the Bureau. Any other persons shall be present only as observers or as required under paragraph (c) of this section.

(b) After the issuance of a certificate of approval, the Bureau may conduct such public demonstrations and tests of the approved respirator as it deems appropriate.

(c) When requested by the Bureau, the applicant shall provide assistance in assembling or disassembling the respirator and its components, subassemblies, or assemblies for testing, in preparing the respirator and its components, subassemblies, or assemblies for testing, and in operating the respirator during the tests.

(d) Applicants shall be responsible for their representatives present during tests and for observers admitted at their request and shall save the Government harmless in the event of damage to applicant's property or injury to applicant's representatives or to observers admitted at their request.

7. Paragraph (e) of § 14.10 is amended as follows:

§ 14.10 Approval labels or markings.

(e) Full-scale designs or reproductions of approval labels and markings, and a sketch or description of their position shall be submitted for approval before final adoption to the Bureau of Mines, Health and Safety Research and Testing Center, 4800 Forbes Avenue, Pittsburgh, Pa. 15213, Attention: Approval and Testing.

8. Paragraph (a) of § 14.11 is amended as follows:

§ 14.11 Material required for record.

(a) The Bureau reserves the right to retain as part of the permanent record

of the investigation, a complete respirator or any component thereof that has been tested and certified. Material not required for record will be returned to the applicant at his request and at his expense on written shipping instructions to the Bureau of Mines, Health and Safety Research and Testing Center, 4800 Forbes Avenue, Pittsburgh, Pa. 15213, Attention: Approval and Testing.

9. Paragraph (a) of § 14.23 and subparagraph (1) of paragraph (b) of § 14.23 are amended as follows:

§ 14.23 Facepiece.

(a) *General requirements.* Each facepiece shall be constructed so as to assure a quick, dispersoid-tight fit on persons of widely varying facial shapes and sizes. The overall efficiency of a full-facepiece respirator shall not be affected by the optional use of corrective spectacles. A mouthpiece-type respirator with provision for nasal seal may be used provided the respirator meets all other pertinent requirements of this part. Coverings of cloth or other material for the face-contacting portion of the facepiece approved as part of a respirator that is designed for respiratory protection against dusts, fumes, or mists, shall pass the complete facepiece tests for the particular type of respirator, except that no such covering of cloth or other material will be approved for use with a respirator for protection against radon daughters or radon daughters attached to dusts, fumes, and mists. The head harness shall be adjustable and replaceable.

(b) *Valves—(1) Respirators for dusts, fumes, and mists of materials having a TLV not less than 0.1 milligram per cubic meter or 2.4 million particles per cubic foot or for radon daughters and radon daughters attached to dusts, fumes, and mists.* Each respirator shall be provided with an exhalation valve(s). The use of an inhalation valve(s) is desirable but optional, except that for respirators equipped with a canister, cartridge(s), or filter(s) not attached directly to the facepiece an inhalation valve(s) shall be provided in the breathing system.

10. Paragraph (b) of § 14.30 is amended as follows:

§ 14.30 Facepiece tests.

(b) *Coal-dust tightness test (applicable to respirators designed for respiratory protection against dusts, and mists of materials having a TLV not less than 0.1 milligram per cubic meter or 2.4 million particles per cubic foot, or for radon daughters and radon daughters attached to dusts, fumes, and mists).* (1) Three persons shall each wear two different respirators (six tests and six different respirators) in a concentration of 75±25 milligrams per cubic meter of bituminous coal dust. The coal dust shall be 100 percent through a 200-mesh sieve. The geometric mean particle diameter, determined from Coulter counter measurements, or equivalent, shall be 1.2 microns, with a standard deviation not greater

than 2. Each person will perform not more than one test in a single day.

(2) Each respirator will be modified, in a manner which will least affect its performance, by connecting a lightweight tube through the facepiece to a 5-micron pore size membrane filter and holder assembly and a vacuum (sampling) pump operating at 2 liters per minute. Each wearer will perform the preliminary facepiece fit test recommended by the manufacturer. If he obtains a satisfactory fit, he will wear the respirator for 30 minutes while performing the following test in the coal dust chamber.

3 minutes—walking and turning and nodding head.
1½ minutes—smiling.
1½ minutes—frowning.
3 minutes—reciting alphabet.
3 minutes—talking.
3 minutes—shallow and deep breathing.
Repeat above schedule once.

(3) During the same 30-minute period, a second sampling pump, connected to a second membrane filter and holder assembly located in the wearer's breathing zone, will sample the test concentration in the ambient atmosphere.

(4) To meet the requirements of this test, the sample of coal dust, desiccated and weighed to the nearest 0.01 milligram, sampled from within the facepiece during the test, shall not exceed the following:

Respirator for—	Percent of ambient concentration
Dusts and mists of materials having a TLV not less than 0.1 milligram per cubic meter or 2.4 million particles per cubic foot.....	10
Fumes of metals having a TLV not less than 0.1 milligram per cubic meter.....	5
Radon daughters and radon daughters attached to dusts, fumes, and mists.....	5

11. The subject headings of paragraph (a), subparagraphs (1) and (2) of paragraph (a), and paragraph (c) of § 14.31 are amended, new paragraphs (f) and (i) are added to § 14.31, and the present paragraphs (f) and (g) are relettered (g) and (h), respectively, as follows:

§ 14.31 Mechanical filter tests.

(a) *Silica-dust tests of respirators designed for respiratory protection against dusts having a TLV not less than 2.4 million particles per cubic foot, dusts, fumes, and mists having a TLV less than 0.1 milligram per cubic meter, radionuclides, radon daughters and radon daughters attached to dusts, fumes, and mists.*—(1) *Single-use filters (applicable to all respirators described in this paragraph).* * * *

(2) *Reusable filters (applicable only to respirators designed for protection against dusts having a TLV not less than 2.4 million particles per cubic foot).* * * *

(c) *Lead fume tests for respirators designed for respiratory protection against fumes of various metals having a TLV not less than 0.1 milligram per cubic meter, or for radon daughters and radon daughters attached to dusts, fumes, and mists.* * * *

(f) *Lead-fume tests of air-purifying respirators (with attached blower in the contaminated atmosphere) designed for respiratory protection against radon daughters and radon daughters attached to dusts, fumes, and mists.* Three respirators will be tested at the effective airflow rate of the respirator as described in paragraph (c) of this section, except that the rate of continuous airflow through the respirator filter shall be not less than 4 cubic feet per minute for 4 hours to tight-fitting facepieces and not less than 6 cubic feet per minute for 4 hours to hoods and helmets. Tested under these conditions, the total amount of unretained test suspension, which is analyzed and calculated as lead (Pb), shall not exceed 4.8 milligrams for a test made at 4 cubic feet per minute or 6.2 milligrams for a test made at 6 cubic feet per minute.

(i) *Silica-dust tests of air-purifying respirators (with attached blower in the contaminated atmosphere) designed for respiratory protection against radon daughters and radon daughters attached to dusts, fumes, and mists.* Three respirators will be tested at the effective airflow rate of the respirator as described in subparagraph (1) of paragraph (a) of this section, except that the rate of continuous airflow through the respirator filter shall be not less than 4 cubic feet per minute for 4 hours to tight-fitting facepieces and not less than 6 cubic feet per minute for 4 hours to hoods and helmets. Tested under these conditions, the respirator resistance shall not exceed that specified in paragraph (a) of § 14.32 for respirators for protection against radon daughters and radon daughters attached to dusts, fumes, and mists.

12. Paragraph (a) of § 14.32 is amended as follows:

§ 14.32 Tests of complete respirator.

(a) *Resistance to airflow (applicable to all dust, fume, and mist respirators).*
(1) The resistance to airflow of a complete respirator on inhalation and on exhalation will be determined on a mechanical apparatus before and after the tests are conducted as described in § 14.31 and as described in subparagraph (4) of paragraph (b) of this section. The continuous rate of airflow will be 85 liters per minute.

(2) The resistance to inhalation of respirators approved for respiratory protection against dusts, fumes, and mists but not for protection against radon daughters and radon daughters attached to dusts, fumes, and mists shall not exceed 30 millimeters of water-column height before and 50 millimeters height immediately after each test, and the resistance to exhalation shall not exceed 20 millimeters of water-column height at any time.

(3) The resistance to inhalation of respirators approved for respiratory protection against radon daughters and radon daughters attached to dusts, fumes, and mists shall not exceed 18 millimeters of water-column height before or 25 millimeters of water-column height immediately after the silica dust tests described in paragraphs (a)(1) and (i) of § 14.31. The resistance to exhalation shall not exceed 15 millimeters of water-column height at any time.

[F.R. Doc. 69-7226; Filed, June 18, 1969; 8:45 a.m.]

Title 39—POSTAL SERVICE

Chapter I—Post Office Department

SUBCHAPTER C—INTERNATIONAL MAIL

APPENDIX—DIRECTORY OF INTERNATIONAL MAIL

In the appendix to Subchapter C the following changes are made:

1. In the country item *Australia* delete "Nauru Island" from the parenthetical listing in the heading.

2. At the end of the appendix under "Places Not Included In Alphabetical List of Countries" delete "Nauru Island (Australia)."

3. Insert in proper alphabetical order new country item *Nauru (Republic of)* with accompanying data as follows:

NAURU (REPUBLIC OF)

Postal Union Mail

Classifications, weight limits and dimensions. See Chart I in the front of the appendix and Part 222 of this chapter.

Surface rates. See Chart 1 and Chart 2 reference tables.

Air rates. Letters, 25 cents per half ounce. (See Chart 3, Table IV.)

Single post cards and aerogrammes, 13 cents each.

Printed matter, matter for the blind, samples of merchandise, and small packets, 60 cents first 2 ounces; 30 cents each additional 2 ounces or fraction. (See Chart 3, Table VII.)

Registration. Fee, 75 cents. Maximum indemnity, \$8.17. Return Receipt: 13 cents to return by surface, 26 cents to return by air. See Part 242 of this chapter.

Insurance. Not applicable to postal union mail.

Special handling. Available to U.S. dispatching exchange office for surface AO packages. See Chart 6 for fees.

Special delivery. Yes. See Chart 5 for fees and other conditions.

Money orders. Yes. See § 171.2 of this chapter.

Prohibitions. No list furnished, but the general prohibitions and restrictions shown under § 221.3 of this chapter apply.

Parcel Post

Weight limit. 22 pounds.

Dimensions. Length, 3½ feet; length and girth combined, 6 feet.

Sealing. Insured parcels must, and ordinary parcels may, be sealed.

Postal forms required. One Form 2922, one Form 2966.

Surface parcel rates. Two pounds or less, \$1.10; each additional pound or fraction, 35 cents. (See Chart 4, Table II.)

Air parcel rates. Four ounces or less, \$1.66; each additional 4 ounces or fraction, 76 cents.

Lbs. Oz.	Rate	Lbs. Oz.	Rate	Lbs. Oz.	Rate
0 4	\$1.66	3 12	\$12.30	7 4	\$22.94
0 8	2.42	4 0	13.06	7 8	23.70
0 12	3.18	4 4	13.82	7 12	24.46
1 0	3.94	4 8	14.58	8 0	25.22
1 4	4.70	4 12	15.34	8 4	25.98
1 8	5.46	5 0	16.10	8 8	26.74
1 12	6.22	5 4	16.86	8 12	27.50
2 0	6.98	5 8	17.62	9 0	28.26
2 4	7.74	5 12	18.38	9 4	29.02
2 8	8.50	6 0	19.14	9 8	29.78
2 12	9.26	6 4	19.90	9 12	30.54
3 0	10.02	6 8	20.66	10 0	31.30
3 4	10.78	6 12	21.42		
3 8	11.54	7 0	22.18		

For rates over 10 pounds, charge \$30.40 for each even 10 pounds plus the rate given above for the remaining pounds and/or ounces, if any. If there are none, charge from the table for the first 10 pounds.

Special handling. Available to port of dispatch only. See Chart 6 for fees.

Registration. No provision.

Insurance. The following insurance fees and limits of indemnity apply:

Limit of indemnity:	Fee
Not over \$15	\$0.35
\$15.01 to \$50	.45
\$50.01 to \$100	.55
\$100.01 to \$150	.65
\$150.01 to \$170	.75

Print on the wrapper, near the "Insured" endorsement and number, the amount for which the parcel is insured. This indication shall be shown in U.S. currency, in figures and in letters spelled out in full, in the following form:

INSURED VALUE

\$75.00

SEVENTY-FIVE DOLLARS

Banknotes, currency notes, or any kind of securities payable to bearer; platinum, gold, or silver (whether manufactured or unmanufactured); precious stones, jewelry, or other precious articles sent as parcel post must be insured.

For general information on insurance see Part 243 of this chapter.

Prohibitions. No list furnished, but the general prohibitions and restrictions shown under § 231.2 of this chapter apply.

JUNE 13, 1969.

DAVID A. NELSON,
General Counsel.

[F.R. Doc. 69-7227; Filed, June 18, 1969; 8:45 a.m.]