

[4210-01]

[24 CFR Part 1917]

[Docket No. FI-4551]

NATIONAL FLOOD INSURANCE PROGRAM

Proposed Flood Elevation Determination for the City of Frostburg, Allegany County, Md.

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base (100-year) flood elevations listed below for selected locations in the city of Frostburg, Allegany County, Md. These base (100-year) flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the national flood insurance program (NFIP).

DATE: The period for comment will be ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in the above-named community.

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base (100-year) flood elevations are available for review at the Frostburg Municipal Building, 37 Broadway Street, Frostburg, Md. 21532. Send comments to: Honorable David M. Linn, Mayor of Frostburg, Frostburg Municipal Building, 37 Broadway Street, Frostburg, Md. 21532.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410, 202-755-5581 or toll-free line 800-424-8872.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base (100-year) flood elevations for the city of Frostburg, Allegany County, Md., in accordance with section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 (Pub. L. 90-448)), 42 U.S.C. 4001-4128, and 24 CFR 1917.4(a).

These elevations, together with the flood plain management measures required by § 1910.3 of the program regulations, are the minimum that are required. They should not be construed to mean the community must change

any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and their contents.

The proposed base (100-year) flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
George's Creek	70 ft downstream of corporate limits.	1,884
	Downstream of Grant St.	1,886
	Green St.....	1,890
	Upstream corporate limits.	1,896
	600 ft upstream of corporate limits.	1,900
Sand Spring Run ..	350 ft. downstream of Braddock Rd.	1,869
	Braddock Rd. (upstream side).	1,878
	Footbridge (upstream side).	1,887
	450 ft upstream of footbridge.	1,895
	Campus Loop Rd. (downstream side of culvert).	1,902
	Campus Loop Rd. (upstream side of culvert).	1,910
	300 ft upstream of Campus Loop Rd.	1,921
	850 ft upstream of Campus Loop Rd.	1,932
	1,100 ft upstream of Campus Loop Rd.	1,939
	Lower Console Rd. (upstream side).	1,953
	300 ft upstream of Lower Console Rd.	1,959
	635 ft upstream of Lower Console Rd.	1,969
	935 ft upstream of Lower Console Rd.	1,980
	Upper Console Rd. (downstream side).	2,001
	Upper Console Rd. (upstream side).	2,007
	420 ft upstream of Upper Console Rd.	2,013
	630 ft upstream of Upper Console Rd.	2,021
	880 ft upstream of Upper Console Rd.	2,033
	1,180 ft upstream of Upper Console Rd.	2,045
	1,440 ft upstream of Upper Console Rd.	2,055
	1,700 ft upstream of Upper Console Rd.	2,072
	Private drive (upstream side).	2,072
	300 ft upstream of private drive.	2,080
	800 ft upstream of private drive.	2,090
	Wenks Lane (downstream side).	2,104
	Wenks Lane (upstream side).	2,108
	Footbridge (upstream side).	2,114

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
	110 ft upstream of footbridge.	2,120

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128); and Secretary's delegation of authority to Federal Insurance Administrator, 43 FR 7719.)

Issued: September 8, 1978.

GLORIA M. JIMENEZ,
Federal Insurance Administrator.
[FR Doc. 78-26643 Filed 9-21-78; 8:45 am]

[4210-01]

[24 CFR Part 1917]

[Docket No. FI-4552]

NATIONAL FLOOD INSURANCE PROGRAM

Proposed Flood Elevation Determination for the Town of Loch Lynn Heights, Garrett County, Md.

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base (100-year) flood elevations listed below for selected locations in the town of Loch Lynn Heights, Garrett County, Md. These base (100-year) flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the national flood insurance program (NFIP).

DATE: The period for comment will be ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in the above-named community.

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base (100-year) flood elevations are available for review at the Loch Lynn Heights Town Hall, Loch Lynn Heights, Md. Send comments to: Honorable Charles H. Tressler, Mayor of Loch Lynn Heights, 1610 Route 135, Mountain Lake Park, Md. 21550.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410, 202-755-5581 or toll-free line 800-424-8872.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base (100-year) flood elevations for the town of Loch Lynn Heights, Garrett County, Md., in accordance with section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 (Pub. L. 90-448)), 42 U.S.C. 4001-4128, and 24 CFR 1917.4(a).

These elevations, together with the flood plain management measures required by § 1910.3 of the program regulations, are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and their contents.

The proposed base (100-year) flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
Little Youghiogheny River.	Upstream corporate limits.	2,392
	Downstream corporate limits.	2,391

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128); and Secretary's delegation of authority to Federal Insurance Administrator, 43 FR 7719.)

Issued: September 8, 1978.

GLORIA M. JIMENEZ,
Federal Insurance Administrator.

[FR Doc. 78-26644 Filed 9-21-78; 8:45 am]

[4210-01]

[24 CFR Part 1917]

[Docket No. FI-4553]

NATIONAL FLOOD INSURANCE PROGRAM

Proposed Flood Elevation Determination for the Town of Luke, Allegany County, Md.

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base (100-year) flood elevations listed below for selected locations in the town of Luke, Allegany County, Md. These base (100-year) flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the national flood insurance program (NFIP).

DATE: The period for comment will be ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in the above-named community.

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base (100-year) flood elevations are available for review at the Council Chambers, Luke City Hall, Luke, Md. 21540. Send comments to: Hon. James T. Warnick, Mayor of Luke, Grant Street, Box 7, Luke, Md. 21540.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410, 202-755-5581 or toll-free line 800-424-8872.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base (100-year) flood elevations for the town of Luke, Allegany County, Md., in accordance with section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 (Pub. L. 90-448)), 42 U.S.C. 4001-4128, and 24 CFR 1917.4(a).

These elevations, together with the flood plain management measures required by § 1910.3 of the program regulations, are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and their contents.

The proposed base (100-year) flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
North Branch Potomac River.	Downstream corporate limits.	930
	(Old) Cromwell St.....	
	931.....	
	West Vaco conveyor.....	946
	West Maryland railroad sliding.	952
	West Vaco Dam.....	953
	Upstream corporate limits.	969

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128); and Secretary's delegation of authority to Federal Insurance Administrator, 43 FR 7719.)

Issued: September 8, 1978.

GLORIA M. JIMENEZ,
Federal Insurance Administrator.
[FR Doc. 78-26645 Filed 9-21-78; 8:45 am]

[1505-01]

DEPARTMENT OF THE TREASURY

Internal Revenue Service

[26 CFR Part 1]

INCOME TAX

Treatment of Losses From Certain Guarantee Agreements

Correction

'In FR Doc. 78-25973, appearing at page 41237 in the issue of Friday, September 15, 1978, the third line of the "Dates" paragraph should read, "[delivered by November 14, 1978. The amendments]".

[6560-01]

ENVIRONMENTAL PROTECTION AGENCY

[40 CFR Part 761]

[FRL 971-8]

POLYCHLORINATED BIPHENYLS (PCB'S)

Manufacturing, Processing, Distribution in Commerce, and Use Bans

AGENCY: Environmental Protection Agency.

ACTION: Proposed rule; extension of reply comment period.

SUMMARY: As a result of granting two requests for cross-examination of a participant in the informal hearing to be held on September 26, 1978 on

the PCB ban rule, EPA is extending the period for reply comments.

DATE: Reply comments due on October 10, 1978.

ADDRESS: Send reply comments to: Office of Toxic Substances (TS-794), Environmental Protection Agency, 401 M Street SW., Washington, D.C. 20460, Attention: Joni T. Repasch.

FOR FURTHER INFORMATION CONTACT:

Peter P. Principe, Office of Toxic Substances (TS-794), Environmental Protection Agency, 401 M Street SW., Washington, D.C. 20460, telephone 202-755-0920.

SUPPLEMENTARY INFORMATION:

EPA has granted two requests for cross-examination of a participant in the informal hearing on the proposed PCB ban rule (43 FR 24802). These requests were made by the Edison Electric Institute and the Electronic Industries Association. Both organizations requested permission to cross-examine Versar, Inc., which produced the report "Microeconomic Impacts of the Proposed 'PCB Ban Regulations'" under contract to EPA. The cross-examination will be held on September 26, 1978, beginning at 1 p.m. in room 3906, at EPA Headquarters, 401 M Street SW., Washington, D.C.

As a result of these requests for cross-examination and pursuant to section 750.4(b) of the procedures for rulemaking under section 6 of the Toxic Substances Control Act (42 FR 61259, Dec. 2, 1977), reply comments will now be due October 10, 1978, 2 weeks after the completion of cross-examination. Any person, including those who may already have filed reply comments, may submit reply comments, or further reply comments, by October 10, 1978.

Dated: September 18, 1978.

JOHN P. DEKANY,
Acting Assistant Administrator
for Toxic Substances.

[FR Doc. 78-26698 Filed 9-21-78; 8:45 am]

[6820-38]

**GENERAL SERVICES
ADMINISTRATION**

[41 CFR Part 105-64]

**REGULATIONS IMPLEMENTING THE PRIVACY
ACT OF 1974**

Exemption of Records System

AGENCY: General Services Administration.

ACTION: Proposed rule.

SUMMARY: The General Services Administration proposes to amend 41 CFR Part 105-64 to exempt criminal

investigation case files in the system of records GSA/ADM-24, Investigation and Personnel Security Case Files, from the provisions of the Privacy Act with certain exceptions, and to make other editorial changes. These changes are necessary to maintain the efficiency and integrity of investigations conducted by GSA.

DATE: Comments must be received by October 23, 1978.

ADDRESSES: Address comments to: General Services Administration (LR), Washington, D.C. 20405. Copies of all written comments received will be available for examination by interested persons in room 3101 of the GS building, 18th and F Streets NW., Washington, D.C.

FOR FURTHER INFORMATION CONTACT:

Ms. Rebecca Thompson, Administration and Records Division, Office of General Counsel, 202-566-1460.

SUPPLEMENTARY INFORMATION:

In the 1977 annual publication of systems of records GSA/ADM-24, Investigation and Personnel Security Case Files, was revised to cover the complete civil, criminal, and administrative actions being performed by the Office of Investigations. Some of these activities were previously performed by the Federal Protective Service and were included as part of the system of records GSA/PBS-3, Incident Reporting System. A general exemption for criminal investigation case files in the system of records GSA/PBS-3 was contained in 41 CFR 105-64.601. The system of records notice for GSA/PBS-3 also cited the general exemption when the system of records GSA/ADM-24 was revised to cover these criminal investigation case files, a corresponding revision to 41 CFR 105-64.601 inadvertently was not made. This proposed amendment will correct the omission. In addition to the proposed correction to § 105-64.601, GSA proposes to amend the following sections:

a. In the second sentence of § 105-64.302-3, "any other requester" will be changed to "any requester" to clarify the intent of waiving the fee requirement.

b. Sections 105-64.501 and 105-64.502 will be revised to delete the requirement for submission of GSA Form 3284, System of Records Covered by the Privacy Act of 1974, because this form is obsolete.

c. Subsection 105-64.602-2 will be deleted. This subsection pertains to specific exemptions for the system of records GSA/OAD-20, Test Material. This system of records is being deleted from the GSA systems of records notices because the system of records is covered by and duplicative of a U.S.

Civil Service Commission system of records.

It is proposed to amend Part 105-64 as follows:

**PART 105-64—REGULATION IMPLEMENTING
THE PRIVACY ACT OF 1974**

The table of contents for Part 105-64 is amended by deleting two entries as follows:

Sec.
105-64.602-1 [Deleted.]
105-64.602-2 [Deleted.]

**Subpart 105-64.3—Individual Access to
Records**

Section 105-64.302-3 is revised to read as follows:

§ 105-64.302-3 Waiver of fee.

The system manager shall make one copy of a record, up to 50 pages, available without charge to a requester who is an employee of GSA. The system manager may waive the fee requirement for any requester if the cost of collecting the fee is an unduly large part of, or greater than, the fee, or when furnishing the record without charge conforms to generally established business custom or is in the public interest.

**Subpart 105-64.5—Report on New Systems
and Alter of Existing Systems**

1. Section 105-64.501 is revised to read as follows:

§ 105-64.501 Reporting requirement.

(a) No later than 90 calendar days prior to the establishment of a new system of records, the prospective system manager shall notify the Controller-Director of Administration of the proposed new system. The prospective system manager shall include with the notification a complete description and a justification for each system of records that the system manager proposes to establish. If the Controller-Director of Administration determines that the establishment of the proposed system is in the best interest of the Government, the Controller-Director of Administration will submit, no later than 60 calendar days prior to the establishment of that system of records, a report of the proposal to the President of the Senate, the Speaker of the House of Representatives, and the Director of the Office of Management and Budget for their evaluation of the probable or potential effect of that proposal on the privacy and other personal or property rights of individuals.

(b) No later than 90 calendar days prior to the alteration of a system of records, the system manager responsible for the maintenance of that system of records shall notify the Controller-Director of Administration of