

SUPPLEMENTARY INFORMATION: In a notice published in the *Federal Register* of February 10, 1988 (53 FR 3942), FDA announced that a food additive petition (FAP 7A4039) had been filed by Insta Cool, Inc., of North America, 3235 Sunrise Blvd., Suite C, Rancho Cordova, CA 95670 (now 11,300 Sanders Dr., Suite 14, Rancho Cordova, CA 95742), proposing that the food additive regulations be amended to provide for the safe use of a mixture of chlorofluorocarbon 113 (CFC 113) and perfluorohexane as a secondary direct additive to quickly chill whole chickens sealed in poly-bags.

FDA has evaluated data in the petition and other relevant material. The agency concludes that the proposed food additive use is safe, and that the regulations should be amended by adding new § 173.342 as set forth below.

In accordance with § 171.1(h) (21 CFR 171.1(h)), the petition and the documents that FDA considered and relied upon in reaching its decision to approve the petition are available for inspection at the Center for Food Safety and Applied Nutrition by appointment with the information contact person listed above. As provided in 21 CFR 171.1(h), the agency will delete from the documents any materials that are not available for public disclosure before making the documents available for inspection.

This action will permit a new use for CFC 113, one member of a class of chemicals that has been implicated in the destruction of the stratospheric ozone layer. During its review of the petition, FDA consulted with the Environmental Protection Agency (EPA) to determine whether FDA approval of this petition would be consistent with EPA's efforts to control CFC's. On March 3, 1989, EPA advised FDA that approval of the proposed new use of CFC 113 would not be in conflict with EPA's current regulations on stratospheric ozone protection which restrict allowable production in lieu of controls on particular uses (40 CFR part 82). EPA advised FDA that approval would not add to total CFC emissions to the atmosphere but would instead mean that less CFC's would be available for current uses. EPA noted that the projected use represents less than 0.1 percent of current levels of CFC 113, that the CFC 113 use described by the petitioner would have lower rates of emission than most current uses, that the opportunities for reclamation of the CFC 113 from this use are excellent, and that the use is suitable for conversion to alternative chemicals when these become available.

Based on full consideration of the potential environmental effects of this

action, FDA has concluded that the action will not have a significant impact on the human environment, and that an environmental impact statement is not required. The agency's finding of no significant impact and the evidence supporting that finding, contained in an environmental assessment, may be seen in the Dockets Management Branch (address above) between 9 a.m. and 4 p.m., Monday through Friday.

Any person who will be adversely affected by this regulation may at any time on or before April 9, 1990 file with the Dockets Management Branch (address above) written objections thereto. Each objection shall be separately numbered, and each numbered objection shall specify with particularity the provisions of the regulation to which objection is made and the grounds for the objection. Each numbered objection on which a hearing is requested shall specifically so state. Failure to request a hearing for any particular objection shall constitute a waiver of the right to a hearing on that objection. Each numbered objection for which a hearing is requested shall include a detailed description and analysis of the specific factual information intended to be presented in support of the objection in the event that a hearing is held. Failure to include such a description and analysis for any particular objection shall constitute a waiver of the right to a hearing on the objection. Three copies of all documents shall be submitted and shall be identified with the docket number found in brackets in the heading of this document. Any objections received in response to the regulation may be seen in the Dockets Management Branch between 9 a.m. and 4 p.m., Monday through Friday.

List of Subjects in 21 CFR Part 173

Food additives.

Therefore, under the Federal Food, Drug, and Cosmetic Act and under authority delegated to the Commissioner of Food and Drugs, 21 CFR part 173 is amended as follows:

PART 173—SECONDARY DIRECT FOOD ADDITIVES PERMITTED IN FOOD FOR HUMAN CONSUMPTION

1. The authority citation for 21 CFR part 173 continues to read as follows:

Authority: Secs. 201, 402, 409 of the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 321, 342, 348).

2. New § 173.342 is added to subpart D to read as follows:

§ 173.342 Chlorofluorocarbon 113 and perfluorohexane.

A mixture of 99 percent chlorofluorocarbon 113 (1,1,2-trichloro-1,2,2-trifluoroethane) (CAS Reg. No. 76-13-1, also known as fluorocarbon 113, CFC 113 and FC 113) and 1 percent perfluorohexane (CAS Reg. No. 355-42-0) may be safely used in accordance with the following prescribed conditions:

(a) The additive chlorofluorocarbon 113 has a purity of not less than 99.99 percent.

(b) The additive mixture is intended for use to quickly cool or crust-freeze chickens sealed in intact bags composed of substances regulated in parts 174, 175, 177, 178, and § 179.45 of this chapter and conforming to any limitations or specifications in such regulations.

Dated: March 1, 1990.

Ronald G. Chesemore,
Associate Commissioner for Regulatory Affairs.

[FR Doc. 90-5432 Filed 3-8-90; 8:45 am]

BILLING CODE 4160-01-M

21 CFR Part 178

[Docket No. 88F-0112]

Indirect Food Additives: Adjuvants, Production Aids, and Sanitizers

AGENCY: Food and Drug Administration, HHS.

ACTION: Final rule.

SUMMARY: The Food and Drug Administration (FDA) is amending the food additive regulations to provide for the safe use of castor oil, hydrogenated as a component of olefin polymers intended for use in contact with food. This action is in response to a petition filed by Riken Vitamin Co., Ltd.

DATES: Effective March 9, 1990; written objections and requests for a hearing by April 9, 1990.

ADDRESSES: Written objections to the Dockets Management Branch (HFA-305), Food and Drug Administration, Room 4-62, 5600 Fishers Lane, Rockville, MD 20857.

FOR FURTHER INFORMATION CONTACT: Rudolph Harris, Center for Food Safety and Applied Nutrition (HFF-335), Food and Drug Administration, 200 C St. SW., Washington, DC 20204, 202-472-5690.

SUPPLEMENTARY INFORMATION: In a notice published in the *Federal Register* of May 24, 1988 (53 FR 18610), FDA announced that a food additive petition (FAP 8B4060) had been filed by Riken Vitamin Co., Ltd., c/o The Center for Regulatory Services, 2347 Paddock Lane,

Reston, VA 22091, proposing that § 178.3280 Castor oil, hydrogenated (21 CFR 178.3280) be amended to provide for the safe use of castor oil, hydrogenated as a component of olefin polymers intended for use in contact with food.

FDA has evaluated data in the petition and other relevant material. The agency concludes that the proposed food additive use is safe, and that 21 CFR 178.3280 should be amended as set forth below.

In accordance with § 171.1(h) (21 CFR 171.1(h)), the petition and the documents that FDA considered and relied upon in reaching its decision to approve the petition are available for inspection at the Center for Food Safety and Applied Nutrition by appointment with the information contact person listed above. As provided in 21 CFR 171.1(h), the agency will delete from the documents any materials that are not available for public disclosure before making the documents available for inspection.

The agency has carefully considered the potential environmental effects of this action. FDA has concluded that the action will not have a significant impact on the human environment, and that an environmental impact statement is not required. The agency's finding of no significant impact and the evidence supporting that finding, contained in an environmental assessment, may be seen in the Dockets Management Branch (address above) between 9 a.m. and 4 p.m., Monday through Friday.

Any person who will be adversely affected by this regulation may at any time on or before April 9, 1990 file with the Dockets Management Branch (address above) written objections thereto. Each objection shall be separately numbered, and each numbered objection shall specify with particularity the provisions of the regulation to which objection is made and the grounds for the objection. Each numbered objection on which a hearing is requested shall specifically so state. Failure to request a hearing for any particular objection shall constitute a waiver of the right to a hearing on that objection. Each numbered objection for which a hearing is requested shall include a detailed description and analysis of the specific factual information intended to be presented in support of the objection in the event that a hearing is held. Failure to include such a description and analysis for any particular objection shall constitute a waiver of the right to a hearing on the objection. Three copies of all documents shall be submitted and shall be identified with the docket number found in brackets in the heading of this

document. Any objections received in response to the regulation may be seen in the Dockets Management Branch between 9 a.m. and 4 p.m., Monday through Friday.

List of Subjects in 21 CFR Part 178

Food additives, Food packaging.

Therefore, under the Federal Food, Drug, and Cosmetic Act and under authority delegated to the Commissioner of Food and Drugs and redelegated to the Director, Center for Food Safety and Applied Nutrition, 21 CFR part 178 is amended as follows:

PART 178—INDIRECT FOOD ADDITIVES: ADJUVANTS, PRODUCTION AIDS, AND SANITIZERS

1. The authority citation for 21 CFR part 178 continues to read as follows:

Authority: Secs. 201, 402, 409, 706 of the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 321, 343, 348, 276).

2. Section 178.3280 is amended in paragraph (b) by adding a new entry "7." in the table to read as follows:

§ 178.3280 Castor oil, hydrogenated.

Use	Limitations
* * *	* * *
(b) * * *	* * *
7. As a component of olefin polymers complying with § 177.1520 of this chapter.	For use only at levels not to exceed 2 percent by weight of the polymer.

Dated: February 28, 1990.

Douglas L. Archer,
Acting Director, Center for Food Safety and Applied Nutrition.

[FR Doc. 90-5429 Filed 3-8-90; 8:45 am]

BILLING CODE 4190-01-M

DEPARTMENT OF JUSTICE

Drug Enforcement Administration

21 CFR Part 1308

Exempt Chemical Preparations

AGENCY: Drug Enforcement Administration (DEA), Justice.

ACTION: Interim rule and request for comments.

SUMMARY: This interim rule amends § 1308.24 of title 21 of the Code of Federal Regulations. The below-listed chemical preparations and mixtures which contain controlled substances replace the list of exempt chemical preparations set forth in § 1308.24(i).

This action is in response to DEA's periodic review of the exempt chemical preparation list and of applications for exemptions filed with DEA.

Preparations included in the list are exempted from the application of specific provisions of the Comprehensive Drug Abuse Prevention and Control Act of 1970, and from certain Drug Enforcement Administration regulations.

DATES: Effective: April 9, 1990.

Comments must be submitted on or before April 9, 1990.

ADDRESSES: Comments should be submitted to Howard McClain, Jr., Chief, Drug Control Section, Washington, DC 20537.

FOR FURTHER INFORMATION CONTACT:

Howard McClain, Jr., Chief, Drug Control Section, Telephone (202) 307-7183.

SUPPLEMENTARY INFORMATION: The Controlled Substances Act as amended by the Dangerous Drug Diversion Control Act of 1984 authorizes the Attorney General in accordance with 21 U.S.C. 811(g)(3)(B) to exempt from specific provisions of the Act, a compound, mixture, or preparation which contains any controlled substance, which is not for administration to a human being or animal and which is packaged in such form or concentration, or with adulterants or denaturants, so that as packaged it does not present any significant potential for abuse.

The Deputy Assistant Administrator of the Drug Enforcement Administration's Office of Diversion Control has received applications pursuant to § 1308.23 of title 21 of the Code of Federal Regulations requesting approval of exempt status provided for in 21 CFR 1308.24. The Deputy Assistant Administrator hereby finds that each of the following preparations and mixtures is intended for laboratory, industrial, educational, or special research purposes, is not intended for general administration to man or animal, and either (a) contains no narcotic controlled substances and is packaged in such a form or concentration that the packaged quantity does not present any significant potential for abuse, (b) contains either a narcotic or non-narcotic controlled substance and one or more adulterating or denaturing agents in such a manner, combination, quantity, proportion, or concentration that the preparation or mixture does not present any potential for abuse, or (c) the formulation of such preparation or mixture incorporates methods of denaturing or other means so that the controlled substance cannot

in practice be removed, and therefore the preparation or mixture does not present any significant potential for abuse. The Deputy Assistant Administrator further finds that exemption of the following chemical preparations and mixtures is consistent with the public health and safety as well as the needs of the researchers, chemical analysts, and suppliers of these products.

The Deputy Assistant Administrator for the Office of Diversion Control hereby certifies that these matters will have no significant impact upon small businesses or other entities within the meaning and intent of the Regulatory Flexibility Act, 5 U.S.C. 601 *et seq.* The addition of preparations to the list of

exempt chemical preparations has the effect of exempting them from certain sections of the Controlled Substances Act of 1970 and its regulations.

It has been determined that these changes are internal matters which do not require formal OMB review.

List of Subjects in 21 CFR Part 1308

Administrative practice and procedure, Drug traffic control, Narcotics, Prescription drugs.

Under the authority vested in the Attorney General by section 202(d) of the Act (21 U.S.C. 811(g)(3)(B)) and delegated to the Administrator of the Drug Enforcement Administration by regulations of the Department of Justice (28 CFR part 0.100), and redelegated to

the Deputy Assistant Administrator of the Drug Enforcement Administration, Office of Diversion Control, pursuant to 47 FR 43370, the Deputy Assistant Administrator of the Office of Diversion Control hereby amends 21 CFR part 1308 as set forth below.

PART 1308—SCHEDULE OF CONTROLLED SUBSTANCES

1. The authority citation of 21 CFR part 1308 continues to read as follows:

Authority: 21 U.S.C. 811, 812, 871(b), unless otherwise noted.

2. In § 1308.24(i) the table is revised to read as follows:

§ 1308.24 Exempt chemical preparations.
(i) * * *

Exempt Chemical Preparations

Supplier	Product	Form of Product	Date
Abbott Laboratories.....	1251 Cholyglycyltyrosine Reagent Solution, No. 7816.	Plastic Bottle: 20ml.....	04/07/78
Abbott Laboratories.....	ADx Benzoyllecgonine Fluorescein Tracer Solution.	Bottle: 3.2 ml.....	12/02/86
Abbott Laboratories.....	ADx Cannabinoids Fluorescein Tracer Solution.....	Bottle: 3.2ml.....	12/02/86
Abbott Laboratories.....	ADx Cannabinoids Reagent Pack (No. 9671-55).....	Reagent Pack: 50 tests.....	12/02/86
Abbott Laboratories.....	ADx Cocaine Metabolite Fluorescein Tracer Solution, No. 9670-T, No. 9670T0013.	Vial: 3.2ml, Kit: 100 vials.....	04/18/89
Abbott Laboratories.....	ADx Cocaine Metabolite Reagent Pack, No. 9670-55.	50 Test Unit.....	04/18/89
Abbott Laboratories.....	ADx Opiates Fluorescein Tracer Solution, No. 9673-T, No. 9673T0013.	Vial: 3.2ml, Kit: 100 vials.....	04/18/89
Abbott Laboratories.....	ADx Opiates Reagent Pack, No. 9673-55.....	50 Test Unit.....	04/18/89
Abbott Laboratories.....	Amphetamine Bulk Calibrators, B-F.....	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	10/09/85
Abbott Laboratories.....	Amphetamine Bulk Controls, L and H.....	Flask: 2 liter.....	12/09/85
Abbott Laboratories.....	Amphetamine Class Bulk Calibrator B-F.....	Carboy: 10 liters; Flask: 6 liters, 2 liters, 1 liter, 250 ml, 200 ml.	03/01/88
Abbott Laboratories.....	Amphetamine Class Bulk Control L and H.....	Carboy: 10 liters; Flask: 6 liters, 2 liters, 1 liter, 250 ml, 200 ml.	03/01/88
Abbott Laboratories.....	Amphetamine Class Bulk Tracer: No. 94699.....	Carboy: 10 liters; Flask: 6 liters, 2 liters.....	03/01/88
Abbott Laboratories.....	Amphetamine Class QC Primary B-F,L,M,H No. 9667 (B-F,L,M,H) QC.	Carboy: 10L Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml Bottle: 5ml.	11/22/88
Abbott Laboratories.....	Amphetamine Class Stock Tracer: No. 94700.....	Bottle: 30 ml.....	03/01/88
Abbott Laboratories.....	Amphetamine Stock Standard No. 97072, 97072 A-B.	Carboy: 20L, 10L Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml Bottle: 950ml, 500ml, 100ml, 5ml.	11/22/88
Abbott Laboratories.....	Amphetamine Stock Standard, No. 97072.....	Bottle: 125ml.....	09/30/85
Abbott Laboratories.....	Amphetamine/Methamphetamine QC Primary Bulk Control M, No. 9668-M.	Flasks: 1 liter, 250 ml, and 200 ml.....	11/10/87
Abbott Laboratories.....	Amphetamine/Methamphetamine (II) QC Primary B-F,L,M,H No. 1A99 (B-F,L,M,H) QC.	Carboy: 10L Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml Bottle: 5ml.	11/22/88
Abbott Laboratories.....	Amphetamine/Methamphetamine II Bulk Calibrators B-F Code No. 1A99 (B-F).	20 L, 10 L Carboy: 6 L, 2 L, 1 L, 250 ml, 200 ml Flask.	08/26/88
Abbott Laboratories.....	Amphetamine/Methamphetamine II Bulk Controls (L,M,H) Code No. 1A99 (L,M,H).	20 L, 10 L Carboy: 6 L, 2 L, 1 L, 250 ml, 200 ml Flask.	08/26/88
Abbott Laboratories.....	Amphetamine/Methamphetamine II Calibrators B-F No. 1A99 B-F.	5 ml Vial.....	08/26/88
Abbott Laboratories.....	Amphetamine/Methamphetamine II Calibrators No. 1A99-01.	Kit: 6 Vials.....	08/26/88
Abbott Laboratories.....	Amphetamine/Methamphetamine II Controls (L,M,H) No. 1A99-L,M,H.	5 mL Vial.....	08/26/88
Abbott Laboratories.....	Amphetamine/Methamphetamine II Controls No. 1A99-10.	Kit: 3 Vials.....	08/26/88
Abbott Laboratories.....	Amphetamine/Methamphetamine QC Primary B-F,L,M,H No. 9668 (B-F,L,M,H) QC.	Carboy: 10L Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml Bottle: 5ml.	11/22/88
Abbott Laboratories.....	Amphetamine/Methamphetamine QC Primary Standard Control M, No. 9668-M.	Bottle: 5 ml.....	11/10/87
Abbott Laboratories.....	Amphetamine/Methamphetamine II Bulk Controls, No. 1A99X,Y,Z.	Carboy: 20L, 10L, Flask: 6L, 2L, 1L, 250ml, 200ml.	01/19/89
Abbott Laboratories.....	Amphetamine/Methamphetamine II Control X,Y,Z; No. 1A99-02,03,04.	Kit: 100 vials.....	01/19/89
Abbott Laboratories.....	Amphetamine/Methamphetamine II Control X,Y,Z; No. 1A99X,Y,Z.	Vial: 5ml.....	01/19/89

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Abbott Laboratories.....	Amphetamine/Methamphetamine II Bulk Calibrator B,C,D,E,F; No. 01A99-B,C,D,E,F.	Carboy: 20L, 10L, 6L, 2L, 1L, 250ml, 200ml.....	07/14/89
Abbott Laboratories.....	Amphetamine/Methamphetamine II Bulk Control L,M,H; No. 01A99-L,M,H.	Carboy: 20L, 10L, Flask: 6L, 2L, 1L, 250ml, 200ml.	07/14/89
Abbott Laboratories.....	Barbital Buffer, 0.06 M Reagent Solution No. 7824.	Plastic Bottle: 2.5ml.....	04/07/78
Abbott Laboratories.....	Barbiturate II U Control L,M,H; No. 9669 L,M,H-11.	Bottle: 5 ml.....	10/17/89
Abbott Laboratories.....	Barbiturates Bulk Calibrator B-F No. 9669 B-F.....	Carboy: 9.5, 19 L.....	07/01/88
Abbott Laboratories.....	Barbiturates Bulk Control L,H No. 9669 L,H.....	Carboy: 9.5, 19 L.....	07/01/88
Abbott Laboratories.....	Barbiturates Bulk Controls, No. 9669X,Y,Z.....	Carboy: 20L, 10L, Flask: 6L, 2L, 1L, 250ml, 200ml.	01/19/89
Abbott Laboratories.....	Barbiturates Control X,Y,Z; No. 9669X,Y,Z.....	Vial: 5 ml.....	01/19/89
Abbott Laboratories.....	Barbiturates II U Bulk Calibrators B-F; No. 9669 B-F-05.	Carboy: 20L, 19L, 10L, 9.5L, 6L, 4L, 2L, 1L, Flask: 250ml, 200ml.	10/17/89
Abbott Laboratories.....	Barbiturates II U Bulk Controls L,M,H; No. 9669 L,M,H-11.	Carboy: 20L, 19L, 10L, 9.5L, 6L, 4L, 2L, 1L, Flask: 250ml, 200ml.	10/17/89
Abbott Laboratories.....	Barbiturates II U Calibrators B-F; No. 9669 B-F-05.	Bottle: 5 ml.....	10/17/89
Abbott Laboratories.....	Barbiturates II U Calibrators B-F; No. 9669-05.....	Kit: 6 vials.....	10/17/89
Abbott Laboratories.....	Barbiturates II U Controls L,M,H; No. 9661-11.....	Kit: 3 vials.....	10/17/89
Abbott Laboratories.....	Barbiturates II U QC Primary B-F; No. 9669 B-F-05 QC.	Carboy: 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, Bottle: 950ml, 500ml, 100ml, 5ml.	10/17/89
Abbott Laboratories.....	Barbiturates II U QC Primary L,M,H; No. 9669 L,M,H-11 QC.	Carboy: 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, Bottle: 950ml, 500ml, 100ml, 5ml.	10/17/89
Abbott Laboratories.....	Barbiturates QC Primary B-F,L,M,H No. 9669 (B-F,L,M,H) QC.	Carboy: 10L Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml Bottle: 5 ml.	11/22/88
Abbott Laboratories.....	Barbiturates QC Primary Bulk Control M, No. 9669-M.	Flasks: 1 liter, 250 ml, and 200 ml.....	11/10/87
Abbott Laboratories.....	Barbiturates QC Primary Standard Control M, No. 9669-M.	Bottle: 5 ml.....	11/10/87
Abbott Laboratories.....	Barbiturates QC Primary X, No. 9669X-QC.....	Carboy: 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, Bottle: 5ml.	06/05/89
Abbott Laboratories.....	Barbiturates Serum Bulk Calibrator B-F, No. 9679 B-F.	Carboy: 20L, 10L, Flask: 6L, 2L, 1L, 250ml, 200ml.	01/03/89
Abbott Laboratories.....	Barbiturates Serum Bulk Control L,M,H; No. 9676 L,M,H.	Carboy: 20L, 10L, Flask: 6L, 2L, 1L, 250ml, 200ml.	01/03/89
Abbott Laboratories.....	Barbiturates Serum Calibrators B-F, No. 9679-01.....	Kit: 5 vials.....	01/03/89
Abbott Laboratories.....	Barbiturates Serum Calibrators B-F, No. 9679 B-F.	Bottle: 5ml.....	01/03/89
Abbott Laboratories.....	Barbiturates Serum Controls L,M,H; No. 9679 L,M,H.	Bottle: 5ml.....	01/03/89
Abbott Laboratories.....	Barbiturates Serum Controls L,M,H; No. 9679-10.....	Kit: 3 vials.....	01/03/89
Abbott Laboratories.....	Barbiturates Serum QC Primary B-F,L,M,H; No. 9679 (B-F,L,M,H)-QC.	Carboy: 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, Bottle: 5ml.	01/03/89
Abbott Laboratories.....	Benzodiazepine Serum QC Primary B-F,L,M,H No. 9682 (B-F,L,M,H)-QC.	Carboy: 10L Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml Bottle: 5 ml.	11/22/88
Abbott Laboratories.....	Benzodiazepines Bulk Calibrator No. 9674 B-F.....	Carboy: 9.5, 19 L.....	07/18/88
Abbott Laboratories.....	Benzodiazepines Bulk Calibrators, B-F No. 9674.....	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	04/21/86
Abbott Laboratories.....	Benzodiazepines Bulk Control L,H No. 9674 L,H.....	Carboy: 9.5, 19 L.....	07/18/88
Abbott Laboratories.....	Benzodiazepines Bulk Controls, L and H No. 9674.	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	04/21/86
Abbott Laboratories.....	Benzodiazepines QC Primary Bulk Control M, No. 9674-M.	Flasks: 1 liter, 250 ml, and 200 ml.....	11/10/87
Abbott Laboratories.....	Benzodiazepines QC Primary Bulk Control M, No. 9674-M.	Flasks: 1 liter, 250 ml, and 200 ml.....	11/10/87
Abbott Laboratories.....	Benzodiazepines QC Primary, B-F,L,M,H No. 9674 (B-F,L,M,H) QC.	Carboy: 10L Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml Bottle: 5ml.	11/22/88
Abbott Laboratories.....	Benzodiazepines Serum Bulk Calibrators B-F: Code No. 9682 B-F.	Carboy: 10 liter; Flask: 6 liter, 2 liter.....	12/07/87
Abbott Laboratories.....	Benzodiazepines Serum Bulk Calibrators: No. 9682 B-F.	Carboy: 20 liters, 10 liters; Flask: 6 liters, 2 liters, 1 liter.	05/02/88
Abbott Laboratories.....	Benzodiazepines Serum Bulk Controls L,M & H: Code No. 9682 L,M, & H.	Carboy: 10 liter; Flask: 6 liter, 2 liter.....	12/07/88
Abbott Laboratories.....	Benzodiazepines Serum Bulk Controls: No. 9682 L,M,H.	Carboy: 20 liters, 10 liters; Flask: 6 liters, 2 liters, 1 liter, 250 ml.	05/02/88
Abbott Laboratories.....	Benzoyllecgonine Stock Standard No. 97182, 97182 A-B.	Carboy: 20L, 10L Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml, Bottle: 950ml, 500ml, 100ml, 5ml.	11/23/88
Abbott Laboratories.....	Benzoyllecgonine Stock Standard, No. 97182.....	Bottle: 125ml.....	11/21/85
Abbott Laboratories.....	CG RIA Diagnostic Kit No. 7815.....	Kit: 100 tests.....	04/07/78
Abbott Laboratories.....	Cannabinoids—GS Bulk Controls, No. 3897X,Y,Z.....	Carboy: 20L, 10L, Flask: 6L, 2L, 1L, 250ml, 200ml.	01/19/89
Abbott Laboratories.....	Cannabinoids—GS Control X,Y,Z; No. 3897 - 02,03,04.	Kit: 100 vials.....	01/19/89
Abbott Laboratories.....	Cannabinoids—GS Control X,Y,Z; No. 3897X,Y,Z.....	Vial: 5ml.....	01/19/89

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Abbott Laboratories.....	Cannabinoids Bulk Calibrators B-F.....	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	10/24/86
Abbott Laboratories.....	Cannabinoids Bulk Controls L,M,H.....	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	10/24/86
Abbott Laboratories.....	Cannabinoids Bulk Tracer (No. 94192).....	Carboy: 50L, 20L, 10L, Flask: 6L, 4L, 2L, 1L.....	10/27/86
Abbott Laboratories.....	Cannabinoids QC Primary NBS, B-F, L,M,H; No. 9671-02[NBS,B-F]-QC; No. 9671-11[L,M,H]-QC.	Carboy: 10L, Flask: 4L, 2L, 500ml, 250ml, 100ml, 200ml, Bottle: 5ml.	12/27/88
Abbott Laboratories.....	Cannabinoids QC Primary NBS, B-F,L,M,H; No. 9671 (NBS, B-F,L,M,H)-QC.	Carboy: 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, Bottle: 5ml.	12/27/88
Abbott Laboratories.....	Cannabinoids Stock Standard (94568).....	Bottle: 125 ml.....	06/19/87
Abbott Laboratories.....	Cannabinoids Stock Standard (No. 94193).....	Bottle:125 ml.....	10/24/86
Abbott Laboratories.....	Cannabinoids Stock Standard 10mcg/ml-No. 94568, 5mcg/ml-No. 94568A, 1mcg/ml-No. 94568B.	Carboy: 20L, 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, bottle: 950ml, 500ml, 100ml, 5ml.	12/27/89
Abbott Laboratories.....	Cannabinoids Stock Standard 10mcg/ml-No. 94193, 5mcg/ml-No. 94193A, 1mcg/ml-No. 94193B.	Carboy: 20L, 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, bottle: 950ml, 500ml, 100ml, 5ml.	12/27/88
Abbott Laboratories.....	Cannabinoids Stock Tracer (No. 94194).....	Flask: 5 ml.....	10/27/86
Abbott Laboratories.....	Cannabinoids-GS Bulk Calibrators B-F No. 3897 B-F.	20 L, 10 L Carboy; 6 L, 2 L, 1 L, 250 ml, 200 ml Flask.	07/28/88
Abbott Laboratories.....	Cannabinoids-GS Bulk Controls (L,M,H) Code No. 3897 (L,M,H).	20 L, 10 L Carboy; 6 L, 2 L, 1 L, 250 ml, 200 ml Flask.	07/28/88
Abbott Laboratories.....	Cannabinoids-GS Bulk Tracer Code No. 95826.....	10 L Carboy; 6 L, 2 L Flask.....	07/28/88
Abbott Laboratories.....	Cannabinoids-GS Calibrators B-F No. 3897 B-F.....	5 ml Vial.....	07/28/88
Abbott Laboratories.....	Cannabinoids-GS Calibrators No. 3897-01.....	Kit: 6 Vials.....	07/28/88
Abbott Laboratories.....	Cannabinoids-GS Controls (L,M,H) No. 3897-L,M,H.	5 ml Vial.....	07/28/88
Abbott Laboratories.....	Cannabinoids-GS Controls No. 3897-10.....	Kit: 3 Vials.....	07/28/88
Abbott Laboratories.....	Cannabinoids-GS QC Primary NBS, B-F, L,M,H; No. 3897 (NBS, B-F, L,M,H)-QC.	Carboy: 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, Bottle: 5ml.	12/27/88
Abbott Laboratories.....	Cannabinoids-GS Reagent Pack 100 Test No. 3897-20.	Kit: 100 Tests.....	07/28/88
Abbott Laboratories.....	Cannabinoids-GS Reagent Pack 100 Test, No. 3897-19.	Kit: 100 Tests.....	09/22/89
Abbott Laboratories.....	Cannabinoids-GS Tracer Code No. 3897-T.....	5 ml Vial.....	07/28/88
Abbott Laboratories.....	Cholyglycine Antiserum (Rabbit) Reagent Solution No. 7817.	Plastic Bottle: 20ml.....	04/07/78
Abbott Laboratories.....	Cocaine Metabolite Bulk Calibrator B-F No. 9670 B-F.	Carboy: 9.5, 19 L.....	07/07/88
Abbott Laboratories.....	Cocaine Metabolite Bulk Calibrator, B-F No. 9670.	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	10/28/85
Abbott Laboratories.....	Cocaine Metabolite Bulk Controls L,H No. 9670-L,H.	Carboy: 9.5, 19 L.....	07/07/88
Abbott Laboratories.....	Cocaine Metabolite Bulk Controls, L and H No. 9670.	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	10/28/85
Abbott Laboratories.....	Cocaine Metabolite Bulk Controls, No. 9670X,Y,Z.	Carboy: 20L, 10L, Flask: 6L, 2L, 1L, 250ml, 200ml.	01/19/89
Abbott Laboratories.....	Cocaine Metabolite Bulk Tracer, No. 9670.....	Carboy: 50L, 20L, 10L, Flask: 6L, 4L, 2L, 1L.....	10/29/85
Abbott Laboratories.....	Cocaine Metabolite Control X,Y,Z; No. 9670X,Y,Z.	Vial: 5ml.....	01/19/89
Abbott Laboratories.....	Cocaine Metabolite QC Primary B-F, L, M, H, No. 9670 (B-F, L, M, H)-QC.	Carboy: 10L, Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml, Bottle: 5 ml.	11/23/88
Abbott Laboratories.....	Cocaine Metabolite QC Primary Bulk Control M, No. 9670-M.	Flasks: 1 liter, 250 ml, and 200 ml.....	11/10/87
Abbott Laboratories.....	Cocaine Metabolite QC Primary Standard Control M, No. 9670-M.	Bottle: 5 ml.....	11/10/87
Abbott Laboratories.....	Cocaine Metabolite QC Primary X, No. 9670X-QC; Primary Z, No. 9670Z-QC.	Carboy: 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, Bottle: 5ml.	06/05/89
Abbott Laboratories.....	Cocaine Metabolite Stock Tracer, No. 9670.....	Vial: 5ml.....	10/29/85
Abbott Laboratories.....	Low, Medium, High Multiconstituent Stock Standards, No. 90967, 90968,90969.	Carboy: 10L, 20L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml,100ml, Bottle: 950ml, 500ml, 100ml, 5ml.	10/06/89
Abbott Laboratories.....	Methadone Bulk Calibrators (B-F) Code No. 9676 (B-F).	20 L, 10 L Carboy; 6 L, 2 L, 1 L, 250 ml, 200 ml Flask.	09/02/88
Abbott Laboratories.....	Methadone Bulk Calibrators (L,M,H) Code No. 9676 (L,M,H).	20 L, 10 L Carboy; 6 L, 2 L, 1 L, 250 ml, 200 ml Flask.	09/02/88
Abbott Laboratories.....	Methadone Bulk Stock Standard Code No. 95952.	10 L Carboy; 6 L, 2 L, 1 L Flask.....	09/02/88
Abbott Laboratories.....	Methadone Calibrators No. 9676-01.....	Kit: 6 Vials.....	09/02/88
Abbott Laboratories.....	Methadone Calibrators B-F No. 9676 B-F.....	5 ml Vial.....	09/02/88
Abbott Laboratories.....	Methadone Controls L,M,H No. 9676-L,M,H.....	5 ml Vial.....	09/02/88
Abbott Laboratories.....	Methadone Controls No. 9676-10.....	Kit: 3 Vials.....	09/02/88
Abbott Laboratories.....	Methadone Stock Standard Code No. 95720.....	1 L, 500 ml, 100 ml Bottle.....	09/02/88
Abbott Laboratories.....	Morphine Stock Standard, No. 97291.....	Vial: 125ml.....	10/16/85
Abbott Laboratories.....	Morphine Stock Standard, No. 97291 A-B.....	Carboy: 20L, 10L; Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml; Bottle: 950ml, 500ml, 100ml, 5ml.	11/22/88
Abbott Laboratories.....	Multiconstituent Bulk Controls L,M,H (No. 9687-L,M,H).	Carboy: 20L, 10L, Flask: 10L, 6L, 4L, 2L, 1L, 250ml, 200ml.	09/03/87

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Abbott Laboratories	Multiconstituent Control for Abused Drug Assays Bulk L,M,H; No. 9687-L,M,H.	Carboy: 20L, 10L, 19L, 9.5L, 6L, 4L, 1L, Flask: 250ml, 200ml.	10/06/89
Abbott Laboratories	Multiconstituent Control for Abused Drug Assays L,M,H; No. 9687-L,M,H.	Vial: 5 ml	10/06/89
Abbott Laboratories	Multiconstituent Control for Abused Drug Assays QC Primary L,M,H; No. 9687-L,H,H-QC.	Carboy: 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, Bottle: 950ml, 500ml, 100ml, 5ml.	10/06/89
Abbott Laboratories	Multiconstituent Controls for Abused Drug Assays, No. 9687-10.	Kit: 6 vials	10/06/89
Abbott Laboratories	Nordiazepam Serum Bulk Stock Standard No. 94941.	Carboy: 10 liters; Flask: 6 liters, 2 liters, 1 liter	05/02/88
Abbott Laboratories	Nordiazepam Serum Bulk Stock Standard: Code No. 94941.	Carboy: 10 liter; Flask: 6 liter, 2 liter	12/07/87
Abbott Laboratories	Nordiazepam Serum Stock Standard No. 94941, 94941 A,B.	Carboy: 20L, 10L; Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml; Bottle: 950 ml, 500 ml, 100 ml, 5 ml.	11/22/88
Abbott Laboratories	Nordiazepam Serum Stock Standard: Code No. 94941.	Bottle: 125 ml	12/07/87
Abbott Laboratories	Nordiazepam Serum Stock Standard: No. 94941	Bottle: 125 ml	05/02/88
Abbott Laboratories	Nordiazepam Stock Standard No. 97757, 97757 A,B.	Carboy: 20L, 10L; Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml; Bottle: 950ml, 500ml, 100ml, 5ml.	11/22/88
Abbott Laboratories	Nordiazepam Stock Standard, No. 97757	Bottle: 125ml	04/21/86
Abbott Laboratories	Opiate Bulk Calibrators, B-F No. 9673	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	05/07/86
Abbott Laboratories	Opiate Bulk Controls, L and H No. 9673	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	05/07/86
Abbott Laboratories	Opiates Bulk Controls, No. 9673X,Y,Z	Carboy: 20L, 10L, Flask: 6L, 2L, 1L, 250ml, 200ml.	01/19/89
Abbott Laboratories	Opiates Bulk Tracer, No. 97458	Carboy: 50L, 20L, 10L, Flask: 6L, 4L, 2L, 1L	05/07/86
Abbott Laboratories	Opiates Control X,Y,Z; No. 9673X,Y,Z	Vial: 5ml	01/19/89
Abbott Laboratories	Opiates QC Primary (B-F,L,M,H) QC No. 9673 (B-F,L,M,H) QC.	Carboy: 10L; Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml; Bottle: 5ml.	11/22/88
Abbott Laboratories	Opiates QC Primary Bulk Control M, No. 9673-M	Flasks: 1 liter, 250 ml, and 200 ml	11/10/87
Abbott Laboratories	Opiates QC Primary Standard Control M, No. 9673-M.	Bottle: 5 ml	11/10/87
Abbott Laboratories	Opiates QC Primary X, No. 9673X-QC; Primary Y, No. 9673Y-QC; Primary Z, No. 9673Z-QC.	Carboy: 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, Bottle: 5ml.	06/05/89
Abbott Laboratories	Opiates Stock Tracer, No. 98718	Bottle: 30ml	05/07/86
Abbott Laboratories	Phencyclidine Bulk Calibrator, B-F No. 9672	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	03/21/86
Abbott Laboratories	Phencyclidine Bulk Control M, No. 9672	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	09/26/86
Abbott Laboratories	Phencyclidine Bulk Controls, L and H No. 9672	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	03/21/86
Abbott Laboratories	Phencyclidine Bulk Controls, No. 9672X,Y,Z	Carboy: 20L, 10L, Flask: 6L, 2L, 1L, 250ml, 200ml.	01/19/89
Abbott Laboratories	Phencyclidine Control X,Y,Z; No. 9672X,Y,Z	Vial: 5ml	01/19/89
Abbott Laboratories	Phencyclidine QC Primary (B-F,L,M,H) QC No. 9672 (B-F,L,M,H) QC.	Carboy: 10L; Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml; Bottle: 5ml.	11/22/88
Abbott Laboratories	Phencyclidine QC Primary X, No. 9672X-QC; Primary Z, No. 9672Z-QC.	Carboy: 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, Bottle: 5ml.	06/05/89
Abbott Laboratories	Phencyclidine Stock Standard No. 97158, 97158 A-B.	Carboy: 20L, 10L, Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml, Bottle: 950ml, 500ml, 100ml, 5ml.	11/22/88
Abbott Laboratories	Phencyclidine Stock Standard, No. 95356	Flask: 100ml, 200ml, 250ml, 500ml, 1L, 2L, 4L, Bottle: 5ml, 100ml, 500ml, 950 ml, Carboys: 10L, 20L	04/18/89
Abbott Laboratories	Phencyclidine Stock Standard, No. 97158	Bottle: 125ml	11/21/85
Abbott Laboratories	Phenobarbital Enzyme Inhibitor Stock	Vial: 2ml	01/20/84
Abbott Laboratories	Phenobarbital Stock Solution 1 mg/ml Code No. 94312.	Plastic Bottle: 125 ml	03/23/87
Abbott Laboratories	Phenobarbital Stock Solution 10 mg/ml Code No. 94313.	Plastic Bottle: 125 ml	03/23/87
Abbott Laboratories	Phenobarbital Stock Standard Solution	Bottle: 1 liter	08/12/82
Abbott Laboratories	Polyethylene Glycol 8000, 16% Solution in 0.09 M Barbitol Buffer, No 7541.	Plastic Bottle: 300 ml, 150 ml	09/21/77
Abbott Laboratories	Polyethylene Glycol 8000, 18% Solution in 0.09M Barbitol Buffer: No. 07602.	Stainless Steel Tank: 1000 liters	03/09/88
Abbott Laboratories	Secobarbital Bulk Calibrator, B-F No. 9669	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	03/21/86
Abbott Laboratories	Secobarbital Bulk Controls, L and H No. 9669	Carboy: 20L, 10L, Flask: 6L, 4L, 2L, 1L, 250ml, 200ml.	03/21/86
Abbott Laboratories	Secobarbital Stock Standard 1000mcg/ml-No. 90107, 500mcg/ml-No. 90107A, 200mcg/ml-No. 90107B.	Carboy: 20L, 10L, Flask: 4L, 2L, 1L, 500ml, 250ml, 200ml, 100ml, Bottle: 950ml, 500ml, 100ml, 5ml.	01/03/89
Abbott Laboratories	Secobarbital Stock Standard No. 97171, 97171 A,B.	Carboy: 20L, 10L, Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100, ml Bottle: 950 ml, 500 ml, 100 ml, 5 ml.	11/22/88
Abbott Laboratories	Secobarbital Stock Standard, No. 97171	Bottle: 125ml	11/21/85

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Abbott Laboratories	Spectrum Phenobarbital Calibrator II-VI, Nos. 9755, 9757, 9759, 9761, 9763.	Bottle: 4ml	10/03/85
Abbott Laboratories	Spectrum Phenobarbital Control, Nos. 9876, 9878, 9880. (L,M,H).	Bottle: 4ml	10/03/85
Abbott Laboratories	TDx Amphetamine Class Calibrators 9667-01	Kit containing 6 vials	03/01/88
Abbott Laboratories	TDx Amphetamine Class Calibrators B-F	Bottle: 5 ml	03/01/88
Abbott Laboratories	TDx Amphetamine Class Control L and H	Bottle: 5 ml	03/01/88
Abbott Laboratories	TDx Amphetamine Class Controls 9667-10	Kit containing 2 vials	03/01/88
Abbott Laboratories	TDx, ADx Amphetamine Class Reagent Pack, No. 9667-20, No. 9667-55.	Kit: 100 tests	03/01/88
Abbott Laboratories	TDx Amphetamine Class Tracer Solution, No. 9667T.	Vial: 5ml, 3.2ml	03/01/88
Abbott Laboratories	TDx Amphetamine/Methamphetamine Calibrator, No. 9668-01.	Bottles: 4ml	08/23/85
Abbott Laboratories	TDx Amphetamine/Methamphetamine Controls, No. 9668-10.	Bottles: 4ml	08/23/85
Abbott Laboratories	TDx Barbiturates Calibrators No. 9669 B-F	5 ml Vial	07/01/88
Abbott Laboratories	TDx Barbiturates Calibrators No. 9669-01	Kit: 5 Vials, 5 ml each	07/01/88
Abbott Laboratories	TDx Barbiturates Calibrators, B-F No. 9669	Bottle: 4 ml	10/08/85
Abbott Laboratories	TDx Barbiturates Control L,H No. 9669 L,H	5 ml Vial	07/01/88
Abbott Laboratories	TDx Barbiturates Control, L and H No. 9669	Bottle: 4ml	10/08/85
Abbott Laboratories	TDx Barbiturates Controls No. 9669-10	Kit: 2 Vials, 5 ml each	07/01/88
Abbott Laboratories	TDx Benzodiazepines Calibrator No. 9674 B-F	5 ml Vial	07/18/88
Abbott Laboratories	TDx Benzodiazepines Calibrators No. 9674-01	Kit: 5 Vials, 5 ml each	07/18/88
Abbott Laboratories	TDx Benzodiazepines Calibrators, No. 9674-01	Bottles: 4ml	04/21/86
Abbott Laboratories	TDx Benzodiazepines Controls L,H No. 9674 L,H	5 ml Vial	07/18/88
Abbott Laboratories	TDx Benzodiazepines Controls L,H No. 9674-10	Kit: 2 Vials, 5 ml each	07/18/88
Abbott Laboratories	TDx Benzodiazepines Controls, No. 9674-10	Bottles: 4ml	04/21/86
Abbott Laboratories	TDx Benzodiazepines Serum Calibrator No. 9682 B-F.	Bottle: 4 ml	05/02/88
Abbott Laboratories	TDx Benzodiazepines Serum Calibrators B-F: Code No. 9682 B-F.	Bottle: 4 ml	12/07/88
Abbott Laboratories	TDx Benzodiazepines Serum Calibrators: Code No. 9682-01.	Kit	12/07/88
Abbott Laboratories	TDx Benzodiazepines Serum Calibrators: No. 9682-01.	Kit containing 6 vials	05/02/88
Abbott Laboratories	TDx Benzodiazepines Serum Controls L,M, & H: No. 9682 L,M,H.	Bottle: 4 ml	12/07/87
Abbott Laboratories	TDx Benzodiazepines Serum Controls L,M,H: No. 9682 L,M,H.	Bottle: 4 ml	05/02/88
Abbott Laboratories	TDx Benzodiazepines Serum Controls: Code No. 9682-10.	Kit	12/07/88
Abbott Laboratories	TDx Benzodiazepines Serum Controls: No. 9682-10.	Kit containing 3 vials	05/02/88
Abbott Laboratories	TDx Cannabinoids Calibrators B-F (9671-02)	Bottle: 5 ml	06/19/87
Abbott Laboratories	TDx Cannabinoids Calibrators B-F (No. 9671-01)	Bottles: 5 ml	10/24/86
Abbott Laboratories	TDx Cannabinoids Controls L,M, and H (9671-11).	Bottle: 5 ml	06/19/87
Abbott Laboratories	TDx Cannabinoids Controls L,M,H (No. 9671-10)	Bottles: 5 ml	10/24/86
Abbott Laboratories	TDx Cannabinoids Fluorescein Tracer Solution (No. 9671-T).	Bottle: 5 ml	10/27/86
Abbott Laboratories	TDx Cannabinoids Reagent Pack (No. 9671-20)	100 tests	10/27/86
Abbott Laboratories	TDx Cocaine Metabolite Calibrator B-F No. 9670 B-F.	5 ml Vial	07/07/88
Abbott Laboratories	TDx Cocaine Metabolite Calibrator, B-F No. 9670.	Bottle: 4ml	10/02/85
Abbott Laboratories	TDx Cocaine Metabolite Calibrators No. 9670-01	Kit: 5 Vials, 5 ml each	07/07/88
Abbott Laboratories	TDx Cocaine Metabolite Control L,H No. 9670 L,H.	5 ml Vial	07/07/88
Abbott Laboratories	TDx Cocaine Metabolite Control, L and H No. 9669.	Bottle: 4ml	10/02/85
Abbott Laboratories	TDx Cocaine Metabolite Controls No. 9670-10	Kit: 2 Vials, 5 ml each	07/07/88
Abbott Laboratories	TDx Cocaine Metabolite Fluorescein Tracer Solution No. 9670 T0001.	Kit: 100 Vials, 5 ml Each	07/07/88
Abbott Laboratories	TDx Cocaine Metabolite Fluorescein Tracer Solution No. 9670-T.	Box: 5 ml Vial	07/07/88
Abbott Laboratories	TDx Cocaine Metabolite Reagent Pack	Reagent well: 5ml	10/02/85
Abbott Laboratories	TDx Cocaine Metabolite Reagent Pack No. 9670-20.	Kit: 100 Tests	07/07/88
Abbott Laboratories	TDx Multiconstituent Controls L,M,H (No. 9687-L,M,H).	Bottle: 5 ml	09/03/87
Abbott Laboratories	TDx Opiates Calibrators B-F: No. 9673-01	Vial: 4 ml	02/29/88
Abbott Laboratories	TDx Opiates Calibrators, B-F No. 9673	5 ml Vial	05/07/86
Abbott Laboratories	TDx Opiates Controls L and H: No. 9673 L,H	Vial: 4 ml	02/29/88
Abbott Laboratories	TDx Opiates Controls, L and H No. 9673	Vials: 5ml	05/07/86
Abbott Laboratories	TDx Opiates Fluorescein Tracer Solution No. 9673 T0001.	Box: 10 Vials, 5 ml each	07/08/88
Abbott Laboratories	TDx Opiates Fluorescein Tracer Solution: No. 9673-T.	Reagent Well: 5 ml	02/29/88

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Abbott Laboratories	TDx Opiates Reagent, Pack No. 9673-20, 100 tests.	Reagent Well: 5ml, 100 tests	05/07/86
Abbott Laboratories	TDx Phencyclidine Bulk Calibrator B-F No. 9672 B-F.	Carboy: 9.5, 19 L	07/18/88
Abbott Laboratories	TDx Phencyclidine Bulk Calibrator B-F No. 9672 B-F.	5 ml Vial	07/18/88
Abbott Laboratories	TDx Phencyclidine Bulk Control L,M,H No. 9672 L,M,H.	Carboy: 9.5, 19 L	07/18/88
Abbott Laboratories	TDx Phencyclidine Calibrators B-F No. 9672-01	Kit: 5 Vials, 5 ml each	07/18/88
Abbott Laboratories	TDx Phencyclidine Calibrators, B-F No. 9672	Bottle: 4ml	10/09/85
Abbott Laboratories	TDx Phencyclidine Control M No. 9672	Bottle: 4ml	09/26/86
Abbott Laboratories	TDx Phencyclidine Controls L,M,H No. 9672 L,M,H.	5 ml Vial	07/18/88
Abbott Laboratories	TDx Phencyclidine Controls No. 9672-10	Kit: 3 Vials, 5 ml each	07/18/88
Abbott Laboratories	TDx Phencyclidine Controls, L and H No. 9672	Bottle: 4ml	10/09/85
Abbott Laboratories	TDx Phenobarbital Bulk Calibrators No. 9500 B-F.	Carboy: 10 L, 20 L	06/16/88
Abbott Laboratories	TDx Phenobarbital Bulk Calibrators No. 9500 L,M,H.	Carboy: 10 L, 20 L	06/16/88
Abbott Laboratories	TDx Phenobarbital Calibrator—0.0, 5.0, 10.0, 20.0, 40.0, and 80.0 mcg/ml.	Kit ctg: 6 vials	08/31/81
Abbott Laboratories	TDx Phenobarbital Calibrators B-F No. 9500 B-F.	5 ml Vial	06/16/88
Abbott Laboratories	TDx Phenobarbital Calibrators No. 9500-01	5 Vials, 5 ml each	06/16/88
Abbott Laboratories	TDx Phenobarbital Controls No. 9500 L,M,H	5 ml Vial	06/16/88
Abbott Laboratories	TDx Phenobarbital Controls No. 9500-10	Kit: 3 Vials, 5 ml each	06/16/88
Abbott Laboratories	TDx Phenobarbital Controls— 15.0, 30.0, 50.0 mcg/ml.	Kit ctg: 3 vials	08/31/81
Abbott Laboratories	TDx Systems Multiconstituent Controls for Abused Drug (No. 9687-10).	Kit: 6 Bottles	09/03/87
Abbott Laboratories	Thyroxine Binding Globulin, Thyroxine I 125	Glass Bottle: 13ml. Plastic Bottle: 250ml	04/22/76
Abbott Laboratories	X Systems Amphetamine/Methamphetamine II Calibrator B,C,D,E,F; No. 01A99-B,C,D,E,F.	Vial: 5 ml	07/14/89
Abbott Laboratories	X Systems Amphetamine/Methamphetamine II Calibrators, No. 01A99-01.	Kit: 6 vials	07/14/89
Abbott Laboratories	X Systems Amphetamine/Methamphetamine II Control L,M,H; No. 01A99-L,M,H.	Vial: 5 ml	07/14/89
Abbott Laboratories	X Systems Amphetamine/Methamphetamine II Controls, No. 01A99-10.	Kit: 3 vials	07/14/89
Abbott Laboratories	d-Amphetamine (II) Bulk Stock Standard Code No. 95947.	10 L Carboy; 6 L, 2 L, 1 L Flask	08/26/88
Abbott Laboratories	d-Amphetamine (II) Stock Standard Code No. 95934.	1 L, 500 ml, 100 ml Bottle	08/26/88
Abbott Laboratories	d-Amphetamine (II) Stock Standard No. 95934, 95934 A-B.	Carboy: 20L, 10L Flask: 4L, 2L, 1L, 500 ml, 250 ml, 200 ml, 100 ml Bottle: 950ml, 500ml, 100ml, 5ml.	11/22/88
Adri/Technam	3-Ortho-Carboxymethylmorphine	Screw Cap Vial	05/03/73
Adri/Technam	5-Ethyl-5-(1-Carboxy-n-propyl) Barbituric Acid	Screw Cap Vial	05/03/73
Adri/Technam	5-Ethyl-5-(1-Carboxy-n-propyl) Barbituric Acid-Bovine Serum Albumin.	Vaccine Vial: 10ml	05/03/73
Adri/Technam	5-Ethyl-5-(1-Carboxy-n-propyl) Barbituric Acid-Rabbit Serum Albumin.	Vaccine Vial: 10ml	05/03/73
Adri/Technam	Barbiturate Standard	Screw-cap vial: 10ml	07/17/76
Adri/Technam	Barbituric Acid Sensitized Red Blood Cells	Vaccine Vial: 50ml	05/03/73
Adri/Technam	Benzoyl Ecgonine	Screw-cap vial: 10ml	04/18/74
Adri/Technam	Benzoyl Ecgonine Sensitized Red Blood Cells	Vaccine Vial: 50ml	05/03/73
Adri/Technam	Benzoyl Ecgonine Standard	Screw-cap vial: 10ml	07/17/76
Adri/Technam	Benzoyl Ecgonine-BSA	Vaccine Vial	07/21/75
Adri/Technam	Benzoyl Ecgonine-RSA	Vaccine Vial	07/21/75
Adri/Technam	CMM-BSA and CMM-RSA (Carboxymethylmorphine Bovine Serum Albumin or Carboxymethylmorphine Rabbit Serum Albumin).	Vaccine Vial: 10ml	05/03/73
Adri/Technam	Cannabuse Cannabidiol Standard	Disks: 25/package	05/03/85
Adri/Technam	Cannabuse Delta 8 THC Carboxylic Acid Standard.	Disks: 25/package	09/19/84
Adri/Technam	Cannabuse Delta 8 THC Carboxylic Acid Standard.	Vial: 6 ml	09/19/84
Adri/Technam	Cannabuse Delta 9 THC Carboxylic Acid Standard.	Vial: 6 ml	09/19/84
Adri/Technam	Cannabuse Delta 9 THC Carboxylic Acid Standard.	Disks: 25/package	09/19/84
Adri/Technam	Cannabuse Delta 9 THC Standard	Vial: 6 ml	09/19/84
Adri/Technam	Cannabuse Delta 9 THC Standard	Disks: 25/package	09/19/84
Adri/Technam	Drug Standards, Acid/ Neutral Mixture A and B	Disks: 25/package	11/15/85
Adri/Technam	Drug Standards, Basic Mixture A and B	Disks: 25/package	11/15/85
Adri/Technam	Methadone Standard	Screw-cap vial: 10ml	07/17/76
Adri/Technam	Morphine Sensitized Red Blood Cells	Vaccine Vial: 50ml	05/03/73
Adri/Technam	Morphine Standard (in distilled water)	Screw-cap vial: 10ml	07/17/76
Adri/Technam	Tropinecarboxylic Acid (ecgonine)	Screw-cap Bottle: 10ml	05/03/73
Alltech-Applied Science	4-Methylaminorex	Vial: 1 ml	06/16/89
Alltech-Applied Science	6-Acetylcodeine	Vial: 1 ml	06/16/89

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Alltech-Applied Science	Bromazepam	Vial: 1 ml	06/16/89
Alltech-Applied Science	Cyclopentobarbital	Vial: 1 ml	06/16/89
Alltech-Applied Science	L-Amphetamine HCl	Vial: 1 ml	06/16/89
Alltech-Applied Science	MDE HCl	Vial: 1 ml	06/16/89
Alltech-Applied Science	Medazepam	Vial: 1 ml	06/16/89
Alltech-Applied Science	Metharbital	Vial: 1 ml	06/16/89
Alltech-Applied Science	Normeperidine HCl	Vial: 1 ml	06/16/89
Alltech-Applied Science	Talbutal	Vial: 1 ml	06/16/89
Alltech-Applied Science	Thiopental	Vial: 1 ml	06/16/89
Alltech-Applied Science	l-Methamphetamine HCl	Vial: 1 ml	06/16/89
American Monitor Corporation	Qualify I	Glass Vial: 10ml	10/09/75
American Monitor Corporation	Qualify II	Glass Vial: 10ml	10/09/75
Amersham Corporation	Amerlex T-3 RIA Kit, IM 2000, IM 2001, IM 2004	Kit: 50 tests, 100 tests, 400 tests	02/18/80
Amersham Corporation	Amerlex T-4 RIA Kit, IM 2010, IM 2011, IM 2014	Kit: 50 tests, 100 tests, 400 tests	02/06/80
Amersham Corporation	Amerlex-M B-HCG Radioimmunoassay Kit IM 3091, IM 3094	Kit: 100 tests, 400 tests	06/19/85
Amersham Corporation	Amerlex-M T3 RIA Kit, 1M.3001, 1M.3004	Kit: 100 Tests 400 Tests	08/27/86
Amersham Corporation	Amerlex-M T4 RIA Kit, 1M.3011, 1M.3014	Kit: 100 Tests 400 Tests	08/27/86
Amersham Corporation	Amerlite FSH Assay, Cat. Code LAN. 0077, Cat. Code LAN. 2077.	Glass vial: 5.8ml, 38.1ml, 240 tests, 144 tests	05/30/89
Amersham Corporation	Amerlite Rubella Antibody Assay, Cat. Code LAN. 0200, Cat. Code LAN. 2200.	Glass vial: 5.8ml, 38.1ml, 240 tests, 144 tests	05/30/89
Amersham Corporation	Amerlite TSH Assay, Cat. Code LAN. 0001, Cat. Code LAN. 2001.	Glass vial: 5.8ml, 240 tests, 144 tests	05/30/89
Amersham Corporation	Amerlite TT3 Assay: Catalog Code Lan. 0003, Lan. 1003, and Lan. 2003.	Kit: 144 tests, 240 tests, 480 tests	11/24/87
Amersham Corporation	Amerlite TT4 Assay: Catalog Code Lan. 0002, Lan. 1002, Lan. 2002.	Kit: 144 tests, 240 tests, 480 tests	11/24/87
Amersham Corporation	Codeine (N-methyl-C14) Hydrochloride	Custom Preparation	03/27/72
Amersham Corporation	Morphine (N-methyl-C14) Hydrochloride No. CFA-363.	Vial: 0.32 to 1.89mg	03/27/72
Amersham Corporation	Pheno [2-14C] barbital Catalog No. CFA 537	Vial: 0.39 to 5.85mg	11/05/74
Amersham Corporation	Prolactin RIA Kit, IM 1060, 1061	Kit: 50 tests, 100 tests	03/28/80
Amersham Corporation	T-3 Uptake (MAA) Kit-IM 1020, IM 1021, IM 1024.	Kit: 50 tests, 100 tests, 400 tests	02/05/79
Amersham Corporation	[1(N)-3H] Hydromorphone TRQ 4729	Vial: 47.5-95 micrograms	07/31/87
Amersham Corporation	[1(n)-3H] Codeine, No. TRK 448	Ampule: 0.002mg to 0.015mg	02/26/74
Amersham Corporation	[1(n)-3H] Morphine, No. TRK-447	Vial: 0.002 mg to 0.015 mg	02/26/74
Amersham Corporation	[1,7,8(n)-3H] Dihydromorphine, No. TRK-450	Vial: 0.0008 mg to 0.008 mg	02/26/74
Amersham Corporation	[15, 16(n)-3H] Etorphine, Catalog No. TRK 476	Vial: 3.45 to 6.9 micrograms	11/19/74
Amersham Corporation	[15, 16(n)-3H] Etorphine Catalog No. TRK 476	Vial: 13.8 to 27.6 micrograms	02/17/75
Amersham Corporation	[2(n)-3H] Lysergic Acid Diethylamide, No. TRK 461.	Vial: 0.003mg to 0.04mg	05/22/74
Amersham Corporation	[2-14C] Diazepam Catalog No. CFA.591	Multidose Glass Vial: 56mm x 25mm	09/28/77
Amersham Corporation	[N-methyl-3H] Diazepam Catalog Code: TRK.572.	Multidose Glass Vial: 56mm x 25mm	09/28/77
Applied Science Laboratories	6-Monoacetylmorphine HCl	Vial: 1 ml	03/30/88
Applied Science Laboratories	Cannabidiol	Vial: 1 ml	03/30/88
Applied Science Laboratories	Cannabinol	Vial: 1 ml	03/30/88
Applied Science Laboratories	Delta-8-Tetrahydro-cannabinol	Vial: 1 ml	03/30/88
Applied Science Laboratories	Ecgonine Methyl Ester HCl	Vial: 1 ml	03/30/88
Applied Science Laboratories	MDA HCl	Vial: 1 ml	03/30/88
Applied Science Laboratories	MDMA HCl	Vial: 1 ml	03/30/88
Applied Science Laboratories	Nitrazepam	Vial: 1 ml	03/30/88
Applied Science Laboratories	Nordiazepam	Vial: 1 ml	03/30/88
Applied Science Laboratories	Propylbenzoyl-ecgonine	Vial: 1 ml	03/30/88
Applied Science Laboratories	Toxi Clean Test Mix	Vial: 1 ml	03/30/88
Applied Science Laboratories	Allylisobutylbarbituric Acid	Vial: 1ml	01/24/73
Applied Science Laboratories	Alphaprodine HCL	Vial: 1ml	04/16/85
Applied Science Laboratories	Alphenal	Vial: 1ml	01/24/73
Applied Science Laboratories	Alprazolam	Vial: 1ml	04/16/85
Applied Science Laboratories	Amobarbital	Vial: 1ml	01/24/73
Applied Science Laboratories	Amphetamine HCL	Vial: 1ml	01/24/73
Applied Science Laboratories	Aprobarbital	Vial: 1ml	01/24/73
Applied Science Laboratories	Barbital	Vial: 1ml	01/24/73
Applied Science Laboratories	Barbiturates, Mixture 4	Vial: 10ml	10/04/72
Applied Science Laboratories	Benzoyl-ecgonine Tetrahydrate	Vial: 1ml	04/16/85
Applied Science Laboratories	Benzphetamine HCL	Vial: 1ml	04/16/85
Applied Science Laboratories	Butabarbital	Vial: 1ml	01/24/73
Applied Science Laboratories	Butethal	Vial: 1ml	01/24/73
Applied Science Laboratories	Chloral Hydrate	Vial: 1ml	04/16/85
Applied Science Laboratories	Chlordiazepoxide HCL	Vial: 1ml	04/16/85
Applied Science Laboratories	Clonazepam	Vial: 1ml	04/16/85
Applied Science Laboratories	Clorazepate Dipotassium	Vial: 1ml	04/16/85
Applied Science Laboratories	Cocaine	Vial: 1ml	01/24/73
Applied Science Laboratories	Codeine	Vial: 1ml	01/24/73
Applied Science Laboratories	Delta-9-Tetrahydrocannabinol	Vial: 1ml	04/16/85
Applied Science Laboratories	Depressants, Mixture 3	Vial: 10ml	10/04/72
Applied Science Laboratories	Dextropropoxyphene HCL	Vial: 1ml	04/16/85
Applied Science Laboratories	Diacetylmorphine HCL	Vial: 1ml	04/16/85

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Applied Sciences Laboratories	Diallylbarbituric acid	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Diazepam	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Diethylpropion HCL	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Dihydrocodeine	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Dimethyltryptamine	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Drug Mix Four	Ampoule: 1 ml	11/03/86
Applied Sciences Laboratories	Drug Mix One	Ampoule: 1 ml	10/21/86
Applied Sciences Laboratories	Drug Mix Three	Ampoule: 1 ml	11/03/86
Applied Sciences Laboratories	Drug Mix Two	Ampoule: 1 ml	10/21/86
Applied Sciences Laboratories	Ecgonine HCL	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Ethchlorvynol	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Ethinamate	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Ethylmorphine HCL	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Fenfluramine HCL	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Fentanyl	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Flurazepam HCL	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Glutethimide	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Halazepam	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Hexobarbital	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Hydrocodone Bitartrate	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Hydromorphone HCL	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Levorphanol Tartrate	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Lorazepam	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Lysergic Acid	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Lysergic Acid N-(methylpropyl) amide	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Lysergic Acid diethylamide	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Meperidine HCL	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Mephobarbital	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Meprobamate	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Mescaline	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Methadone HCL	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Methamphetamine HCL	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Methaqualone HCL	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Methohexital	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Methylphenidate	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Methyprylon	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Mixture 1-Opiates	Vial: 1ml	10/04/72
Applied Sciences Laboratories	Mixture 2-Stimulants	Vial: 1ml	10/04/72
Applied Sciences Laboratories	Mixture 3-Depressants	Vial: 1ml	10/04/72
Applied Sciences Laboratories	Mixture 4-Barbiturates	Vial: 1ml	10/04/72
Applied Sciences Laboratories	Mixture 5-Kit of Representatives	Vial: 1ml	10/04/72
Applied Sciences Laboratories	Morphine	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Nalorphine	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Norcodeine HCL	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Normorphine	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Opiates, Mixture 1	Vial: 10ml	10/04/72
Applied Sciences Laboratories	Oxazepam	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Oxycodone HCL	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Oxymorphone HCL	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Paraldehyde	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Pemoline	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Pentazocine	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Pentobarbital	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Phenazocine HBR	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Phencyclidine HCL	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Phendimetrazine Bitartrate	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Phenobarbital	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Phentermine	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Prazepam	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Psilocybin	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Psilocyn	Vial: 1 ml	11/06/87
Applied Sciences Laboratories	Secobarbital	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Stimulants, Mixture 2	Vial: 10ml	10/04/72
Applied Sciences Laboratories	Temazepam	Vial: 1ml	04/16/85
Applied Sciences Laboratories	Thebaine	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Thiamylal	Vial: 1ml	01/24/73
Applied Sciences Laboratories	Triazolam	Vial: 1ml	04/16/85
Armed Forces Institute of Pathology	11-nor-9-carboxy-delta 8-THC in Ethanol Ampoules	Glass Ampule: 1mg/ml, 1ml, 5ml, 10ml	01/25/82
Astral Medical Systems	Barbital Buffer	Plastic bag: 12.2g/bag	05/01/85
Astral Medical Systems	Barbital Lactate Buffer	Plastic bag: 18g/bag	05/01/85
Astral Medical Systems	Isoenzyme Buffer	Plastic bag: 14g/bag	05/01/85
Astral Medical Systems	Tris-Barbital Sodium Barbital Buffer	Plastic bag: 18g/bag	05/01/85
BHP Diagnostix, Inc.	Kallestad TDM Multi-Calibrator-Pilot Lot B-G	Kit: 7-3 ml Vials; 3 ml Vial	08/18/88
BHP Diagnostix, Inc.	Kallestad TDM Multi-Calibrator-Pilot Lot Pheno-barbital	3ml, 6ml, 10ml, 30ml, 50ml Vial	08/18/88
BHP Diagnostix, Inc.	Kodak Ektachem-DT Calibrator	Bottle: 6ml	01/05/85
Baxter Healthcare Corporation	(125I) Human TSH Tracer, Cat. No. CA-2611	Vial: 15ml	12/07/89
Baxter Healthcare Corporation	(125I) Human Tracer, Cat. No. CA-2623	Vial: 15ml	12/07/89
Baxter Healthcare Corporation	Human hTSH Blank, Cat. No. CA-2885	Vial: 15ml	12/07/89

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Baxter Healthcare Corporation	Rabbit Anti-Human TSH Serum, Cat. No. CA-2109.	Vial: 15ml	12/07/89
Baxter Healthcare Corporation	Rabbit Anti-Human TSH Serum, Cat. No. CA-2145.	Vial: 15ml	12/07/89
Baxter Healthcare Corporation, Dade Division	(125I) Human TSH Tracer (Lyophilized), Catalog No. CA-2691.	Glass Vial: 10 ml	09/09/86
Baxter Healthcare Corporation, Dade Division	(125I) Human TSH Tracer, Catalog No. CA-2611.	Glass Vial: 10 ml	09/09/86
Baxter Healthcare Corporation, Dade Division	Absorbed Plasma and Serum Reagents Kit (Catalog No. B4233-2).	Kit: 5 Vials	03/10/87
Baxter Healthcare Corporation, Dade Division	Absorbed Plasma and Serum Reagents Kit B4233-2.	Glass Vial: 5ml (Lyophilized Material)	08/16/71
Baxter Healthcare Corporation, Dade Division	Anticonvulsant Drug Controls, Levels I and II, Catalog No. CA-2419 and CA-2420.	Glass Vial: 3.5 ml	09/09/86
Baxter Healthcare Corporation, Dade Division	Bovine Chemistry Control I.X Special Order Request B5107-55XX.	Bottle: 18ml (Lyophilized Material)	01/29/86
Baxter Healthcare Corporation, Dade Division	Bovine Chemistry Control II.X Special Order Request B5107-65XX.	Bottle: 18 ml (Lyophilized Material)	01/29/86
Baxter Healthcare Corporation, Dade Division	Buffered Thrombin (Bovine) Catalog No. B4233-40.	Bottle: 5ml (Lyophilized Material)	01/24/86
Baxter Healthcare Corporation, Dade Division	Clinical Assays GammaCoat (125I) Phenobarbital Radioimmunoassay Kits Catalog No. CA-2545, CA-2565.	Kit: 50 Assays, 500 Assays	09/09/86
Baxter Healthcare Corporation, Dade Division	Clinical Assays GammaCoat (125I) Phenytoin Radioimmunoassay Kit Catalog No. CA-2537, CA-2557.	Kit: 50 Assays, 500 Assays	09/09/86
Baxter Healthcare Corporation, Dade Division	Clinical Assays GammaCoat (125I) T3 Uptake Radioimmunoassay Kit Catalog No. CA-2539, CA-2539J, CA-2559, CA-2559J.	Kit: 100 Assays, 100 Assays, 500 Assays, 500 Assays.	09/09/86
Baxter Healthcare Corporation, Dade Division	Clinical Assays GammaDab (125I) HS-hTSH Radioimmunoassay Kit Catalog No. CA-1573.	Kit: 125 Assays, Vial: 15ml	09/09/86
Baxter Healthcare Corporation, Dade Division	Clinical Assays GammaDab (125I) hTSH Radioimmunoassay Kit Catalog No. CA-591.	Kit: 125 Assays, Vial: 15ml	09/09/86
Baxter Healthcare Corporation, Dade Division	Dade Immunoassay Control, Level I-Low	Bottle: 9ml (Lyophilized Material)	04/25/86
Baxter Healthcare Corporation, Dade Division	Dade Immunoassay Control, Level II-Intermediate.	Bottle: 9ml (Lyophilized Material)	04/25/86
Baxter Healthcare Corporation, Dade Division	Dade Immunoassay Control, Level III-High	Bottle: 9ml (Lyophilized Material)	04/25/86
Baxter Healthcare Corporation, Dade Division	Dade TDM Control Level I-Low B5700-2	Glass Vial: 9ml (Lyophilized Material)	01/21/82
Baxter Healthcare Corporation, Dade Division	Dade TDM Control Level II-Intermediate B5700-3.	Glass Vial: 9ml (Lyophilized Material)	01/21/82
Baxter Healthcare Corporation, Dade Division	Dade TDM Control Level III-High B5700-4	Glass Vial: 9ml (Lyophilized Material)	01/21/82
Baxter Healthcare Corporation, Dade Division	Dade Therapeutic Drug Monitoring (TDM) Controls (Catalog No. B5700-1).	Kit: 9 Vials	03/10/87
Baxter Healthcare Corporation, Dade Division	Dade Tri-Rac R Tri Level Immunoassay Controls	Bottle: 9ml 6 bottles per kit (Lyophilized Material)	04/11/85
Baxter Healthcare Corporation, Dade Division	Data-Fi Fibrin Monomer Control Catalog Nos. B4233-30 & B4233-38.	Glass Vial: 5ml (Lyophilized Material)	01/24/86
Baxter Healthcare Corporation, Dade Division	Data-Fi Protamine Sulfate Reagents Kit (Catalog No. B4233-30).	Kit: 10 Vials	03/10/87
Baxter Healthcare Corporation, Dade Division	Data-Fi Thrombin Reagent	Bottle: 5ml (Lyophilized Material)	05/18/81
Baxter Healthcare Corporation, Dade Division	Data-Fi Thrombin Reagent	Bottle: 9 ml (Lyophilized Material)	07/20/83
Baxter Healthcare Corporation, Dade Division	HTSH Non-Specific Binding Reagent, Catalog No. CA-2752.	Glass Vial: 3.5 ml	09/09/86
Baxter Healthcare Corporation, Dade Division	HTSH Non-Specific Binding Reagent, Catalog No. CA-2780.	Glass Vial: 3.5 ml	09/09/86
Baxter Healthcare Corporation, Dade Division	Human TSH Controls Levels I and II, Catalog No. CA-2452 and CA-2453.	Glass Vial: 3.5 ml	09/09/86
Baxter Healthcare Corporation, Dade Division	Moni-Trol Level I Chemistry Control, Assayed, Special Order Request. B5103-XXX.	Bottle: 9ml (Lyophilized Material)	01/20/84
Baxter Healthcare Corporation, Dade Division	Moni-Trol Level I.X Special Order Request B5106-5X.	Bottle: 18ml (Lyophilized Material)	06/30/83
Baxter Healthcare Corporation, Dade Division	Moni-Trol Level II Chemistry Control, Assayed, Special Order Request. B5103-XXX, B5113-XXX.	Bottle: 9ml (Lyophilized Material)	01/20/84
Baxter Healthcare Corporation, Dade Division	Moni-Trol Level II.X Special Order Request B5106-6X.	Bottle: 18ml (Lyophilized Material)	06/30/83
Baxter Healthcare Corporation, Dade Division	Moni-Trol. ES Level I Chemistry Control, Assayed.	Bottles: 9ml, 6.7ml (Lyophilized Material)	07/15/83
Baxter Healthcare Corporation, Dade Division	Moni-Trol. ES Level I.X Special Order Request Catalog No. B5106-75AAA Catalog No. B5106-1XAAA.	Bottle: 18ml, 9ml (Lyophilized Material)	06/27/86
Baxter Healthcare Corporation, Dade Division	Moni-Trol. ES Level II Chemistry Control, Assayed.	Bottle: 9ml, 6.7ml (Lyophilized Material)	07/15/83
Baxter Healthcare Corporation, Dade Division	Moni-Trol. ES Level II.X Special Order Request Catalog No. B5106-85AAA Catalog No. B5106-2XAAA.	Bottle: 18ml, 9ml (Lyophilized Material)	06/27/86
Baxter Healthcare Corporation, Dade Division	Owren's Veronal Buffer	Bottle: 18ml	08/16/71
Baxter Healthcare Corporation, Dade Division	Rabbit Anti-Human TSH Serum, Catalog No. CA-2109.	Glass Vial: 20 ml	09/09/86
Baxter Healthcare Corporation, Dade Division	Stratus Phenobarbital Calibrators B, C, D, E, & F.	Glass Vial: 3ml	06/27/83
Baxter Healthcare Corporation, Dade Division	Stratus Phenobarbital Conjugate	Glass Vial: 6ml	01/25/82

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Baxter Healthcare Corporation, Dade Division	Stratus Phenobarbital Fluorometric Enzyme Immunoassay Kit (Catalog No. B5700-22).	Kit:120 tests	03/10/87
Baxter Healthcare Corporation, Dade Division	Thrombin Reagent (Bovine)	Bottle: 5ml (Lyophilized Material)	08/16/71
Baxter Healthcare Corporation, Dade Division	Tri Rac R Immunoassay Control Level II Intermediate.	Bottle: 9 ml (Lyophilized Material)	04/11/85
Baxter Healthcare Corporation, Dade Division	Tri Rac R Immunoassay Control Level III High	Bottle: 9 ml (Lyophilized Material)	04/11/85
Baxter Healthcare Corporation, Dade Division	Tri-Rac R Immunoassay Control, Level I-Low	Bottle: 9ml (Lyophilized Material)	04/11/85
Beckman Instruments, Inc.	Beckman B-1 Buffer	Plastic Vial: 15 g	05/22/79
Beckman Instruments, Inc.	Beckman Buffer B-2	Packet: 18.16 g	04/24/71
Beckman Instruments, Inc.	Beckman ICS Drug Calibrators A, B, C, D, and E.	Vials: 5ml	10/29/80
Beckman Instruments, Inc.	Beckman ICS Drug Control Sera	Kit containing: 6-1ml bottles.	11/11/80
Beckman Instruments, Inc.	Beckman ICS Phenobarbital Conjugate	Vial: 5ml	10/29/80
Beckman Instruments, Inc.	Beckman LD Buffer	Bottle: 14.3 grams	07/31/86
Beckman Instruments, Inc.	Beckman LD Buffer	Bottle: 14.3 grams	07/31/86
Beckman Instruments, Inc.	Paragon Electrophoresis System: Alkaline Phosphatase Isoenzyme Electrophoresis (Isopal) Kit.	Plastic Tray: 3.5ml, Box: 10 trays, Kit: 10 trays	05/19/89
Beckman Instruments, Inc.	Paragon Electrophoresis System: High Resolution Electrophoresis (HRE) Kit.	Plastic Tray: 3.5ml, Box: 10 trays, Kit: 10 trays	05/19/89
Beckman Instruments, Inc.	Paragon Electrophoresis System: Immunoelectrophoresis (IEP) Kit.	Plastic Tray: 3.5ml, Box: 10 trays, Kit: 10 trays	05/19/89
Beckman Instruments, Inc.	Paragon Electrophoresis System: Immunofixation Electrophoresis (IFE) Kit.	Plastic Tray: 3.5ml	07/31/86
Beckman Instruments, Inc.	Paragon Electrophoresis System: Lactate Dehydrogenase Isoenzyme Electrophoresis (LD) Kit.	Plastic Tray: 3.5ml	07/31/86
Beckman Instruments, Inc.	Paragon Electrophoresis System: Lipoprotein Electrophoresis (LIPO) Kit.	Plastic Tray: 3.5 ml, Box: 10 trays, Kit: 10 trays	05/19/89
Beckman Instruments, Inc.	Paragon Electrophoresis System: Protein Electrophoresis (SPE-II) Kit.	Plastic Tray: 3.5ml	07/31/86
Beckman Instruments, Inc.	Paragon Electrophoresis System: Serum Protein Electrophoresis (SPE) Kit.	Plastic Tray: 3.5ml, Box: 10 trays, Kit: 10 trays	05/19/89
Becton Dickinson & Company	Antibody Coated Tubes	Metallized Plastic Bag: 50 Tubes/Bag	02/13/78
Becton Dickinson & Company	Barbital Buffer Solution, Catalog No. 246514	Bottle: 1 ounce	08/01/84
Becton Dickinson & Company	Euthyroid Reference Standard, Catalog No. 237418.	Vial: 4ml	09/27/78
Becton Dickinson & Company	Human Thyroid Stimulating Hormone (hTSH) Radioimmunoassay Kit [125I], Catalog No. 262994.	Kit: 200 tubes	09/04/86
Becton Dickinson & Company	Human Thyroid Stimulating Hormone (hTSH) Radioimmunoassay Kit (125I)Catalog No. 258423.	Kit: 250 tubes	08/01/84
Becton Dickinson & Company	IQ Immunochemistry System, Thyroid Stimulating Hormone Catalog No. 3010.	Kit: 25 tests	06/30/87
Becton Dickinson & Company	Neonatal TSH Antiserum, Catalog No. 244716	Vial: 50 ml	08/01/84
Becton Dickinson & Company	Precipitating Antiserum, Catalog No. 247618	Vial: 50 ml	08/01/84
Becton Dickinson & Company	Simul Trac Free T4/TSH Antiserum, No. 262641	Vial: 1 oz	02/21/86
Becton Dickinson & Company	Simul Trac Free T4[57 Co]/TSH[125I] Radioimmunoassay Kit, No. 262625.	Kit: 200 tubes	02/21/86
Becton Dickinson & Company	T3 Antibody Coated Tubes, Catalog No. 237213	Box containing 100 tubes	09/27/78
Becton Dickinson & Company	T3 Tracer Solution Catalog No. 237728	Bottle: 125ml	09/27/78
Becton Dickinson & Company	T4 Tracer Solution Catalog No. 232611	White NALGENE Polypropylene Bottle: 125 ml	02/13/78
Becton Dickinson & Company	TSH (125I) Tracer, Catalog No. 243621	Vial: 50 ml	08/01/84
Becton Dickinson & Company	TSH Antiserum Catalog No. 263001	Clear Vial: 10ml	09/04/86
Becton Dickinson & Company	TSH Antiserum, Catalog No. 258431	Vial: 50 ml	08/01/84
Becton Dickinson & Company	TSH Standard A, Catalog No. 259829	Amber Vial: 10ml	09/04/86
Becton Dickinson & Company	TSH Standard B, Catalog No. 259837	Amber Vial: 10ml	09/04/86
Becton Dickinson & Company	TSH Standard C, Catalog No. 259845	Amber Vial: 10ml	09/04/86
Becton Dickinson & Company	TSH Standard D, Catalog No. 259853	Amber Vial: 10ml	09/04/86
Becton Dickinson & Company	TSH Standard E, Catalog No. 263052	Amber Vial: 10ml	09/04/86
Becton Dickinson & Company	TSH Standard F, Catalog No. 263061	Amber Vial: 10ml	09/04/86
Becton Dickinson & Company	TSH [125I] Tracer, Catalog No. 259624	Clear vial: 10ml	09/04/86
Behring Diagnostics	IEP Buffer, 793001 pH 8.2	Foil Pouch: 6.5 g	09/17/79
Behring Diagnostics	Immuno-tec II Agarose Plate, 839013, 850013	Foil Pouch: "5.35" x "5.25"	09/17/79
Bio-Rad Laboratories	Dade Urine Chemistry Control Levels I AND II	Vial: 20 ml, 50 ml	01/05/88
Bio-Rad Laboratories	Dade Urine Toxicology Control	Vial: 50 ml	01/05/88
Bio-Rad Laboratories	Lypocheck Therapeutic Drug Monitoring Control (TDM), Levels I, II, III.	Vial: 10ml	08/20/84
Bio-Rad Laboratories	Lypocheck Immunoassay Control Levels I, II, III	Vial: 10 ml	09/24/87
Bio-Rad Laboratories	Lypocheck Quantitative Urine Control Levels I and II.	Vial: 20 ml, 50 ml	09/24/87
Bio-Rad Laboratories	Lypocheck Unassayed Chemistry Control (Bovine) Levels I, II.	Vial: 20 ml	09/24/87
Bio-Rad Laboratories	Lypocheck Unassayed Chemistry Control (Human) Levels I, II.	Vial: 20 ml	09/24/87
Bio-Rad Laboratories	Quantaphase Thyroxine RIA-125I Tracer/Dissociating Reagent.	Plastic bottle: 60ml, 260ml	05/06/81
Bio-Rad Laboratories	Quantaphase Thyroxine RIA-Thyroxine Immuno-beads.	Plastic bottle: 60ml, 260ml	05/06/81
Bio-Rad Laboratories	Quantimune Barbital Buffer	Plastic Bottle: 1000ml, 250ml, 200ml	05/31/78

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Bio-Rad Laboratories	Quantimune Radioimmunoassay T-4 Tracer, Iodine-125.	Vial: 10 ml	07/21/76
Bio-Rad Laboratories	Quantimune T-3 RIA Barbitol Buffer	Bottle: 220ml	09/24/82
Bio-Rad Laboratories	Quantimune T-3 RIA Test Kit	Kit: 500 tests, 100 tests	05/31/78
Bio-Rad Laboratories	Quantimune T-4 RIA Kit	Kit: 500 tests	07/01/77
Bio-Rad Laboratories	Quantimune T-4 RIA Test Kit	Kit: 5000 tests, 100 tests	05/31/78
Bio-Rad Laboratories	Quantimune Thyroxine Radioimmunoassay Barbitol Buffer.	Plastic Bottle with Screw cap: 1 liter	07/01/77
Bio-Rad Laboratories	Quantimune Thyroxine Radioimmunoassay T-4 125I Tracer/Dissociating Agent.	Glass Serum Vial: 10 ml	07/01/77
Bio-Rad Laboratories	T-4 Competitive Binding Reagent, Iodine-125	Bottle: 385 ml	07/21/76
Bio-Rad Laboratories	Urine Toxicology Control No. C-470-25	Amber Vial: 50ml	09/19/79
Bio-Rad Laboratories, (Chemical Division)	Barbitol Buffer	Vial: 10ml	07/21/76
Bio-Rad Laboratories, (Chemical Division)	Barbitol Buffer Powder	Plastic bottle: 250ml	07/21/76
Bio-Rad Laboratories, (Chemical Division)	Barbitol Buffer Powder	Plastic bottle: 250 ml	09/09/77
Bio-Rad Laboratories, (Chemical Division)	Barbitol Buffer-Dry Pack	Packages: 9.11 g., 18.21 g., 12.14 g.	05/09/74
Bio-Rad Laboratories, (Chemical Division)	Bio-Rad Electrophoresis Buffer	Bottle: 500ml	12/14/72
Bio-Rad Laboratories, (Chemical Division)	Electrophoresis Buffer, Dry-Pack	Package: 6.15 g.	12/14/72
Bio-Rad Laboratories, (Chemical Division)	Immunoelectrophoresis Barbitol Buffer I, pH 8.6	Dry-pack: 25.6 g.	08/06/75
Bio-Rad Laboratories, (Chemical Division)	Immunoelectrophoresis Barbitol Buffer II, pH 8.6	Dry-pack: 15.61 g.	08/06/75
Bio-Rad Laboratories, (Chemical Division)	Immunoelectrophoresis Barbitol Buffer III, pH 8.6	Dry-pack: 6.82 g.	01/22/76
Bio-Rad Laboratories, (Chemical Division)	Immunoelectrophoresis Barbitol Buffer III-a, pH 8.8.	Dry-pack: 15.07 g.	08/06/75
Bio-Rad Laboratories, (Chemical Division)	Reagent No. 3	Bottle: 165 ml	12/14/72
Bio-Rad Laboratories, ECS Division	LPHOCHEK Assayed Chemistry Control Serum (Human) Levels I and II.	Vials: 10 ml. each	04/13/88
Bio-Rad Laboratories, ECS Division	LPHOCHEK Urine Toxicology Control-Law	Vials: 20 ml. each	04/13/88
Biodiagnostic International	Liqui-Ura Toxic Control	Vial: 5ml	03/11/85
Biodiagnostic International	Urine - Tox Control	Vial: 5 ml.	04/01/85
Bioscientific, Corporation	ECA Buffer, Catalog No. ECA 05805	Plastic Packet: 18.0 g., 10 packets per box	07/14/77
California Bionuclear Corporation	Amobarbital-2-C-14, Catalog No. 72077	Screw Cap Vial: 50 microcuries, 0.1, 0.5, and 1.0 millicuries.	01/08/75
California Bionuclear Corporation	Cocaine (methoxy-C-14) Catalog No. 72182	Screw Cap Vial: 50 microcuries, 0.1, 0.5, and 1.0 millicuries.	01/08/75
California Bionuclear Corporation	D-Amphetamine (propyl-1-C-14) Sulfate, Catalog No. 72078.	Screw Cap Vial: 50 microcuries, 0.1, 0.5, and 1.0 millicuries.	01/08/75
California Bionuclear Corporation	DL-Amphetamine (propyl-1-C-14) Sulfate, Catalog No. 72079.	Screw Cap Vial: 50 microcuries, 0.1, 0.5, and 1.0 millicuries.	01/08/75
California Bionuclear Corporation	Meperidine (N-methyl-C-14) Hydrochloride, Catalog No. 72508.	Screw Cap Vial: 50 microcuries, 0.1, 0.5, 1.0 millicuries.	01/08/75
California Bionuclear Corporation	Mescaline (aminomethylene-C-14) Hydrochloride, Catalog No. 72512.	Screw Cap Vial: 50 microcuries, 0.1, 0.5, 1.0 millicuries.	01/08/75
California Bionuclear Corporation	Methadone (heptanone-2-C-14) Hydrochloride, Catalog No. 72516.	Screw Cap Vial: 50 microcuries, 0.1, 0.5, 1.0 millicuries.	01/08/75
California Bionuclear Corporation	Methamphetamine (propyl-1-C-14) Sulfate, Catalog No. 72517.	Screw Cap Vial: 50 microcuries, 0.1, 0.5, 1.0 millicuries.	01/08/75
California Bionuclear Corporation	Methylphenidate (carbonyl-C-14) Hydrochloride, Catalog No. 72550.	Screw Cap Vial: 50 microcuries, 0.1, 0.5, 1.0 millicuries.	01/08/75
California Bionuclear Corporation	Morphine (n-methyl-C-14) Hydrochloride, Catalog No. 72560.	Screw Cap Vial: 50 microcuries, 0.1, 0.5, 1.0 millicuries.	01/08/75
California Bionuclear Corporation	Pentobarbital-2-C-14, Catalog No. 72618	Screw Cap Vial: 50 microcuries, 0.1, 0.5, 1.0 millicuries.	01/08/75
California Bionuclear Corporation	Secobarbital-2-C-14, Catalog No. 72675	Ampule: 50 microcuries, 0.1, 0.5, and 1.0 millicuries.	01/08/75
Cambridge Medical Diagnostics, Incorporated	125I Human Parathyroid Hormone 44-68	Vial: 5ml	03/29/85
Cambridge Medical Diagnostics, Incorporated	125I-Tetraiodothyronine	Vial: 11ml	03/29/85
Cambridge Medical Diagnostics, Incorporated	125I-Triiodothyronine	Vial: 11ml	03/29/85
Cambridge Medical Diagnostics, Incorporated	Donkey Anti Goat Gamma Globulin	Vial: 5ml	03/29/85
Cambridge Medical Diagnostics, Incorporated	Parathyroid Hormone (Human 1-84) Standard	6 Vials: 5ml each	03/29/85
Cambridge Medical Diagnostics, Incorporated	Parathyroid Hormone Assay Buffer	Vial: 10ml	03/29/85
Cambridge Medical Diagnostics, Incorporated	T3 AntiSerum (Rabbit)	Vial: 11ml	03/29/85
Cambridge Medical Diagnostics, Incorporated	T3 Standard	Vial: 1ml	03/29/85
Cambridge Medical Diagnostics, Incorporated	T4 Antiserum (Rabbit)	Vial: 11ml	03/29/85
Cambridge Medical Diagnostics, Incorporated	T4 Standard	Vial: 1ml	03/29/85
Ciba Corning Diagnostics	L-TDM I, II, III Kit	Kit: 15 Vials	05/23/89
Ciba Corning Diagnostics	L-TDM III	Glass Vial: 5ml, Box: 15 Vials	05/23/89
Ciba Corning Diagnostics Corp.	Ciba Corning TDM II	Vial: 5ml, 10 vials	10/22/85
Ciba Corning Diagnostics Corp.	Ciba Corning TDM III	Vial: 5ml, 10 vials	10/22/85
Ciba Corning Diagnostics Corp.	AACC Tox	Glass Vial: 30ml	01/20/86
Ciba Corning Diagnostics Corp.	Ciba Corning ANTICONV/ASTH I, II	Kit Contains: 10ml vial, 5 Vials each level	10/22/85
Ciba Corning Diagnostics Corp.	Ciba Corning TDM I	Vial: 5ml, 10 vials	10/22/85
Ciba Corning Diagnostics Corp.	Ciba Corning TDM I, II & III	Kit Contains: 5 Vials each level	10/22/85
Ciba Corning Diagnostics Corp.	Ciba Corning TOX I, II	Kit: Contains: 10ml vial, 5 Vials each level	12/16/85
Ciba Corning Diagnostics Corp.	Ciba Corning Urine II	Vial: 30ml	05/22/85
Ciba Corning Diagnostics Corp.	DAU I, No. 9076	Glass vial: 25ml, Box: 10 vials	05/23/89
Ciba Corning Diagnostics Corp.	DAU II No. 9077	Glass Vial: 25ml, Box: 10 vials	05/23/89
Ciba Corning Diagnostics Corp.	DAU III, No. 9078	Glass vial: 25ml, Box: 10 Vials	05/23/89
Ciba Corning Diagnostics Corp.	DAU IV, No. 9079	Glass Vial: 25ml, Box: 10 Vials	05/23/89
Ciba Corning Diagnostics Corp.	Immophase Ferritin Controls	Glass Vial: 3 ml	01/19/87
Ciba Corning Diagnostics Corp.	Immophase Ferritin Standards	Glass Vial: 5 ml	09/16/86

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Ciba Corning Diagnostics Corp.	L-TDM I	Glass Vial: 5 ml, Box: 15 Vials	05/23/89
Ciba Corning Diagnostics Corp.	L-TDM II	Glass Vial: 5ml, Box: 15 Vials	05/23/89
Ciba Corning Diagnostics Corp.	MULTIQUAL ABN UNASY	Vial: 3ml, 10ml, Carton: 15 vials, 10 vials	04/09/89
Ciba Corning Diagnostics Corp.	MULTIQUAL NOR UNASY	Vial: 3ml, 10ml, Carton: 15 vials, 10 vials	04/09/89
Ciba Corning Diagnostics Corp.	Magic Ferritin 2000 Standard	Plastic Vial: 1 ml	01/19/87
Ciba Corning Diagnostics Corp.	Magic Ferritin Controls	Plastic Vial: 5 ml	01/19/87
Ciba Corning Diagnostics Corp.	Magic Ferritin Standards	Polypropylene Vial: 3 ml	09/16/86
Ciba Corning Diagnostics Corp.	Magic Ferritin Zero Standard	Plastic Vial: 50 ml	01/19/87
Ciba Corning Diagnostics Corp.	Magic Lite Ferritin Bulk Lite Reagent	Plastic Vial: 50 ml	02/16/88
Ciba Corning Diagnostics Corp.	Magic Lite Ferritin Bulk Solid Phase	Plastic Vial: 200 ml	02/16/88
Ciba Corning Diagnostics Corp.	Magic Lite Ferritin Lite Reagent	Plastic Vial: 10 ml	02/16/88
Ciba Corning Diagnostics Corp.	Magic Lite Ferritin Solid Phase	Plastic Vial: 50 ml	02/16/88
Ciba Corning Diagnostics Corp.	Magic Lite T3 Bulk Solid Phase	Plastic Vial: 200 ml	02/16/88
Ciba Corning Diagnostics Corp.	Magic T4 Antibody	Plastic Vial: 50 ml and 200 ml	02/16/88
Ciba Corning Diagnostics Corp.	QCS ABN ASY	Vial: 5ml, Kit: 5 vials	01/21/89
Ciba Corning Diagnostics Corp.	QCS ABN ASY No. 9705/9705A	Box: 10 vials, Vial: 5 ml	12/15/89
Ciba Corning Diagnostics Corp.	QCS ABN ASY No. 9707/9707A	Box: 10 vials, Vial: 5 ml	12/15/89
Ciba Corning Diagnostics Corp.	QCS ABN UNASY No. 9691/9691A	Box: 40 vials, Vial: 25 ml	12/15/89
Ciba Corning Diagnostics Corp.	QCS ABN UNASY No. 9717/9717A	Box: 10 vials, Vial: 10 ml	12/15/89
Ciba Corning Diagnostics Corp.	QCS NOR ASY	Vial: 5 ml, Kit: 5 vials	01/21/89
Ciba Corning Diagnostics Corp.	QCS NOR ASY No. 9702/9702A	Box: 10 vials, Vial: 5 ml	12/15/89
Ciba Corning Diagnostics Corp.	QCS NOR ASY No. 9704/9704A	Box: 10 vials, Vial: 5 ml	12/15/89
Ciba Corning Diagnostics Corp.	QCS Nor UNASY No. 9681/9681A	Box: 40 vials, Vial: 25 ml	12/15/89
Ciba Corning Diagnostics Corp.	QCS Nor UNASY No. 9716/9716A	Box: 10 vials, Vial 10 ml	12/15/89
Ciba Corning Diagnostics Corp.	Reagent A-Alt 14	Vial: 15 ml	03/24/79
Ciba Corning Diagnostics Corp.	Reagent A-Alt 7	Vial: 15 ml	03/24/79
Ciba Corning Diagnostics Corp.	Reagent A-Ammonia 10	Vial: 10 ml	03/24/79
Ciba Corning Diagnostics Corp.	Special Barbitol Buffer Set, Catalog No. 470182	Vial: 3 per kit	04/17/79
Ciba Corning Diagnostics Corp.	Universal Electrophoresis Film Agarose, Catalog No. 470100	Plates: 12 per kit	04/17/79
Ciba Corning Diagnostics Corp.	Universal PHAB Buffer Set Catalog No. 470180	Kit: 3 vials per kit	09/26/79
Ciba Corning Diagnostics Corp.	Magic Lite HCG Solid Phase	Plastic vial: 50ml, Kit: 100 tests	12/09/88
Cone Biotech, Inc.	CAP/Cocaine Reference Material Levels II, III, and IV	Vial: 20 ml	03/07/88
Cone Biotech, Inc.	OCM-UTI	Vial: 20ml	03/07/85
Cone Biotech, Inc.	RIATRAC-Three Level Ligand Assay Controls	Vials: 8ml	02/27/84
Cone Biotech, Inc.	UDM-CAP/AACC Forensic Urine Drug Testing Survey (Initial Phase)	Bottle: 60 ml	08/31/87
Cone Biotech, Inc.	UDS and UDC CAP/AACC Forensic Urine Drug Testing	Vial: 30 ml	01/06/88
Diagnostic Products Corp.	Coat-A-Count LSD Qualitative Determination in Urine, Cat. No. TKLSY	Kit: 8 vials	03/20/89
Diagnostic Products Corporation	125-I Barbiturate Isotope: Cat. No. TBA2, TBAY2	Vial: 110 ml, 550 ml	03/01/88
Diagnostic Products Corporation	125-I Benzoylcegonine Isotope: Cat. No. TCN2, TCNY2	Vial: 100 ml, 550 ml	03/01/88
Diagnostic Products Corporation	125-I Benzoylcegonine Isotope (DA): Cat. No. CND2, YCND2	Vial: 10 ml, 100 ml, 675 ml	03/01/88
Diagnostic Products Corporation	125-I Fentanyl Isotope: Cat. No. TFN2	Vial: 500 ml	03/01/88
Diagnostic Products Corporation	125-I Methadone Isotope: Cat. No. TMD2	Vial: 100 ml	03/01/88
Diagnostic Products Corporation	125-I Methaqualone Isotope: Cat. No. TMQ2	Vial: 100 ml	03/01/88
Diagnostic Products Corporation	125-I Morphine Isotope: Cat. No. TMP2, TMPY2	Vial: 110 ml, 550 ml	03/01/88
Diagnostic Products Corporation	125-I PCP Isotope: Cat. No. TPC2, TPCY2	Vial: 110 ml, 550 ml	03/01/88
Diagnostic Products Corporation	125-I Serum Morphine Isotope: Cat. No. TSM2	Vial: 110 ml	03/01/88
Diagnostic Products Corporation	125-I THC Isotope: Cat. No. THD2, YTHD2	Vial: 20 ml, 110 ml, 550 ml	03/01/88
Diagnostic Products Corporation	Amphetamine Calibrators B-F: Cat. No. APD4-8	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	Amphetamine Controls: Cat. No. 5AC01, 5AC02	Vial: 100 ml	03/01/88
Diagnostic Products Corporation	Amphetamine Isotope: Cat. No. APD2, 5APD2, YAPD2	Vial: 20 ml, 100 ml, 550 ml	03/01/88
Diagnostic Products Corporation	Amphetamine Reference Preparation: Cat. No. 5YAP7	Vial: 120 ml	03/01/88
Diagnostic Products Corporation	Barbiturate Calibrators B-G: Cat. No. BAC4-9	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	Barbiturate Reference Preparations: Cat. No. 5YBA5	Vial: 120 ml	03/01/88
Diagnostic Products Corporation	Benzoylcegonine Calibrators (CAC) B-F: Cat. No. COC4-8	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	Benzoylcegonine Calibrators (DA) B-F: Cat. No. CND4-8	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	Benzoylcegonine Calibrators (DA): Cat. No. CNC4-8	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	Benzoylcegonine Reference Preparation (DA): Cat. No. 5YCN5	Vial: 120 ml	03/01/88
Diagnostic Products Corporation	Benzoylcegonine Reference Preparation: Cat. No. 5YCN5	Vial: 120 ml	03/01/88
Diagnostic Products Corporation	C-Terminal PTH Antiserum: Cat. No. PCD1	Vial: 10 ml	03/01/88
Diagnostic Products Corporation	Canine T3 Isotope: Cat. No. TC32	Vial: 120 ml	03/01/88
Diagnostic Products Corporation	Coat-A-Count Barbiturates In Urine: Cat. No. TKBA1, TKBA5	Kit: 100 tests, 500 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count Barbiturates Qualitative Determination In Urine: Cat. No. TKBAY	Kit: 2500 tests	03/01/88

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Diagnostic Products Corporation	Coat-A-Count Canine T3: Cat. No. TKC31, TKC35.	Kit: 100 tests, 500 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count Cocaine Metabolite: Cat. No. TKCN1, TKCN5.	Kit: 100 tests, 500 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count Fentanyl: Cat. No. TKFN1	Kit: 100 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count Metabolite Qualitative Determinants In Urine: Cat. No. TKCNY.	Kit: 2500 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count Methadone: Cat. No. TKMD1	Kit: 100 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count Methaqualone: Cat. No. TKMQ1	Kit: 100 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count Morphine Qualitative Determinations In Urine: Cat. No. TKMPY.	Kit: 2500 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count Morphine: Cat. No. TKMP1, TKMP5, TKMPX.	Kit: 100 tests, 500 tests, 1000 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count Opiates Screen Qualitative Determinations In Urine: Cat. No. TKOSY.	Kit: 2500 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count Opiates Screen: Cat. No. TKOS1, TKOS5.	Kit: 100 tests, 500 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count PCP (Phencyclidine) In Urine: Cat. No. TKCY1.	Kit: 100 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count PCP (Phencyclidine) Qualitative Determinations In Urine: Cat. No. TKPCY.	Kit: 2500 tests	03/01/88
Diagnostic Products Corporation	Coat-A-Count Serum Morphine: Cat. No. TKSM1	Kit: 100 tests	03/01/88
Diagnostic Products Corporation	Donkey Anti-Goat Gamma Globulin (PTH-Ultra): Cat. No. PTDG.	Vial: 10 ml	03/01/88
Diagnostic Products Corporation	Double Antibody Amphetamine, Qualitative Determinations In Urine: Cat. No. KAPDY.	Kit: 2500 tests	03/01/88
Diagnostic Products Corporation	Double Antibody Amphetamine: Cat. No. KAPD1, KAPD5.	Kit: 100 tests, 500 tests	03/01/88
Diagnostic Products Corporation	Double Antibody Cannabinoids (THC) In Urine: Cat. No. KTHD1, KTHD5.	Kit: 100 tests, 500 tests	03/01/88
Diagnostic Products Corporation	Double Antibody Cannabinoids (THC) Quantitative Determinations In Urine: Cat. No. KTHDY.	Kit: 2500 tests	03/01/88
Diagnostic Products Corporation	Double Antibody Cocaine Metabolite Qualitative Determination In Urine: Cat. No. KCNDY.	Kit: 2500 tests	03/01/88
Diagnostic Products Corporation	Double Antibody Cocaine Metabolite: Cat. No. KCND1, KCND5.	Kit: 100 tests, 500 tests	03/01/88
Diagnostic Products Corporation	Double Antibody PTH-C: KPCD1, KPCD2	Kit: 70 tests, 140 tests	03/01/88
Diagnostic Products Corporation	Double Antibody PTH-M: Cat. No. KPMD1	Kit: 70 tests	03/01/88
Diagnostic Products Corporation	Double Antibody Ultra-PTH: Cat. No. KPTD1, KPTD2.	Kit: 70 tests, 140 tests	03/01/88
Diagnostic Products Corporation	Fentanyl Calibrators: Cat. No. FNC4-9	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	Goat Anti-Rabbit Gamma Globulin/4% PEG Saline: Cat. No. 5N6.	Vial: 110 ml, 320 ml	03/01/88
Diagnostic Products Corporation	Low and High Barbiturate Urinary Controls: Cat. No. 5BCO1, 5BCO2.	Vial: 100 ml	03/01/88
Diagnostic Products Corporation	Low and High Benzoyllecgonine Urinary Controls (DA): Cat. No. 5COO1, 5COO2, CNCO2, CNCO3.	Vial: 3.5 ml, 100 ml	03/01/88
Diagnostic Products Corporation	Low and High Cannabinoid Urinary Controls: Cat. No. 5TCO1, 5TCO2.	Vial: 100 ml	03/01/88
Diagnostic Products Corporation	Low and High Morphine Urinary Controls: Cat. No. 5MCO1, 5MCO2.	Vial: 100 ml	03/01/88
Diagnostic Products Corporation	Low and High Opiate Urinary Controls: Cat. No. 5OCO1, 5OCO2.	Vial: 100 ml	03/01/88
Diagnostic Products Corporation	Low and High PCP Urinary Controls: Cat. No. 5PCO1, 5PCO2.	Vial: 100 ml	03/01/88
Diagnostic Products Corporation	Methadone Calibrators: Cat. No. MDC4-8	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	Methaqualone Calibrators: Cat. No. MQC4-8	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	Mid-Molecule PTH Antiserum: Cat. No. PMD1	Vial: 10 ml	03/01/88
Diagnostic Products Corporation	Morphine Calibrators: Cat. No. MPC4-8	Vial: 3.5 ml, 10 ml	03/01/88
Diagnostic Products Corporation	Morphine Reference Preparation: Cat. No. 5YPY7.	Vial: 120 ml	03/01/88
Diagnostic Products Corporation	Opiate Calibrators: Cat. No. OSC4-8	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	Opiates Reference Preparation: Cat. No. 5YOS7	Vial: 120 ml	03/01/88
Diagnostic Products Corporation	PCP Calibrators: Cat. No. PCC4-8	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	PCP Reference Preparation: Cat. No. 5YPC6	Vial: 120 ml	03/01/88
Diagnostic Products Corporation	PTH (C-Terminal) Isotope: Cat. No. PCD2	Vial: 10 ml	03/01/88
Diagnostic Products Corporation	PTH (Ultra) Antiserum: Cat. No. PTD1	Vial: 5 ml	03/01/88
Diagnostic Products Corporation	PTH (Ultra) Isotope: Cat. No. PTD2	Vial: 5 ml	03/01/88
Diagnostic Products Corporation	PTH-M Isotope: Cat. No. PMD2	Vial: 10 ml	03/01/88
Diagnostic Products Corporation	Serum Morphine Calibrators: Cat. No. SMC4-8	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	Serum Morphine Controls: Cat. No. SMCO2, SMCO3.	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	THC Calibrators B-F: Cat. No. THD4-8	Vial: 3.5 ml	03/01/88
Diagnostic Products Corporation	THC Reference Preparation: Cat. No. 5YTH7	Vial: 120 ml	03/01/88
Diagnostic Products Corporation	Triiodothyronine (T3) Isotope: Cat. No. TT32	Vial: 120 ml	03/01/88
Diagnostics Products Corp	Amphetamine Controls, Cat. No. ACO1, ACO2	Vial: 5 ml	03/20/89
Diagnostics Products Corp	Amphetamine Reference Preparations, Cat. No. APD5, APD9.	Vial: 5 ml	03/20/89

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Diagnostics Products Corp.	Coat-A-Count LSD 100, 500, Cat. No. TKLS1, TKLS5.	Kit: 8 vials, 19 vials	03/20/89
Diagnostics Products Corp.	Double Antibody Amphetamine, Cat. No. KAPD1, KAPD5.	Kit: 6 vials	03/20/89
Diagnostics Products Corp.	LSD Calibrators B-F, Cat. No. LSCH-8.	Vial: 5 ml	03/20/89
Diagnostics Products Corp.	LSD Controls, Cat. No. 5LCO1, 5LCO2, LSCO1, LSCO2.	Vial: 120ml, 5ml	03/20/89
Diagnostics Products Corp.	LSD Isotope, Cat. No. TLSY2, TLS2	Vial: 105 ml, 550 ml	03/20/89
Diagnostics Products Corp.	LSD Reference Preparation, Cat. No. 5YLS6.	Vial: 120ml	03/20/89
Diamedix Corporation	Barbital-Acetate Buffer, Powder 709-317.	Package: 20 envelopes-10.65 g. per envelope	07/27/72
Diamedix Corporation	CEP Plate-Amebiasis Testing 40 Test No. 730-274.	Plate: 40mm x 80mm x 2.5mm	08/09/73
Diamedix Corporation	CEP VI No. 709-339	Plate: 40mm x 80mm x 2.5mm	08/09/73
Diamedix Corporation	Counter-electrophoresis (CEP) Plates for Trichinosis Testing.	Plastic plates: 40mm x 80mm x 2.5mm	06/16/75
Diamedix Corporation	EDTA (0.014M)-GVB Buffer, 753-034.	Bottle: 5ml	08/09/73
Diamedix Corporation	EDTA (0.01M)-GVB Buffer, 753-031.	Bottle: 5ml	08/09/73
Diamedix Corporation	GVB(3+) Buffer 753-037.	Bottle: 50ml	08/09/73
Diamedix Corporation	Glucose-GVB 1 Buffer, 753-036.	Bottle: 50ml	08/09/73
Duo Research, Inc.	Drug Testing Assessment Program Quality Control Samples.	Kit: 25 bottles	12/26/86
Duo Research, Inc.	Drug Testing Assessment Program-Quality Control Sample.	Bottle: 65ml	02/27/86
Duo Research, Inc.	Drug Testing Assessment Program-Quality Control Sample Kit.	Kit: 5-65ml bottles	02/27/86
E.I. DuPont DeNemours & Co., Inc., Medical Products.	Drug Discovery Kit, No. NED-002, NED-002A.	Kit: 100 tests, 500 tests	08/08/89
E.I. DuPont DeNemours & Co., Inc., Medical Products.	Flunitrazepam (Methyl-3H)	Combi-Vial: 5 microcuries, 14 microcuries	08/08/89
E.I. DuPont DeNemours & Co., Inc., Medical Products.	Flunitrazepam 2.5 Micro M	Combi-Vial: 2.0 ml	08/08/89
E.I. du Pont de Nemours & Co., Inc.	DM/TU Saturating Reagent.	Plastic Bottle: 1L, 10L, 20L	02/22/89
E.I. duPont de Nemours & Co., Incorporated.	DuPont U THC Enzyme Pack Reagent	Bottle: 1 Liter	01/04/88
E.I. duPont de Nemours & Co., Incorporated.	(1) PREP Sample Preparation and Analysis Kit	Kit containing following:	09/25/78
E.I. duPont de Nemours & Co., Incorporated.	(2) PREP Buffer/Internal Standard and Liquid Chromatography Verifier.	Box containing following:	09/25/78
E.I. duPont de Nemours & Co., Incorporated.	(2a) PREP Liquid Chromatography Verifier	Vial: 10ml (1 vial/box)	09/25/78
E.I. duPont de Nemours & Co., Incorporated.	(2b) PREP Buffer/Internal Standard	Vial: 100ml (3 vials/box)	09/25/78
E.I. duPont de Nemours & Co., Incorporated.	(3) PREP Calibrators	Box containing following:	09/25/78
E.I. duPont de Nemours & Co., Incorporated.	(3a) PREP Calibrator-Level 1	Vial: 10ml (1 vial/box)	09/25/78
E.I. duPont de Nemours & Co., Incorporated.	(3b) PREP Calibrator-Level 2	Vial: 10ml (1 vial/box)	09/25/78
E.I. duPont de Nemours & Co., Incorporated.	(3c) PREP Calibrator-Level 3	Vial: 10ml (1 vial/box)	09/25/78
E.I. duPont de Nemours & Co., Incorporated.	(3d) PREP Calibrator-Level 4	Vial: 10ml (1 vial/box)	09/25/78
E.I. duPont de Nemours & Co., Incorporated.	(4) PREP Controls	Box containing following:	09/25/78
E.I. duPont de Nemours & Co., Incorporated.	(4a) PREP Control-Low Level	Vial: 10ml (2 vials/box)	09/25/78
E.I. duPont de Nemours & Co., Incorporated.	(4b) PREP Control-High Level	Vial: 10ml (2 vials/box)	09/25/78
E.I. duPont de Nemours & Co., Incorporated.	DuPont Drug Calibrators- Levels 1 through 5.	Vial: 6ml (1 vial and 2 vials/box)	04/04/86
E.I. duPont de Nemours & Co., Incorporated.	DuPont Phenobarbital Assay	Vial: 6 ml	10/13/86
E.I. duPont de Nemours & Co., Incorporated.	DuPont U Amp Enzyme Pack Reagent	Bottle: 1 liter	10/19/87
E.I. duPont de Nemours & Co., Incorporated.	DuPont U Barb Enzyme Pack Reagent	Bottle: 1 liter	10/19/87
E.I. duPont de Nemours & Co., Incorporated.	DuPont U Benz Enzyme Pack Reagent	Bottle: 1 liter	10/19/87
E.I. duPont de Nemours & Co., Incorporated.	DuPont U COC Enzyme Pack Reagent	Bottle: 1 liter	10/19/87
E.I. duPont de Nemours & Co., Incorporated.	DuPont U OPI Enzyme Pack Reagent	Bottle: 1 liter	08/28/87
E.I. duPont de Nemours & Co., Incorporated.	DuPont Urine Drugs-of-Abuse Calibrator (Levels 0,1,2).	Box: 6 Vials,6ml Vial	07/27/87
E.I. duPont de Nemours & Co., Incorporated.	DuPont Urine Drugs-of-Abuse Control	Vial: 6 ml	08/03/87
E.I. duPont de Nemours & Co., Incorporated.	DuPont aca Barbiturate Screen Analytical Test Pack.	Plastic Packs: 25 tests	12/23/84
E.I. duPont de Nemours & Co., Incorporated.	DuPont aca Barbiturate Screen/Benzodiazepine Screen Calibrator.	6 Vials: 3ml	02/23/84
E.I. duPont de Nemours & Co., Incorporated.	DuPont aca Benzodiazepine Screen Analytical Test Pack.	Plastic Packs: 25 tests	02/23/84
E.I. duPont de Nemours & Co., Incorporated.	Phenobarbital Calibrator- Level 1	Vial: 6ml (1 vial/box)	04/02/86
E.I. duPont de Nemours & Co., Incorporated.	Phenobarbital Calibrator- Level 2	Vial: 6ml (1 vial/box)	04/02/86
E.I. duPont de Nemours & Co., Incorporated.	Phenobarbital Calibrator- Level 3	Vial: 6ml (1 vial/box)	04/02/86
E.I. duPont de Nemours & Co., Incorporated.	Phenobarbital Calibrator- Level 4	Vial: 6ml (1 vial/box)	04/02/86
E.I. duPont de Nemours & Co., Incorporated.	Phenobarbital Calibrator- Level 5	Vial: 6ml (1 vial/box)	04/02/86
E.I. duPont de Nemours & Co., Incorporated.	Theophylline Calibrator Levels 1, 2 and 3	Vial: 6 ml. Box contains 2 vials each level	09/21/88
E.I. duPont de Nemours & Co., Incorporated.	Thyroid Rotor	Foil Pouch: 1 Rotor Shelf Carton: 10 Rotors Box: 5 Shelf Cartons(50 Rotors).	10/25/88
E.I. duPont de Nemours & Co., Incorporated.	Thyronine (TU) Uptake Flex(tm) Reagent Cartridge.	Plastic container: 2.3ml (20 tests)	04/28/86
E.I. duPont de Nemours & Co., Incorporated.	Urine Amphetamine (U Amp) Test Pack	Carton: 50 tests	08/27/87
E.I. duPont de Nemours & Co., Incorporated.	Urine Barbiturate (U Barb) Test Pack	Carton: 50 tests	08/27/87
E.I. duPont de Nemours & Co., Incorporated.	Urine Benzodiazepine (U Benz) Test Pack	Carton: 50 tests	08/27/87
E.I. duPont de Nemours & Co., Incorporated.	Urine Cannabinoid (U THC) Test Pack	Carton: 50 tests	11/09/87
E.I. duPont de Nemours & Co., Incorporated.	Urine Cocaine (U COC) Test Pack	Carton: 50 tests	08/27/87
E.I. duPont de Nemours & Co., Incorporated.	Urine Opiate (U OPI) Test Pack	Carton: 50 tests	07/08/87
E.I. duPont de Nemours & Co., Incorporated.	aca PHNO Analytical Test Pack	Carton: 40 tests packs	08/25/77
E.I. duPont de Nemours & Co., Incorporated.	aca Thyronine Uptake Analytical Test Pack	Plastic Pack: 1 test	08/25/83

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
E.I. duPont de Nemours & Co., Inc., Medical Products.	5-Cyclohexenyl-3,5-Dimethyl barbituric Acid (3H(G)), Catalog No. NET-426.	Combi-Vial: 250 microcuries, 1 millicurie, and 5 millicuries.	01/04/77
E.I. duPont de Nemours & Co., Inc., Medical Products.	Acetaldehyde (1,2-14C) as Paraldehyde, Catalog No. NEC-158.	Pyrex Glass Breakseal Tube: 250 microcuries, 1 millicurie.	01/04/77
E.I. duPont de Nemours & Co., Inc., Medical Products.	Cocaine, Levo-[Benzoyl] [3,4-3H(N)] Catalog No. NET-510.	Combi-Vial: 100 microcuries, 250 microcuries.....	01/04/77
E.I. duPont de Nemours & Co., Inc., Medical Products.	Diazepam [Methyl-3H] Catalog No. NET-564.....	Combi-Vial: 0.250 millicuries, 1.0 millicurie.....	09/06/79
E.I. duPont de Nemours & Co., Inc., Medical Products.	Dihydromorphine [7,8-3H(N)].....	Combi-Vial: 250 microcuries, 1 millicurie.....	01/04/77
E.I. duPont de Nemours & Co., Inc., Medical Products.	Dihydromorphine[N-Methyl-3H] NET-658.....	Combi-Vial: 0.250 millicuries, 1.0 millicurie.....	02/29/80
E.I. duPont de Nemours & Co., Inc., Medical Products.	Flunitrazepam [Methyl-3H] NET 567.....	Combi-Vial: 0.250 millicuries, 1.0 millicurie.....	04/29/87
E.I. duPont de Nemours & Co., Inc., Medical Products.	LSD [N-Methyl-3H] NET-638.....	Combi-Vial: 0.250 millicuries, 1.0 millicurie.....	11/06/79
E.I. duPont de Nemours & Co., Inc., Medical Products.	Mazindol (4'-3H) Catalog No. NET-816.....	Combi-Vial: 0.250 millicuries, 1.0 millicurie.....	05/17/84
E.I. duPont de Nemours & Co., Inc., Medical Products.	Methylenedioxymethamphetamine, (+)3,4-[N-methyl-3H] NET 957.	Combi-Vial: 0.0250 millicuries, 0.25 millicuries, 1.0 millicuries.	08/25/75
E.I. duPont de Nemours & Co., Inc., Medical Products.	Methylphenidate, +/- threo[methyl-3H] NET-857..	Combi-Vial: 0.250 millicuries, 1.0 millicurie.....	06/11/84
E.I. duPont de Nemours & Co., Inc., Medical Products.	Morphine [N-methyl-3H] NET-653.....	Combi-Vial: 0.250 millicuries, 1.0 millicurie.....	02/29/80
E.I. duPont de Nemours & Co., Inc., Medical Products.	N-[1-(2-Thienyl) Cyclohexyl]-3,4-Piperidine (Piperidyl-3,4-3H) NET-886.	Combi-Vial: 0.250 millicuries, 1.0 millicurie.....	06/11/84
E.I. duPont de Nemours & Co., Inc., Medical Products.	Phencyclidine [Piperidyl-3,4-3H(N)], Catalog No. NET-630.	Combi-Vial: 0.250 millicurie, 1.0 millicurie.....	09/06/79
E.I. duPont de Nemours & Co., Inc., Medical Products.	d-Amphetamine Sulfate (3H(G)), Catalog No. NET-140.	Combi-Vial: 250 microcuries, 1 millicurie, and 5 millicuries.	01/04/77
E.I. duPont de Nemours & Co., Inc.	Thyronine (TU) Uptake Flex.....	32 Test Cartridge, Carton: 7 cartridges.....	03/29/89
EM Diagnostic Systems, Inc.	EMDS Antiepileptic Drug Calibrator Item No. 67630/95.	Box: 3 Vials, 5 ml each.....	06/11/86
EM Diagnostic Systems, Inc.	EMDS Test Packs, Phenobarbital (PHENO) Item No. 67677/95.	Carton: 48 Test Packs.....	09/09/86
EM Diagnostic Systems, Inc.	Easytest Phenobarbital Assay Item No. 67534/93.	Cuvette: 1.8ml (40 cuvettes /carton).....	06/11/86
Eastman Kodak Company.....	KODATROL Control I Control and Diluent Set.....	1 Set: 2 amber glass vials ea. 6 ml 1 Box: 12 sets.	07/21/88
Eastman Kodak Company.....	KODATROL Control II Control and Diluent Set.....	1 Set: 2 amber glass vials ea. 6 ml 1 Box: 12 sets.	07/21/88
Eastman Kodak Company.....	Kodak EKTACHEM Specialty Calibrator.....	Vial: 3ml.....	09/13/85
Eastman Kodak Company.....	Kodak EKTACHEM Specialty Control I.....	Vial: 3ml.....	09/13/85
Eastman Kodak Company.....	Kodak Ektachem Specialty Control II.....	Glass Vial: 6 ml.....	11/10/87
Electro-Nucleonics Laboratories, Incorporated.....	VIRGO IPA Immuno-Precipitation Assay for Phenobarbital.	Kit.....	11/30/82
Endocrine Metabolic Center.....	0.1% Lysozyme-Barbital Buffer, 0.05M.....	Glass Bottle: 2 liter.....	05/28/87
Endocrine Metabolic Center.....	1% Lysozyme-Barbital Buffer, 0.05M.....	Glass Bottle: 2 liter.....	05/28/87
Endocrine Metabolic Center.....	Barbital Buffer, 0.05M.....	Plastic Bottle: 3000 ml.....	05/28/87
Endocrine Metabolic Center.....	Barbital Buffer, 0.1M.....	Plastic Bottle: 3000 ml.....	05/28/87
Endocrine Metabolic Center.....	Tracer Diluent.....	Glass Bottle: 1 or 2 liter.....	05/28/87
Environmental Diagnostics, Inc.....	EZ-Screen: Cannabinoid Enzyme Conjugate.....	Ampule: 1 ml.....	02/03/87
Environmental Diagnostics, Inc.....	EZ-Screen: Cannabinoid Kit Catalog No. 216-2BP.	Kit: 1 test.....	02/03/87
Environmental Diagnostics, Inc.....	EZ-Screen: Cannabinoid Positive Control.....	Ampule: 1 ml.....	02/03/87
Environmental Diagnostics, Inc.....	EZ-Screen: Cannabinoid/Cocaine-Enzyme Conjugate.	Polyethylene Tube: containing ampule with 1 tablet, Kit: 1 test.	12/20/88
Environmental Diagnostics, Inc.....	EZ-Screen: Cannabinoid/Cocaine-Positive Control.	Polyethylene Tube: 2.2ml, Kit: 1 test.....	12/20/89
Fisher Scientific.....	IL-Test Phenobarbital.....	Kit: contains 2 plastic containers of reagent 2.....	03/15/88
Fisher Scientific.....	Electrophoretic Buffer No. 1 pH 8.60, Ionic Strength 0.05, Catalog No. E-1.	Packet: 12.14 g.....	10/27/72
Fisher Scientific.....	Electrophoretic Buffer No. 2, pH 8.60, Ionic Strength 0.075, Catalog No. E-2.	Packet: 18.16 g.....	10/27/72
Fisher Scientific.....	IL-Test Phenobarbital Conjugate, Reagent 2.....	Plastic Container: 16 ml.....	03/15/88
Fisher Scientific.....	Owren's Veronal Buffer, CS1094-34.....	Vial: 10 ml.....	08/18/86
Fisher Scientific.....	Owren's Veronal Buffer, CS1094-38.....	Vial: 25 ml.....	08/18/86
Fisher Scientific.....	SeraChem Abnormal Clinical Chemistry Control Serum (Human) Unassayed No. 2906.	Vial: 5ml, 10ml.....	04/16/82
Fisher Scientific.....	SeraChem Abnormal Clinical Chemistry Control Serum (Human), Assayed No. 2905.	Vial: 5ml.....	04/16/82
Fisher Scientific.....	SeraChem Normal Clinical Chemistry Control Serum (Human), Assayed No. 2907.	Vial: 5ml.....	04/16/82
Fisher Scientific.....	SeraChem Normal Clinical Chemistry Control Serum (Human), Unassayed No. 2908.	Vial: 5ml, 10ml.....	04/16/82
Fisher Scientific.....	TDM Cal.....	Kit: 7 Vials.....	11/26/86
Fisher Scientific.....	TDM Cal (B-F).....	Vials: 5 ml.....	11/26/86
Fisher Scientific.....	Thera Chem TDC Therapeutic Drug Controls, Low and High Levels, 2840-58.	Kit: 6 vials.....	01/12/84

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Fisher Scientific	TheraChem-Plus TDC Therapeutic Drug Controls, Tri-Level, No. 2845-94.	Kit: 9 vials	03/19/86
Fisher Scientific	Therapeutic Drug Control, High Level III, No. 2848-31.	Vial: 5ml	03/19/86
Fisher Scientific	Therapeutic Drug Control, High Level, 2842-31	Vial: 5ml	01/12/84
Fisher Scientific	Therapeutic Drug Control, Low Level I, No. 2846-31.	Vial: 5ml	03/19/86
Fisher Scientific	Therapeutic Drug Control, Low Level, 2841-31	Vial: 5ml	01/12/84
Fisher Scientific	Therapeutic Drug Control, Mid-Range Level II, No. 2847-31.	Vial: 5ml	03/19/86
Fisher Scientific	Urine Chemistry Control (Human) Level II, No. 2935-80.	Vial: 25ml	04/06/78
Fisher Scientific	Urine Toxicology Control No. 2950-61	Vial: 25ml	04/06/78
Fisher Scientific Group	SeraChem Plus Clinical Chemistry Control Sera Unassayed (Bovine) Level I.	Vial: 10ml, Box: 50 vials, Carton: 4 boxes	07/25/89
Fisher Scientific Group	SeraChem Plus Clinical Chemistry Control Sera Unassayed (Bovine) Level II.	Vial: 10 ml, Box: 50 vials, Carton: 4 boxes	07/25/89
Flow Laboratories	DGV No. 28-010	Bottle: 125 ml	04/16/73
Flow Laboratories	Human "O" DGV (Dextrose Gelatin Veronal Buffer) No. 28-080.	Glass Vial: 100 ml	10/14/76
GIBCO Laboratories	Complement Fixation Buffer Solution, pH 7.3-7.4, NDC 0118115-0247-1.	Bottle: 1 liter	01/28/74
GIBCO Laboratories	Complement Fixation Buffer Solution, pH 7.3-7.4, NDC 011815-0247-2.	Bottle: 500 ml	04/05/77
GIBCO Laboratories	Dextrose-Gelatin-Veronal Buffer Solution NDC No.815-0566-1 and No.815-0566-2.	Bottle: 100 and 500 ml	07/05/73
GIBCO Laboratories	Electrophoresis Buffer Solution, pH 8.6, NDC 011815-0245-1.	Bottle: 1 liter	01/28/74
GIBCO Laboratories	I.E.P. Buffer Solution pH 8.2 NDC 011815-0246-1.	Bottle: 1 liter	01/28/74
Gelman Sciences, Inc.	Drug Control Set No 51911	Set: 3 vials of 50 ml each	04/06/72
Gelman Sciences, Inc.	Drug Standard Set, No 51910	Set: 3 vials of 2 ml each	04/06/72
Gelman Sciences, Inc.	Hi-Phore Buffer	Glass Vial: 15 g	02/11/82
Gelman Sciences, Inc.	High Resolution Buffer-Tris Barbitol Buffer No 51104.	Vial: 10 dr	12/22/71
Gumm Chem. Co.	Niflow Initial Additive	Drums: 5 Gallons	09/30/85
Gumm Chem. Co.	Niflow Maintenance Additive	Drums: 5 Gallons	09/30/85
HYCOR/ICL Scientific	Drugs of Abuse Comprehensive Urine Control, HIGH POSITIVE.	Bottle: 30ml	02/24/89
HYCOR/ICL Scientific	Drugs of Abuse Comprehensive Urine Control, LOWER THRESHOLD.	Bottle: 30ml	02/24/89
HYCOR/ICL Scientific	Drugs of Abuse Comprehensive Urine Control, UPPER THRESHOLD.	Bottle: 30ml	02/24/89
Hach Chemical Co.	pH 8.3 Buffer Powder Pillows. No.898-98	Pillow: 1 g. each	11/30/71
Helena Laboratories	CK-LD Buffer Catalog No. 5808	Packet: 18.332 g. , 10 packets/box	03/26/86
Helena Laboratories	Electra B1 Buffer, Catalog No.5016	Packet: 13.1g. 10 packets/ box	12/28/73
Helena Laboratories	Electra B2 Buffer , Catalog No. 5017	Packet: 18.2 g. 10 packets/ box	12/28/73
Helena Laboratories	Electra HR Buffer, Catalog No. 5805	Packet: 18.1 g. 10 packets/ box	12/28/73
Helena Laboratories	HDL Electrophoresis Buffer	Packet: 36 g	12/18/85
Helena Laboratories	Isoamylase Cathode Buffer	Packet: 9.7 g	12/18/85
Helena Laboratories	Isoamylase Kit Catalog No. 5925.	Kit: 2 Packets Cathode Buffer	01/24/86
Helena Laboratories	Owren's Veronal Buffer Cat. No. 5375	Plastic Bottle: 125 ml	09/15/88
Helena Laboratories	REP CK Isoforms-15	Plate: 5.8"x5.5"	03/09/88
Helena Laboratories	REP CK Isoforms-15 Kit: Cat. No. 3081	Kit: 10 plates	03/09/88
Helena Laboratories	REP CK-12	Plate: 5.8"x2.18"	03/09/88
Helena Laboratories	REP CK-12 Isoenzyme Kit: Cat. No. 3071	Kit: 10 plates	03/09/88
Helena Laboratories	REP CK-2 STAT Kit, Cat. No. 3074	Kit: 10 plates (5.8" X 0.6")	03/30/89
Helena Laboratories	REP CK-30	Plate: 5.8"x5.5"	03/09/88
Helena Laboratories	REP CK-30 Isoenzyme Kit	Kit: 10 plates	03/09/88
Helena Laboratories	REP CK-6	Plate: 5.8"x1.25"	03/09/88
Helena Laboratories	REP CK-6 Isoenzyme Kit: Cat. No. 3072	Kit: 10 plates	03/09/88
Helena Laboratories	REP LD	Plates: 5.8"x5.5", 5.8"x2.18", 5.8"x1.25"	03/09/88
Helena Laboratories	REP SPE Hi Res-15 Kit, Cat. No. 3176	Kit: 10 plates (5.8" X 5.5")	03/30/89
Helena Laboratories	REP-HDL-12 Isoenzyme Kit Cat. No. 3187	Kit: 10 Plates (5.8" X 2.18")	09/15/88
Helena Laboratories	REP-HDL-30 Isoenzyme Kit Cat. No. 3186	Kit: 10 Plates (5.8" X 5.5")	09/15/88
Helena Laboratories	REP-HDL-6 Isoenzyme Kit Cat. No. 3188	Kit: 10 Plates (5.8" X 1.25")	09/15/88
Helena Laboratories	REP-Lipo-12 Kit Cat. No. 3181	Kit: 10 Plates (5.8" X 2.18")	09/15/88
Helena Laboratories	REP-Lipo-30 Kit Cat. No. 3180	Kit: 10 Plates (5.8" X 5.5")	09/15/88
Helena Laboratories	REP-Lipo-6 Kit Cat. No. 3182	Kit: 10 Plates (5.8" X 1.25")	09/15/88
Helena Laboratories	REP-SP-12 Isoenzyme Kit Cat. No. 3171	Kit: 10 Plates (5.8" X 2.18")	09/15/88
Helena Laboratories	REP-SP-30 Isoenzyme Kit Cat. No. 3170	Kit: 10 Plates (5.8" X 5.5")	09/15/88
Helena Laboratories	REP-SP-6 Isoenzyme Kit Cat. No. 3172	Kit: 10 Plates (5.8" X 1.25")	09/15/88
Helena Laboratories	Super Z-12XHDH Cholesterol Supply Kit Catalog No. 5470).	Kit: 3 Packages buffer 36 g.	01/24/86
Helena Laboratories	TITAN GEL Alkaline Phosphatase (HR) Kit, Cat. No. 3058.	Kit: 1 bag	06/19/89
Helena Laboratories	TITAN GEL Alkaline Phosphatase Buffer	Plastic Bag: 13.1g	06/19/89
Helena Laboratories	Titan Gel High Resolution Protein Buffer	Packet: 25.9 g.	04/12/83
Helena Laboratories	Titan Gel High Resolution Protein Kit Catalog No. 3040.	Kit: 10 Plates (90mm X 75mm) , 2 Packages Buffer.	03/03/86

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Helena Laboratories	Titan Gel High Resolution Protein Plate	Plate:(90mm X 75mm)	03/03/86
Helena Laboratories	Titan Gel IFE Buffer	Packet: 25.9 g	12/18/85
Helena Laboratories	Titan Gel IFE Plate	Plate: (90mm X 75mm)	03/05/86
Helena Laboratories	Titan Gel Immuno Fix Kit Catalog No.3046	Kit: 10 Plates (90mm X 75mm), 2 Packets IFE Buffer.	01/24/86
Helena Laboratories	Titan Gel Iso Dot LDH Buffer	Packet: 19.6 g	01/07/86
Helena Laboratories	Titan Gel Iso Dot LDH Isoenzyme Plate	Plate: (90mm X 75mm)	12/18/85
Helena Laboratories	Titan Gel Iso Dot LDH Kit Catalog No.3062	Kit: 10 Plates (90mm X 75mm),1 Packet Iso Dot LDH Buffer.	01/24/86
Helena Laboratories	Titan Gel LD Buffer	Packet: 21.5 g	11/26/86
Helena Laboratories	Titan Gel LD Isoenzyme Diluent	Bottle: 10 ml	11/26/86
Helena Laboratories	Titan Gel LDH Isoenzyme Buffer	Packet: 22.7 g	03/07/83
Helena Laboratories	Titan Gel LDH Isoenzyme Plate	Plate: (90mm X 75mm)	12/18/85
Helena Laboratories	Titan Gel LDH Isoenzyme Reagent	Vial: 2ml, 10 vials/box	01/07/86
Helena Laboratories	Titan Gel Lipoprotein Buffer	Packet: 17.3 g	12/18/85
Helena Laboratories	Titan Gel Lipoprotein Kit Catalog No.3045	Kit: 1 Packet Buffer	01/24/86
Helena Laboratories	Titan Gel Lipoprotein Plate	Plate: (90 x 75 mm)	01/09/87
Helena Laboratories	Titan Gel Multi-Slot Lipo-17 Kit Catalog No. 3095.	Kit: 10 plates (81 x 143 mm) 1 packet buffer (21.6 g).	01/09/87
Helena Laboratories	Titan Gel Multi-Slot Lipo-17 Plate	Plate: (81 x 143 mm)	01/09/87
Helena Laboratories	Titan Gel Multi-Slot SP-17 Kit Catalog No. 3091	Kit: 10 plates (81 x 143 mm) 1 packet buffer (29.1 g).	01/09/87
Helena Laboratories	Titan Gel Multi-Slot SP-17 Plate	Plate: 81 x 143 mm	01/09/87
Helena Laboratories	Titan Gel Serum Protein Buffer	Packet: 29.1 g	04/12/83
Helena Laboratories	Titan Gel Serum Protein Kit Catalog No. 3041	Kit: 10 Plates (90mm X 75mm), 1 Packet Buffer	01/24/86
Helena Laboratories	Titan Gel Serum Protein Plate	Plate: (90mm X 75mm)	12/18/85
Helena Laboratories	Titan Gel Silver Stain Buffer	Packet: 25.9g	12/18/85
Helena Laboratories	Titan Gel Silver Stain Kit Catalog No.3035	Kit: 10 Plates (90mm X 75mm), 2 Packets Buffer	01/24/86
Helena Laboratories	Titan Gel Silver Stain Plate	Plate: (90mm X 75mm)	03/03/86
Helena Laboratories	Titan Gel-PC LDH Isoenzyme Kit Catalog No. 3053.	Kit: 10 Plates (90mm X 75mm), 1 Packet LDH Buffer, 1 Box LDH Reagent.	01/24/86
Helena Laboratories	Titan Gel-PC LDH Isoenzyme Plate	Plate: (90mm X 75mm)	12/18/85
Helena Laboratories	Titan III Agar Catalog No. 5023	Packet: 5 g. (5 Packets/box)	12/28/73
Helena Laboratories	Titan IV IE Plate (large)	Package: plates, 3 by 4 in.	12/28/73
Helena Laboratories	Titan IV IE Plate (small)	Package: plates, 1 by 3 in.	12/28/73
Helena Laboratories	Titan IV IE Plate Kit	Kit: 12 small (1 by 3 in.) IE plates,1 box B1 Buffer.	12/28/73
Helena Laboratories	Titan IV IE Plate Kit	Kit: 10 large (3 by 4 in.) IE Plates, 1 box B1 Buffer.	12/28/73
Hycor Biomedical Inc.	Sentry Drugs of Abuse Urine Calibrator, Amphetamine Urine Calibrator - 4 level.	Vial: 10ml, Kit: 12 vials, Kit: 4 vials	03/29/89
Hycor Biomedical Inc.	Sentry Drugs of Abuse Urine Calibrator, Benzoyllecgonine Urine Calibrator - 4 level.	Vial: 10ml, Kit: 12 vials, Kit: 4 vials	03/29/89
Hycor/ICL Scientific	Drugs of Abuse Urine Control, CONFIRMATION	Box: 4-100 ml Bottles	10/21/88
Hycor/ICL Scientific	Drugs of Abuse Urine Control, SCREEN	Box: 4-30 ml Bottles	10/21/88
ICL Scientific	Therapeutic Drug Control I, TDC I (High Level)	Glass Vial: 10ml	08/14/85
ICL Scientific	Therapeutic Drug Control I, II, III, Tri-Level TDC Multipack.	Glass Vials (12): 10ml	08/14/85
ICL Scientific	Therapeutic Drug Control II, TDC II (Mid-Level)	Glass Vial: 10ml	08/14/85
ICL Scientific	Therapeutic Drug Control III, TDC III (Low Level)	Glass Vial: 10ml	08/14/85
ICN Micromedic Systems, Inc.	Immunogen: BZ-A	Plastic Vial: 1.5 ml	02/29/88
ICN Micromedic Systems, Inc.	Immunogen: BZ-B	Plastic Vial: 1.5 ml	02/29/88
ICN Micromedic Systems, Inc.	Immunogen: CD-A	Plastic Vial: 1.5 ml	02/29/88
ICN Micromedic Systems, Inc.	Immunogen: M-A	Plastic Vial: 1.5 ml	02/29/88
ICN Micromedic Systems, Inc.	Immunogen: M-B	Plastic Vial: 1.5 ml	02/29/88
ICN Micromedic Systems, Inc.	Immunogen: TF-A	Plastic Vial: 1.5 ml	02/29/88
ICN Micromedic Systems, Inc.	Micromedic Combostat THC/Cocaine STANDARDS-2, 3, and 4.	Amber Glass Vial: 2 ml Plastic Bottle: 100 ml	02/24/88
ICN Micromedic Systems, Inc.	Micromedic CrackPot 57Co/125I Tracer Solution	Plastic Bottle: 25 ml, 1000 ml	02/24/88
ICN Micromedic Systems, Inc.	Micromedic Morphine 125I Tracer Solution	Bottle: 50 ml, 1000 ml	02/29/88
ICN Micromedic Systems, Inc.	Micromedic Morphine Standards 2, 3 and 4	Bottle: 5 ml, 100 ml	02/29/88
Immunotech Corp.	ENDAB Phenobarbital Kit, Cat. No. 119	Kit: 100 tests, 4 Bottles: 1 ml ea.	09/28/89
Immunotech Corp.	Micro Dau Amphetamine Enzyme Immunoassay Test Kit.	Kit: 96 tests, Bottle: 10.5 ml, 2 ml	09/28/89
Immunotech Corp.	Micro Dau Benzodiazepine Enzyme Immunoassay Test Kit.	Kit: 96 tests, Bottle: 10.5 ml, 2 ml	09/28/89
Immunotech Corp.	Micro Dau Cocaine Metabolite Enzyme Immunoassay Test Kit.	Kit: 96 tests, Bottle: 10.5 ml, 2 ml	09/28/89
Immunotech Corp.	Micro Dau Opiates Enzyme Immunoassay Test Kit.	Kit: 96 tests	12/19/89
Immunotech Corp.	Morphine Positive Urine Calibrator	Vial: 3.5 ml	12/19/89
Immunotech Corp.	Opiates Enzyme Conjugate	Vial: 10 ml	12/19/89
Industrial Analytical Laboratory, Inc.	11-Nor-Carboxy-Delta-9-Tetrahydrocannabinol	Ampule: 1ml	09/04/85
Industrial Analytical Laboratory, Inc.	11-hydroxy-delta-9-tetrahydrocannabinol	Ampule: 1 ml	02/18/87
Industrial Optical	Opti-Kleen	Bottle: 5 gallon	06/24/81
Innotron of Oregon, Inc.	Innofluor Phenobarbital Calibrators 0.0, 3.0, 8.0, 20.0, 40.0, and 80.0 mcg/ml.	Bottle: 3 ml	07/09/87
Innotron of Oregon, Inc.	Phenobarbital Stock Tracer	Vial: 5 ml	09/23/87
Janssen Pharmaceutica, Inc.	3H Alfentanil	Vial: 0.5 ml	02/01/87
Janssen Pharmaceutica, Inc.	3H Fentanyl	Vial: 0.5 ml	02/01/87

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Janssen Pharmaceutica, Inc.	3H Sufentanil	Vial: 0.5 ml	02/01/87
Janssen Pharmaceutica, Inc.	Alfentanil Radioimmunoassay Kit	Kit: 200 tests	05/13/85
Janssen Pharmaceutica, Inc.	Fentanyl Radioimmunoassay Kit	Kit: 200 tests	05/13/85
Janssen Pharmaceutica, Inc.	Sufentanil Radioimmunoassay Kit	Kit: 500 tests	05/13/85
Kallestad Diagnostics	Barbital Buffer 901	Vial	05/19/81
Kallestad Diagnostics	IEP Buffer No. 900	Vial: 7 Dram	12/26/78
Kallestad Diagnostics	Immunolectrofilm Catalog No.910	1 Film Sealed in Cardboard Container	03/11/80
Kallestad Diagnostics	Immunolectrofilms, Catalog No. 1013	Styrofoam Container: 25 film	06/22/87
Kallestad Diagnostics	Immunolectrophoresis Reagent Kit, Catalog No. 1012	Kit: 3 Vials	06/22/87
Kallestad Diagnostics	Quanticat 125I-T3 Uptake Kit Catalog No. 823	Kit: 400 Determinations	12/16/85
Kallestad Diagnostics	Quanticat 125I-T3 Uptake Kit, Catalog No. 833	Kit: 100 tests	06/24/81
Kallestad Diagnostics	Quanticat 125I-T3 Uptake Reagent Catalog No. 785	Bottle: 500ml	12/16/85
Kallestad Diagnostics	Quanticat 125I-T3 Uptake Reagent No.834	2 Glass Bottles: 110ml	06/24/81
LKB Instruments, Inc.	Tris-barbiturate Buffer pH 8.6	Packet: each 6.788 g. 20 packets/box	05/15/78
Lemmon Company	Etorphine Standard Solution	Plastic Carboy: 1 Liter	10/31/83
M&T Chemicals, Inc.	M&T NiproTeq SB Additive	Polypropylene Containers: 5 gallons, 55 gallons	03/10/88
M&T Chemicals, Inc.	M&T NiproTeq SB Make-Up Additive	Polypropylene Containers: 5 gallons, 55 gallons	03/10/88
MCI Biomedical	IEP Buffer, pH 8.2, 0.04 Ionic Strength	Package: 6.510 grams	08/28/72
Materials & Technology Systems	5-Ethyl-5-(1-Carboxy-N-Propyl) Barbituric Acid	Screw Cap Vial: 8ml	05/03/73
Materials & Technology Systems	5-Ethyl-5-(1-Carboxy-N-Propyl)Barbituric Acid Bovine Serum Albumin or Rabbit Serum Albumin.	Vaccine Vial: 8ml	05/03/73
Materials & Technology Systems	5-Ethyl-5-(1-Carboxy-N-Propyl)Barbituric Acid Sensitized RBC.	Vaccine Vial: 8ml	05/03/73
Materials & Technology Systems	Barbiturate Standard	Screwcap Vial: 10ml	09/17/76
Materials & Technology Systems	Benzoyl Ecgonine	Screw Cap Vial: 25mg and 100 mg	04/18/74
Materials & Technology Systems	Benzoyl ecgonine Standard	Screwcap Vial: 10ml	09/17/76
Materials & Technology Systems	Carboxymethyl-Morphine	Screw Cap Vial: 8ml	05/03/73
Materials & Technology Systems	Carboxymethyl-Morphine Bovine Serum Albumin or Rabbit Serum Albumin.	Vaccine Vial: 8ml	05/03/73
Materials & Technology Systems	Carboxymethylmorphine Sensitized RBC	Vaccine Vial: 50ml	05/03/73
Materials & Technology Systems	Ecgonine Bovine Serum Albumin or Rabbit Serum Albumin.	Vaccine Vial: 8ml	05/03/73
Materials & Technology Systems	Ecgonine Sensitized RBC	Vaccine Vial: 50ml	05/03/73
Materials & Technology Systems	Methadone Standard	Screwcap Vial: 10ml	09/17/76
Materials & Technology Systems	Morphine Standard	Screw Cap Vial: 10ml	07/17/73
Materials & Technology Systems	Tropinecarboxylic Acid	Screw Cap Vial: 8ml, 10ml	05/03/73
Medi-Chem, Inc.	Barbiturate Test Set (Sodium Secobarbital Standard 10mg % w/v) Catalog No.250.	Bottle: 120ml	02/22/74
Medical Analysis Systems, Inc.	ACE II Calibrator for the DuPont aca Level 1	Glass Vial: 22 X 38mm, 5ml	08/07/86
Medical Analysis Systems, Inc.	ACE II Calibrator for the DuPont aca Level 2	Glass Vial: 22 X 38mm, 5ml	08/07/86
Medical Analysis Systems, Inc.	ACE II Calibrator for the DuPont aca Level 3	Glass Vial: 22 X 38mm, 5ml	08/07/86
Medical Analysis Systems, Inc.	ChemTrak Liquid Unassayed	Vial: 15ml	04/30/85
Medical Analysis Systems, Inc.	Chemistry Control Assayed, Level 1, 2, & 3	Vial: 15ml	04/30/85
Medical Analysis Systems, Inc.	Chemistry Control, Level 1, 2, & 3	Vial: 15ml	04/30/85
Medical Analysis Systems, Inc.	Liquid Urine Calibrator Level 1 and 2	Vial: 5 ml	04/03/87
Medical Analysis Systems, Inc.	Liquid Urine Control Level 1	Vial: 5 ml	04/03/87
Medical Analysis Systems, Inc.	chemTRAK Liquid Unassayed Therapeutic Drug Control Level 2.	Kit: 6 x 5ml Vials	10/08/86
Medical Analysis Systems, Inc.	chemTRAK Liquid Unassayed Therapeutic Drug Control Level 3.	Kit: 6 x 5ml Vials	10/08/86
Medical Analysis Systems, Inc.	chemTRAK Liquid Unassayed Therapeutic Drug Control Level 1.	Kit: 6 x 5ml Vials	10/08/86
Meloy Labs, Inc.	Counterelectrophoresis Plates, G-301	Plates: 10 determinations	09/05/73
Meloy Labs, Inc.	Immunolectrophoresis Plates, G-201	Plates: 6 / unit	09/05/73
Merck & Co., Inc.	Amphetamine - d6 HCl, Cat. No. MD-3892	Ampule: 2 or 5 ml	08/30/89
Merck & Co., Inc.	Methamphetamine - d9 HCl, Cat. No. MD-3853	Ampule: 2 or 5 ml	08/30/89
Merck and Co., Inc.	Cocaine - d3 HCl Catalog # MD-3677	Ampule: 2 or 5 ml	06/13/88
Merck and Co., Inc.	Codeine - d3 H2O (N-methyl-d3) No. MD-3776	2 ml, 5ml ampule Carton: 5 ampules	09/06/88
Merck and Co., Inc.	Codeine-d3 Catalog # MD-3678	Ampule: 2 or 5 ml	06/13/88
Merck and Co., Inc.	DL-1 Phenyl-2-aminopropane 1,1,2,3,3,3,-d6 (Amphetamine-d6)Catalog # MD-3682.	Ampule: 2 or 5 ml	06/13/88
Merck and Co., Inc.	DL-1 Phenyl-2-methylam-inopropane-1,1,2,3,3,3-d6 HCl (Methamphetamine d6) Catalog # MD-3683.	Ampule: 2 or 5 ml	06/13/88
Merck and Co., Inc.	DL-1-Phenyl-2-aminopropane-1,1,2,3,3,3-d6 HCL No. MD-3778.	2 ml, 5 ml amber ampule Carton: 5 ampules	09/06/88
Merck and Co., Inc.	Ecgonine - d3 Methyl Ester HCl Catalog # MD3679.	Ampule: 2 or 5 ml	06/13/88
Merck and Co., Inc.	Morphine - d3 HCl 3H2O (N-methyl-d3) No. MD-3777.	2 ml, 5 ml ampule Carton: 5 ampules	09/06/88
Merck and Co., Inc.	Morphine - d3 HCl Catalog # MD-3680	Ampule: 2 or 5 ml	06/13/88
Merck and Co., Inc.	O-Benzoyl ecgonine-d3 Catalog # MD-3676	Ampule: 2 or 5 ml	06/13/88
Merck and Co., Inc.	Phen-d5-cyclidine HCl Catalog # MD-3681	Ampule: 2 or 5 ml	06/13/88
Micromedic Systems	Micromedic Neonatal T4 125I Tracer Solution	Nalgene Bottle: 4 oz.	06/25/87
Micromedic Systems	Micromedic Neonatal T4 Elution Solution	Nalgene Bottle: 2 oz.	06/25/87
Micromedic Systems	Neonatal T4 125I Tracer Solution	Vial: 30ml	05/21/80
Micromedic Systems	Neonatal T4 Buffer Solution	Bottle: Bounce	05/21/80

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Micromedic Systems	T3 RIA 125I Tracer Solution	Vial: 30ml	12/14/76
Micromedic Systems	T3 RIA Buffer Solution	High Density Polyethylene Bottle: 8 ounce	12/14/76
Micromedic Systems	T3 Uptake 125I Tracer Solution	Vial: 30ml	12/14/76
Micromedic Systems	T3 Uptake Buffer Solution	High Density Polyethylene Bottle: 8 ounce	12/14/76
Micromedic Systems	T4 RIA 125I Tracer Solution	Vial: 30ml	12/14/76
Micromedic Systems	T4 RIA Buffer Solution	High Density Polyethylene Bottle: 8 ounce	12/14/76
Miles Laboratories, Inc.	Ames Phenobarbital Assay, Kit Contains: Phenobarbital Standards; 10, 20, 40, & 60mcg/ml.	6.1 ml Vials	03/01/79
Miles Laboratories, Inc.	Ames Phenobarbital Controls, 15mcg/ml, 30mcg/ml, 50mcg/ml.	Vial: 6.1ml	05/21/80
Miles Laboratories, Inc.	Cliniria T-3 Uptake Test, Kit Contains: (1)125I T-3 Uptake Reagent & (2) Separating Reagent.	200ml Bottles	11/10/78
Miles Laboratories, Inc.	Clinistat Calibrator Nos. 1 and 2	Vial: 1ml	12/19/80
Miles Laboratories, Inc.	Clinistat Control B, C, D, and E.	Vial: 1ml	12/19/80
Miles Laboratories, Inc.	Seralute Total T-4 (RIA) 125I Reagent Kit, No.3304, No.3305.	Kit: 20 columns, 100 columns	03/28/77
Miles Laboratories, Inc.	Seralyzer ARIS Drug Assay Control	Vial: 1ml	01/17/84
Miles Laboratories, Inc.	Seralyzer ARIS Drug Assay High Calibrator	Vial: 0.5ml	01/17/84
Miles Laboratories, Inc.	Seralyzer ARIS Drug Assay Low Calibrator	Vial: 0.5ml	01/17/84
Miles Laboratories, Inc.	Seralyzer ARIS Phenytoin Reagent Strips	Bottle Containing 25 and 50 Strips	05/28/86
Miles Laboratories, Inc.	T-4 Buffer	Glass Screwtop Vial: 3/4 ounce	03/28/77
Miles Laboratories, Inc.	TDA Cross-Reactivity Cocktails	Glass Vial: 1ml	02/01/83
Miles Laboratories, Inc.	TEK-CHEK Special Urine Control (supplemental)	Vial: 25ml	05/01/70
Miles Laboratories, Inc.	Tetralute	Bottle: 4.9 g	07/29/70
Miles Laboratories, Inc.	Thyrolute I125, Reagent Kit, No.5250	Kit: 20 columns	12/02/74
Miles Laboratories, Inc.	Thyrolute I125, Reagent Kit, No.5252	Kit: 100 columns	12/02/74
Monobind, Inc.	Monobind T3 Antibody Reagent	Test Tube w/Cap: 70ml	11/08/77
Monobind, Inc.	Monobind T3 Tracer Reagent	Wheaton Glass Container: 55ml	11/08/77
Monobind, Inc.	Monobind T4 Antibody Reagent	Test Tube w/Cap: 70ml	11/08/77
Monobind, Inc.	Monobind T4 Tracer Reagent	Wheaton Glass Container 55ml	11/08/77
Monobind, Inc.	Monobind TSH Antibody Reagent	Test Tube w/Cap: 10.5ml	11/08/77
Monobind, Inc.	Monobind TSH Non-Specific Buffer	Wheaton Glass: 1.05ml	11/08/77
Monobind, Inc.	Monobind TSH Precipitating Reagent	Plastic Container w/Cap: 105ml	11/08/77
Monobind, Inc.	Monobind TSH Tracer Reagent	Wheaton Glass Container 10.5ml	11/08/77
Monobind, Inc.	T3 Adsorbent Reagent	Glass Bottle: 110ml, 50ml Plastic Bottle: 260ml	05/15/78
Monobind, Inc.	T3 Uptake Tracer Reagent	Glass Bottle: 55ml, 30ml Plastic Bottle: 125ml	05/15/78
Monobind, Inc.	TSH Radioimmunoassay Test System	Kit: 100 Tests	11/08/77
Monobind, Inc.	Thyroxine Radioimmunoassay Test System	Kit: 100 Tests	11/08/77
Monobind, Inc.	Triiodothyronine Radioimmunoassay Test System.	Kit: 100 tests	11/08/77
Monoclonal Antibodies, Inc.	Test Kit for Cocaine Metabolites in Urine	Kit: 50 tests	10/17/86
Monoclonal Antibodies, Inc.	Test Kit for Opiates in Urine	Kit: 50 tests	10/17/86
Monoclonal Antibodies, Inc.	Test Kit for Tetrahydrocannabinol (THC) in Urine	Kit: 50 tests	10/17/86
NSI Technology Services Corp.	Alpha, alpha-dimethyl-phenethylamine	Amber Ampoule: 2ml	03/02/89
Nuclear Diagnostics, Inc.	SPINSEP-TBG Reagent Catalog No. 17100	Polypropylene Bottle: 105ml	12/15/77
Nuclear Diagnostics, Inc.	TETRIA P.E.G. Antiserum Catalog No. 16100A	Polypropylene Bottle: 55ml	03/10/78
Nuclear Diagnostics, Inc.	TETRIA P.E.G. Reagent Catalog No. 16100	Polypropylene Bottle: 105ml	07/08/77
Nuclear Diagnostics, Inc.	TETRIA P.E.G. Reagent Catalog No. 16100R	Polypropylene Bottle: 55ml	03/10/78
Nuclear Diagnostics, Inc.	TRIA-P.E.G. Antiserum Catalog No. 12100A	Polypropylene Bottle: 55ml	03/10/78
Nuclear Diagnostics, Inc.	TRIA-P.E.G. Reagent Catalog No.12100R	Polypropylene Bottle: 55ml	03/10/78
OMI International Corporation	Compound N Solution	Steel Drum: 55 gallon	10/01/75
Organon Teknika Corp.	ASSURE, Levels I & II	Vial: 10 ml	06/27/80
Organon Teknika Corp.	Bovine QAS Clinical Study	6 Vials/Kit (10ml/vial)	04/28/80
Organon Teknika Corp.	Liothyronine T3 125I	Boston Round Amber Bottle: 16 ounce	01/20/76
Organon Teknika Corp.	Liothyronine T3 125I	Boston Round Amber Bottle: 4 ounce	02/18/79
Organon Teknika Corp.	Midwest/ Illinois/ New Jersey Quality Control Program, Level I & II.	Vial: 10 ml, 10 vials / kit	04/16/81
Organon Teknika Corp.	Owren's Veronal Buffer for FIBRIQUIK	Bottle: 37 ml	05/07/80
Organon Teknika Corp.	PACP I & II	Kit: 36 vials/kit	03/07/80
Organon Teknika Corp.	PROFILE Anticonvulsant Levels I & II	Vial: 10 ml	11/28/80
Organon Teknika Corp.	Platelin	Vial: 7.3ml	03/13/72
Organon Teknika Corp.	Platelin Plus Activator	Vial: 7.3ml	03/13/72
Organon Teknika Corp.	Profile General Set	Kit Ctg: 6 vials	02/22/82
Organon Teknika Corp.	Profile General- Levels I & II	Vial: 5 ml	02/22/82
Organon Teknika Corp.	Quality Assurance Serum Level I	Vial: 16.5 ml, 6 vials/ kit	08/17/78
Organon Teknika Corp.	Quality Assurance Serum Level II	Vial: 16.5 ml, 6 vials/ kit	08/17/78
Organon Teknika Corp.	Russell's Viper Venom Reagent	Vial: 7.3ml containing 48 mg of powder	07/08/74
Organon Teknika Corp.	Simplastin	Vial: 4.7ml, 7.3ml, and 16.5ml	03/13/72
Organon Teknika Corp.	Simplastin-A	Vial: 7.3ml	03/13/72
Organon Teknika Corp.	T-4 125I Reagent	Boston Round Bottle: 2 ounce, amber bottle, 7 dr.	01/20/76
Organon Teknika Corp.	T-4 Antiserum (rabbit)	Boston Round Bottle: 4 ounce, clear bottle, 7 dr	01/20/76
Organon Teknika Corp.	TETRA-TAB-RIA T4 Diagnostic Kit	Kit: 40tests, 200tests	01/20/76
Organon Teknika Corp.	TETRA-TUBE RIA T4 Diagnostic Kit	Kit: 100 tests, 500 tests	06/03/83
Organon Teknika Corp.	TGTR Set	Package: 4 Tests per set	03/13/72
Organon Teknika Corp.	TRI-TAB T3 Uptake Diagnostic Kit	Kit: 200 Tests	01/20/76
Organon Teknika Corp.	TRI-TAB T3 Uptake Diagnostic Kit	Kit: 40 tests	02/18/79
Organon Teknika Corp.	Unassayed Chemistry Serum Control, Levels I & II.	Vial: 25 ml	06/27/80
Ortho Diagnostic Systems, Inc.	Activated ThromboFAX No.721000	Bottle: 3.2ml	09/21/71

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Ortho Diagnostic Systems, Inc.	Ortho Activated PTT Reagent	Glass Vial: 30 determination size, 100	05/23/83
Ortho Diagnostic Systems, Inc.	Ortho Plasma Coagulation Control Level I	Glass Vial: 5ml	10/25/83
Ortho Diagnostic Systems, Inc.	Ortho Plasma Coagulation Control Level II	Glass Vial: 5ml	10/25/83
Ortho Diagnostic Systems, Inc.	ORTHO Owren's Buffer	Kit: 6-20 ml vials	08/26/88
Pacific Hemostasis	Barbital Buffered Saline	Vial: 100ml	05/24/84
Pacific Hemostasis	Barbital Buffered Saline with Heparin	Vial: 90ml	05/24/84
Pacific Hemostasis	Diluting Fluid	Vial: 20ml	05/24/84
Pantex	Immuno T3 Kit: (1) L-Triiodothyronine 125I (2) 1st Antiserum (3) 2nd Antiserum (4) Diluent (5) Standards	Kit Containing Bottles: (1)10ml, (2)10ml, (3)50ml, (4)5ml, (5)3ml	01/04/79
Pantex	Immuno-Digoxin Kit Containing: (1) Digoxin 125I (2) 1st Antiserum (3) 2nd Antiserum (4) Diluent	Kit Containing Bottles: (1)10ml, (2)20ml, (3)50ml, (4)5ml	01/04/79
Pantex	Immuno-Estriol 125I Kit: 2nd Antiserum	Bottle: 50ml	01/04/79
Pantex	Immuno-Estriol Kit: (1) Estriol 3H RIA (2) Estriol 3H Recovery (3) 1st Antiserum (4) 2nd Antiserum (5) Diluent (6) Buffer (7) Standards	Kit Containing Bottles: (1)10ml, (2)5ml, (3)10ml, (4)20ml, (5)100ml, (6)50ml, (7)5ml	01/04/79
Pantex	Immuno-T4 Kit: (1) Thyroxine 125I (2) 1st Antiserum (3) 2nd Antiserum (4) Diluent (5) Standards	Kit Containing Bottles: (1)100ml, 1000ml, (2)50ml, (3)100ml, (4)5ml, (5)3ml	01/04/79
Pantex	Immuno-Testosterone 125I Kit: (1) Testosterone 125I (2) 1st Antiserum (3) 2nd Antiserum (4) Diluent (5) Standards	Kit Containing Bottles: (1)10ml, (2)10ml, (3)50ml, (4)100ml, (5)5ml	01/04/79
Pantex	T3 Uptake Kit: L-Triiodothyronine 125I	Bottle: 100ml, 1000ml	01/04/79
Perkin-Elmer Corporation	Amphetamine Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/86
Perkin-Elmer Corporation	Barbiturates Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/86
Perkin-Elmer Corporation	Cocaine Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/86
Perkin-Elmer Corporation	Methadone Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/86
Perkin-Elmer Corporation	Morphine Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/86
Perkin-Elmer Corporation	Opiates Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/86
Princeton Separations, Inc.	Panagel 16	Pouch: 1 slide	06/29/87
Princeton Separations, Inc.	Panagel 8	Pouch: 1 slide	06/29/87
Princeton Separations, Inc.	Panagel Electrobuffer	Fiber Drum: 25 kg	06/29/87
Princeton Separations, Inc.	Panagel Electrode Buffer	Pouch: 18.3 gms	06/29/87
Princeton Separations, Inc.	Panagel LD Isoenzyme Electrode Buffer	Pouch: 11.85 gms	06/29/87
Princeton Separations, Inc.	Panagel LD Isoenzyme Slide	Pouch: 1 slide	06/29/87
Quantimetrix	Quantimetrix Anticonvulsant Serum Drug Control, Liquid Level II Control No. 17-0303-2	Polyethylene Dropper Bottle: 15ml	04/16/86
Quantimetrix	Quantimetrix Antidepressant Serum Drug Control, Liquid Level I Control No. 17-0303-1	Polyethylene Dropper Bottle: 15ml	04/16/86
Quantimetrix	Quantimetrix Antidepressant Serum Drug Control, Liquid Level I Control No. 17-0305-1	Polyethylene Dropper Bottle: 15ml	04/16/86
Quantimetrix	Quantimetrix Antidepressant Serum Drug Control, Liquid Level II Control No. 17-0305-2	Polyethylene Dropper Bottle: 15ml	04/16/86
Quantimetrix	Urine Drugs of Abuse Control Catalog No. 12-2411-1	Dropper Bottle: 15 ml	02/23/87
Quin-Tec, Inc.	Additive SB-1	Drum: 55 gals.	05/11/87
Quin-Tec, Inc.	Quin-Tec Brightener 402	Plastic Pail: 5 gallons, Plastic Drum: 55 gallons	10/13/81
Quin-Tec, Inc.	Quin-Tec Brightener 404	Plastic Pail: 5 gallons, Plastic Drum: 55 gallons	10/13/81
Radian Corporation	3, 4-Methylenedioxy-amphetamine-D5 0.1 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	3, 4-Methylenedioxy-amphetamine-D5 1.0 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	3, 4-Methylenedioxy-methamphetamine-D5 0.1 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	3, 4-Methylenedioxy-methamphetamine-D5 1.0 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	3,4-Methylenedioxyamphetamine 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	3,4-Methylenedioxy-methamphetamine 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	6-Acetylmorphine	Ampule: 2 ml	12/04/87
Radian Corporation	6-Acetylmorphine-D3	Ampule: 2 ml	12/04/87
Radian Corporation	9-Carboxy-11-nor-Delta-9-Tetrahydrocannabinol-D3	Ampule: 2 ml	12/04/87
Radian Corporation	9-Carboxy-11-nor-delta-9-THC 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Amphetamine 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Amphetamine-D3	Ampule: 2 ml	12/04/87
Radian Corporation	Amphetamine-D5	Ampule: 2 ml	12/04/87
Radian Corporation	Benzoyllecgonine	Ampule: 2ml	12/04/87
Radian Corporation	Benzoyllecgonine-D3	Ampule: 2ml	12/04/87
Radian Corporation	Cocaine 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Cocaine-D3	Ampule: 2 ml	12/04/87
Radian Corporation	Codeine	Ampule: 2 ml	03/09/88
Radian Corporation	Codeine-D3	Ampule: 2 ml	12/04/87
Radian Corporation	Delta-9-Tetrahydro-cannabinol-D3	Ampule: 2 ml	12/04/87
Radian Corporation	Delta-9-Tetrahydrocannabinol 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Diazepam 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Diazepam-D5 0.1 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Diazepam-D5 1.0 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Ecgonine Methyl Ester-D3 1.0 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Ecgonine Methyl Ester 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Radian Corporation	Ecgonine Methyl Ester-D3 0.1 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Hydrocodone-D3 0.1 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Hydrocodone-D3 1.0 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Hydrocodone 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Hydromorphone-D3 0.1 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Hydromorphone-D3 1.0 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Hydromorphone 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Methadone-D5 0.1 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Methadone-D5 1.0 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Methadone 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Methamphetamine 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Methamphetamine-D5	Ampule: 2 ml	12/04/87
Radian Corporation	Methaqualone-D4 0.1 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Methaqualone-D4 1.0 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Methaqualone 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Morphine	Ampule: 2 ml	03/09/88
Radian Corporation	Morphine-D3	Ampule: 2 ml	12/04/87
Radian Corporation	Nordiazepam-D5 0.1 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Nordiazepam-D5 1.0 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Nordiazepam 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Oxazepam-D5 0.1 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Oxazepam-D5 1.0 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Oxazepam 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Phencyclidine 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Phencyclidine-D5	Ampule: 2 ml	12/04/87
Radian Corporation	Phenobarbital 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Radian Corporation	Phenobarbital-D5	Ampule: 2 ml	12/04/87
Radian Corporation	Propoxyphene-D5 0.1 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Propoxyphene-D5 1.0 mg/ml	2 ml amber ampule	10/19/88
Radian Corporation	Propoxyphene 0.1, 1.0 mg/ml	Amber glass ampule: 2ml	01/12/89
Research Diagnostics	3H Alfentanil	Vial: 0.5 ml	06/15/89
Research Diagnostics	3H Fentanyl	Vial: 0.5 ml	06/15/89
Research Diagnostics	3H Sufentanil	Vial: 0.5 ml	06/15/89
Research Diagnostics	Alfentanil Radioimmunoassay	Kit: 200 tests	06/15/89
Research Diagnostics	Fentanyl Radioimmunoassay	Kit: 200 tests	06/15/89
Research Diagnostics	Sufentanil Radioimmunoassay	Kit: 200 tests	06/15/89
Research Diagnostics, Inc.	Fentanyl Analogs Reference Standards for Drug Analysis.	Amber Ampule: 1 ml, Plastic Shell: 5 ampules, Kit: 2 shells (10 ampules).	10/17/89
Research Triangle Institute	11-Nor-9-carboxy-delta-9 THC Blood Standards Kit.	Kit Containing: 18-21ml Ampuls; 1-5ml Ampul	10/26/81
Research Triangle Institute	11-Nor-9-carboxy-delta-9 THC Plasma Standards Kit.	Kit Containing: 18-21ml Ampuls; 1-5ml Ampul	10/26/81
Research Triangle Institute	Delta-9 THC Blood Standards Kit	Kit Containing: 16-2ml Ampuls; 1-5ml Ampul	10/26/81
Research Triangle Institute	Delta-9 THC Plasma Standards Kit	Kit Containing: 16-2ml Ampuls; 1-5ml Ampul	11/02/81
Research Triangle Institute	Iodine Kit for Radioimmunoassay of 11-Nor-9-carboxy-delta-9 THC in Blood.	Kit Containing: 26-1ml Ampuls; 2-20ml Vials; 2-250ml Bottles.	10/26/81
Research Triangle Institute	Iodine Kit for Radioimmunoassay of 11-Nor-9-carboxy-delta-9 THC in Plasma.	Kit Containing: 24-1ml Ampuls; 2-20ml Vials; 2-250ml Bottles.	10/26/81
Research Triangle Institute	Iodine Kit for Radioimmunoassay of Delta-9 THC.	Kit Containing: 20-1ml Ampuls; 2-20ml Vials; 2-250ml Bottles.	10/20/80
Research Triangle Institute	Iodine Kit for Radioimmunoassay of Delta-9 THC in Blood.	Kit Containing: 22-1ml Ampuls; 2-20ml Vials; 2-250ml Bottles.	07/10/81
Research Triangle Institute	Tritium Kit for Radioimmunoassay of Delta-9 THC.	Kit Containing: 20-1ml Ampuls; 2-20ml Vials; 2-250ml Bottles.	06/27/80
Roche Diagnostic Sstems, Inc.	ABUSCREEN FP for Cocaine Metabolite	Kit: 1000 tests	03/23/89
Roche Diagnostic System, Inc.	Abuscreen FP for Benzodiazepines	Kit: 1000 Tests	05/11/89
Roche Diagnostic Systems, Inc.	125I T3 (for T3 Uptake Radioassay)	Vial: 15ml	07/22/81
Roche Diagnostic Systems, Inc.	ABUSCREEN 125 I-Methamphetamine Reagent	Vial: 500ml, 30ml	03/01/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP Cocaine Metabolite 75, 150, 300 or 600 ng/ml Benzoyllecgonine Standard.	Vial: 4ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP Cocaine Metabolite Positive Control.	Vial: 4ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Amphetamine	Kit: 1000 tests	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Amphetamine 250, 500, 1000 or 2000 ng/ml d-Amphetamine Standard.	Vial: 4ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Amphetamine Positive Control.	Vial: 4ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Amphetamine Tracer Reagent.	Vial: 12ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Barbiturates	Kit: 1000 tests	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Barbiturates 50, 100, 200 or 400 ng/ml Secobarbital Standard.	Vial: 4ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Barbiturates Positive Control.	Vial: 4ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Barbiturates Tracer Reagent.	Vial: 12 ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Cannabinoids 25, 50, 100 or 200 ng/ml Cannabinoid Standard.	Vial: 4ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Cannabinoids Positive Control.	Vial: 4ml	03/23/89

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Cocaine Metabolite Tracer Reagent.	Vial: 12ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Morphine.	Kit: 1000 tests	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Morphine 75, 150, 300 or 600 ng/ml Morphine Standard.	Vial: 4ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Morphine Positive Control	Vial: 4ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Morphine Tracer Reagent	Vial: 12ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Phencyclidine	Kit: 1000 tests	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Phencyclidine 5, 10, 25 or 50 ng/ml Phencyclidine Standard.	Vial: 4ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Phencyclidine Positive Control.	Vial: 4ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Phencyclidine Tracer Reagent.	Vial: 12ml	03/23/89
Roche Diagnostic Systems, Inc.	ABUSCREEN High Control (Methamphetamine)	Vial: 2 oz	03/01/89
Roche Diagnostic Systems, Inc.	ABUSCREEN Low Control (Methamphetamine)	Vial: 2 oz	03/01/89
Roche Diagnostic Systems, Inc.	ABUSCREEN Positive Reference Control (Methamphetamine).	Vial: 100ml, 6.6ml	03/01/89
Roche Diagnostic Systems, Inc.	ABUSCREEN Radioimmunoassay for Methamphetamine High Specificity.	Kit: 100 tests, 2500 tests	03/01/89
Roche Diagnostic Systems, Inc.	Abuscreen 1251 Amphetamine Reagent	Vial: 30ml, 500ml	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen 1251 Benzoylcegonine Reagent	Vial: 30ml, 500ml	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen 1251 Methaqualone Reagent	Vial: 30ml, 500ml	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen 1251 Morphine Reagent	Vial: 30ml, 500ml	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen 1251 Oxazepam Reagent	Vial: 30ml, 500ml	03/06/87
Roche Diagnostic Systems, Inc.	Abuscreen 1251 Phencyclidine Reagent	Vial: 30ml, 500ml	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen 1251 Secobarbital Reagent	Vial: 30ml, 500ml	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen 1251 Tetrahydrocannabinol Reagent	Vial: 500ml, 30ml	08/14/81
Roche Diagnostic Systems, Inc.	Abuscreen 1251-LSD Reagent	Vial: 500ml, 30ml	01/28/84
Roche Diagnostic Systems, Inc.	Abuscreen EIA Amphetamine	Kit: 100 tests	01/18/88
Roche Diagnostic Systems, Inc.	Abuscreen EIA Amphetamine Conjugate Reagent.	Vial: 30 ml	01/18/88
Roche Diagnostic Systems, Inc.	Abuscreen EIA Amphetamine Negative Control	Vial: 4 ml	01/18/88
Roche Diagnostic Systems, Inc.	Abuscreen EIA Amphetamine Positive Calibrator	Vial: 4 ml	01/18/88
Roche Diagnostic Systems, Inc.	Abuscreen EIA Amphetamine Positive Control	Vial: 4 ml	01/18/88
Roche Diagnostic Systems, Inc.	Abuscreen EIA Barbiturate Conjugate Reagent	Vial: 30 ml	10/02/86
Roche Diagnostic Systems, Inc.	Abuscreen EIA Barbiturate Enzyme Immunoassay Test Kit for Barbiturate Metabolites.	Kit: 100 Tests	10/02/86
Roche Diagnostic Systems, Inc.	Abuscreen EIA Barbiturate Negative Control	Vial: 4 ml	04/15/87
Roche Diagnostic Systems, Inc.	Abuscreen EIA Barbiturate Positive Calibrator 50-1200 (in increments of 50) ng/ml.	Vial: 4 ml	10/02/86
Roche Diagnostic Systems, Inc.	Abuscreen EIA Barbiturate Positive Control	Vial: 4 ml	04/15/87
Roche Diagnostic Systems, Inc.	Abuscreen EIA Cannabinoid Positive Calibrator 50-1200 (in increments of 50) ng of THC derivative/ml.	Vial: 4ml	08/28/86
Roche Diagnostic Systems, Inc.	Abuscreen EIA Cannabinoid THC Conjugate Reagent.	Vial: 30ml	08/28/86
Roche Diagnostic Systems, Inc.	Abuscreen EIA Cannabinoids Enzyme Immunoassay Test Kit for Cannabinoids.	Kit: 100 Tests	08/28/86
Roche Diagnostic Systems, Inc.	Abuscreen EIA Cannabinoids Negative Control	Vial: 4 ml	04/15/87
Roche Diagnostic Systems, Inc.	Abuscreen EIA Cannabinoids Positive Control	Vial: 4 ml	04/15/87
Roche Diagnostic Systems, Inc.	Abuscreen EIA Cocaine Metabolite Benzoylcegonine Conjugate Reagent.	Vial: 30ml	05/28/86
Roche Diagnostic Systems, Inc.	Abuscreen EIA Cocaine Metabolite Benzoylcegonine Positive Calibrator 50-1200 (in increments of 50) ng/ml.	Vial: 4ml	05/28/86
Roche Diagnostic Systems, Inc.	Abuscreen EIA Cocaine Metabolite Enzyme Immunoassay Test Kit for Benzoylcegonine.	Kit: 100 tests	05/28/86
Roche Diagnostic Systems, Inc.	Abuscreen EIA Cocaine Metabolite Negative Control.	Vial: 4 ml	04/15/87
Roche Diagnostic Systems, Inc.	Abuscreen EIA Cocaine Metabolite Positive Control.	Vial: 4 ml	04/15/87
Roche Diagnostic Systems, Inc.	Abuscreen EIA Morphine Conjugate Reagent	Vial: 30ml	05/28/86
Roche Diagnostic Systems, Inc.	Abuscreen EIA Morphine Enzyme Immunoassay Test Kit for Morphine and Morphine Metabolites.	Kit: 100 tests	05/28/86
Roche Diagnostic Systems, Inc.	Abuscreen EIA Morphine Negative Control	Vial: 4 ml	04/15/87
Roche Diagnostic Systems, Inc.	Abuscreen EIA Morphine Positive Calibrator 50-1200 (in increments of 50) ng/ml.	Vial: 4ml	05/28/86
Roche Diagnostic Systems, Inc.	Abuscreen EIA Morphine Positive Control	Vial: 4 ml	04/15/87
Roche Diagnostic Systems, Inc.	Abuscreen FP for Benzodiazepines-25,50,100 or 200ng/ml Benzodiazepines Standard.	Vial: 4ml	05/11/89
Roche Diagnostic Systems, Inc.	Abuscreen FP for Benzodiazepines-Positive Control.	Vial: 4ml	05/11/89
Roche Diagnostic Systems, Inc.	Abuscreen FP for Benzodiazepines-Tracer Reagent.	Vial: 12ml	05/11/89
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Amphetamine	Kit: 40 tests	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Amphetamine Antibody Diluent.	Vial: 7 ml	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Amphetamine Latex	Vial: 7 ml	03/14/88

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Amphetamine Negative Control.	Vial: 4 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Amphetamine Positive Control.	Vial: 4 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Barbiturate.	Kit: 40 tests	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Barbiturate Antibody Diluent.	Vial: 7 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Barbiturate Latex.	Vial: 7 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Barbiturates Negative Control.	Vial: 4 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Barbiturates Positive Control.	Vial: 4 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Cannabinoids.	Kit: 40 tests	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Cannabinoids Antibody Diluent.	Vial: 7 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Cannabinoids Negative Control.	Vial: 4 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Cannabinoids Positive Control.	Vial: 4 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Cannabinoids THC Latex.	Vial: 7 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Cocaine Metabolite.	Kit: 40 tests	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Cocaine Metabolite Antibody Diluent.	Vial: 7 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Cocaine Metabolite Benzoyllecgonine Latex.	Vial: 7 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Cocaine Metabolite Negative Control.	Vial: 4 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Cocaine Metabolite Positive Control.	Vial: 4 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Morphine.	Kits: 40 tests	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Morphine Antibody Diluent.	Vial: 7 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Morphine Latex.	Vial: 7 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Morphine Negative Control.	Vial: 4 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen ONTRAK Morphine Positive Control.	Vial: 4 ml.	03/14/88
Roche Diagnostic Systems, Inc.	Abuscreen Positive Ref. Control (Benzodiazepines) 25, 50, 75, 100 ng/ml or 150-1000 (in increments of 50) ng/ml.	Vial: 5ml, 100ml	03/06/87
Roche Diagnostic Systems, Inc.	Abuscreen Positive Ref. Control (LSD) 0.1, 0.2, 0.25, 0.3, 0.4, 0.5, 0.6, 0.7, 0.75, 0.8, 0.9, 1.0, 1.25, 1.5, 1.75, 2.0, 2.5, 5.0 or 10.0 ng/ml.	Vial: 5ml, 100ml	01/28/86
Roche Diagnostic Systems, Inc.	Abuscreen Positive Reference Control (Amphetamine) 100, 500, 750, 1000, 1500, or 2000 ng/ml.	Vial: 6.6ml, 100 ml	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen Positive Reference Control (Barbiturate) 50, 100, 200, 300, 400, 500, 750, 1000, or 2000 ng/ml.	Vial: 6.6ml, 100 ml	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen Positive Reference Control (Benzoyllecgonine) 100, 150, 200, 300, 400, 500, 600, 750, 1000, or 2000 ng/ml.	Vial: 6.6ml, 100 ml	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen Positive Reference Control (Methaqualone) 100, 300, 500, 750, 1000, or 2000 ng/ml.	Vial: 6.6ml, 100 ml	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen Positive Reference Control (Morphine) 40, 50, 100, 150, 200, 300, 500, 600, or 1000 ng/ml.	Vial: 6.6ml, 120ml	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen Positive Reference Control (Phencyclidine) 10, 12.5, 25, 50, 75, 100, 200, or 500 ng/ml.	Vial: 6.6ml, 120ml	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen Positive Reference Control Cannabinoid 20, 25, 50, 100, 150, 200, 300, 400, or 500 ng/ml.	Vial: 6.6ml, 100 ml	02/20/84
Roche Diagnostic Systems, Inc.	Abuscreen Positive Reference Controls for Amphetamine (Single Level).	Kit: 2 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Positive Urine Reference Std. (Oxazepam or Desmethyldiazepam) 25, 50, 75, 100 ng/ml or 150-1000 (in increments of 100) ng/ml.	Vial: 5ml, 100ml	06/28/86
Roche Diagnostic Systems, Inc.	Abuscreen Positive Urine Reference Std.(LSD) 0.1, 0.2, 0.25, 0.3, 0.4, 0.5, 0.6, 0.7, 0.75, 0.8, 0.9, 1.0, 1.25, 1.5, 1.75, 2.0, 2.5, 5, or 10 ng/ml.	Vial: 5ml, 60ml, & 100ml	01/28/86
Roche Diagnostic Systems, Inc.	Abuscreen Radioimmunoassay for Amphetamine.	Kit: 100 tests, 2500 tests	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen Radioimmunoassay for Amphetamine High Specificity.	Kit: 100 tests, 2500 tests	09/13/85
Roche Diagnostic Systems, Inc.	Abuscreen Radioimmunoassay for Barbiturates.	Kit: 100 tests, 2500 tests	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen Radioimmunoassay for Benzodiazepines.	Kit: 100 tests, 2500 tests	03/06/87
Roche Diagnostic Systems, Inc.	Abuscreen Radioimmunoassay for Cannabinoids.	Kit: 100 Tests, 2500 Tests	08/14/81
Roche Diagnostic Systems, Inc.	Abuscreen Radioimmunoassay for Cocaine Metabolite.	Kit: 100 Tests, 2500 Tests	02/15/83

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Roche Diagnostic Systems, Inc.	Abuscreen Radioimmunoassay for LSD (Lysergic Acid Diethylamide).	Kit: 100 tests, 2500 tests	01/28/86
Roche Diagnostic Systems, Inc.	Abuscreen Radioimmunoassay for Methaqualone.	Kit: 100 tests, 2500 tests	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen Radioimmunoassay for Morphine	Kit: 100 tests, 2500 tests	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen Radioimmunoassay for Phencyclidine (PCP).	Kit: 100 tests, 2500 tests	02/15/83
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Amphetamine (Multi-Level).	Kit: 3 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Barbiturate (Multi-Level).	Kit: 3 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Barbiturate (Single-Level).	Kit: 2 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Benzodiazepines (Single-Level).	Kit: 2 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Cannabinoids (Multi-Level).	Kit: 3 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Cannabinoids (Single-Level).	Kit: 2 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Cocaine Metabolite (Multi-Level).	Kit: 3 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Cocaine Metabolite (Single-Level).	Kit: 2 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for LSD (Lysergic Acid Diethylamide) (Multi-Level).	Kit: 3 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for LSD (Lysergic Acid Diethylamide) (Single-Level).	Kit: 2 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Methaqualone (Single-Level).	Kit: 2 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Morphine (Multi-Level).	Kit: 3 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Morphine (Single-Level).	Kit: 2 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Phencyclidine (PCP) (Multi-Level).	Kit: 3 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Abuscreen Reference Controls for Phencyclidine (PCP) (Single-Level).	Kit: 2 Vials	10/12/87
Roche Diagnostic Systems, Inc.	Agglutex Amphetamine Latex Reagent	Vial: 2ml	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Amphetamine Positive Human Urine Control.	Vial: 5ml	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Amphetamine Test Kit	Kit: 20 tests, 100 tests	02/15/83
Roche Diagnostic Systems, Inc.	Agglutex Barbiturate Latex Reagent	Vial: 2ml	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Barbiturate Positive Human Urine Control.	Vial: 5ml	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Barbiturate Test Kit	Kit: 20 tests, 100 tests	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Methaqualone Latex Reagent	Vial: 2ml	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Methaqualone Positive Human Urine Control.	Vial: 5ml	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Methaqualone Test Kit	Kit: 20 tests, 100 tests	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Morphine Latex Reagent	Vial: 2ml	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Morphine Positive Human Urine Control	Vial: 5ml	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Morphine Test Kit	Kit: 20 tests, 100 tests	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Phencyclidine (PCP) Test Kit	Kit: 20 tests, 100 tests	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Phencyclidine Latex Reagent	Vial: 2ml	06/27/83
Roche Diagnostic Systems, Inc.	Agglutex Phencyclidine Positive Human Urine Control.	Vial: 5ml	06/27/83
Roche Diagnostic Systems, Inc.	Amerifluor Florescent Immunoassay -Phenobarbital.	Kit: 100 tests	04/30/82
Roche Diagnostic Systems, Inc.	Anti-T3 Reagent 125I T3 (for T3 Radioimmunoassay).	Vial: 15ml	07/22/81
Roche Diagnostic Systems, Inc.	Anti-T4 Reagent 125I T4 (for T4 Radioimmunoassay).	Vial: 15ml	07/22/81
Roche Diagnostic Systems, Inc.	COBAS FP Phenobarbital Calibrators	Kit: 6 Vials	11/13/84
Roche Diagnostic Systems, Inc.	COBAS FP Phenobarbital Calibrators B through F.	Vials: 5ml	11/13/84
Roche Diagnostic Systems, Inc.	COBAS FP Phenobarbital Tracer Reagent	Vial: 5ml	11/13/84
Roche Diagnostic Systems, Inc.	COBAS FP Reagents for Phenobarbital	Kit: 100 tests	11/13/84
Roche Diagnostic Systems, Inc.	COBAS FP TDM Controls	Kit: 6 Vials	11/13/84
Roche Diagnostic Systems, Inc.	Immunizing Preparation No. 1, 2, 3, 4, 5, 6, 7, or 8.	Vial: 10, 20, 50, or 100ml	01/25/83
Roche Diagnostic Systems, Inc.	Immunizing Preparation No. 9	Vial: 10ml, 20ml, 50ml, or 100ml	07/24/84
Roche Diagnostic Systems, Inc.	Immunizing Preparation No. 9A	Vial: 10ml, 20ml, 50ml, or 100ml	07/24/84
Roche Diagnostic Systems, Inc.	Immunizing Preparation No.10	Vial: 10ml, 20ml, 50ml, or 100ml	04/02/86
Roche Diagnostic Systems, Inc.	Immunizing Preparation No.10A	Vial: 10ml, 20ml, 50ml, or 100ml	04/02/86
Roche Diagnostic Systems, Inc.	Immunizing Preparations No. 1A, 2A, 3A, 4A, 5A, 6A, 7A, & 8A.	Vial: 10ml, 20ml, 50ml, or 100ml	07/12/83
Roche Diagnostic Systems, Inc.	NSB Reagent	Vial: 2ml	07/22/81
Roche Diagnostic Systems, Inc.	TDM Controls, Levels I through III	Vials: 5ml	11/13/84
Roche Diagnostic Systems, Inc.	ABUSCREEN FP for Cannabinoids	Kit: 1000 tests	03/23/89

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Roche Diagnostics Systems, Inc.	ABUSCREEN FP for Cannabinoids Tracer Reagent.	Vial: 12ml	03/23/89
Roche Diagnostics, Inc.	Abuscreen ONTRAK PCP Negative Control.	Vial: 7 ml.	11/22/89
Roche Diagnostics, Inc.	Abuscreen ONTRAK PCP Positive Control.	Vial: 7 ml.	11/22/89
Roche Diagnostics, Inc.	Abuscreen ONTRAK PCP Reagent A - Antibody Reagent.	Vial: 7 ml.	11/22/89
Roche Diagnostics, Inc.	Abuscreen ONTRAK PCP Reagent C - Latex Reagent.	Vial: 7 ml.	11/22/89
Roche Diagnostics, Inc.	Abuscreen ONTRAK for PCP.	Kit: 40 tests, 100 tests.	11/22/89
Rowley Biochemical Institute, Inc.	Aldehyde Fuchsin Solution.	Bottle: Pint, Quart, Gallon	02/02/84
Rowley Biochemical Institute, Inc.	Aldehyde Thionin Solution.	Bottle: Pint, Quart, Gallon	02/02/84
Rowley Biochemical Institute, Inc.	Mayer's Hematoxylin Solution.	Bottle: Pint, Quart, Gallon	02/02/84
Schering Corp.	Hepaquick.	Vial: 9 Dram and Plate.	07/16/72
Serex Inc.	Benzoyllecgonine Positive Control.	Bottle: 1 ml.	12/16/89
Serex Inc.	Benzoyllecgonine Standards.	Bottle: 1 ml.	12/16/89
Serex Inc.	CoMA EIA for Cocaine Metabolite.	Kit: 96 tests, 2 Bottles: 5 ml ea., Assay Plate: 96 wells.	10/17/89
Serex Inc.	Cocaine Metabolite Standards and Controls Kit.	Kit: 3 bottles - 100 Assays.	12/16/89
Serono Diagnostics, Inc.	rT3 Barbitol Buffer.	Glass Vial: 120ml	10/26/84
Serono Diagnostics, Inc.	rT3-125I.	Glass Vial: 13ml.	10/26/84
Serono Diagnostics, Inc.	rT3-Antiserum.	Glass Vial: 13ml.	10/26/84
Sherwood Medical Company	Lancer Fibrinogen Determination, Reagent Kit Catalog No. 8889-00760E.	Kit.	04/17/75
Sigma Chemical Co.	1-Tetrahydrocannabinol, Product No. T-4764.	Sealed Ampule: 1ml.	06/30/77
Sigma Chemical Co.	1-Tetrahydrocannabinol, Product No. T-4764.	Vial: 1ml.	05/11/81
Sigma Chemical Co.	5,5-Diallylbarbituric Acid, Product No. D-6013.	Sealed Ampule: 1ml.	06/30/77
Sigma Chemical Co.	6-Tetrahydrocannabinol, Product No. T-4889.	Vial: 1ml.	05/11/81
Sigma Chemical Co.	ALT Reagent A, Stock No. 57-10.	Vial: 30ml.	06/27/79
Sigma Chemical Co.	ALT Reagent A, Stock No. 57-2.	Vial: 10ml.	06/27/79
Sigma Chemical Co.	AST Reagent A, Stock No. 56-10.	Vial: 30ml.	06/27/79
Sigma Chemical Co.	AST Reagent A, Stock No. 56-2.	Vial: 10ml.	06/27/79
Sigma Chemical Co.	Acid Hematoxylin Solution, No. 265-2.	Bottle: 25ml, 100ml.	08/06/73
Sigma Chemical Co.	Adenosine Phosphate Substrate, Product No. 675-1.	Bottle: 4 ounce.	07/25/83
Sigma Chemical Co.	Allylcyclopentylbarbituric Acid (A-7787).	Sealed Ampule: 1ml.	04/10/85
Sigma Chemical Co.	Allylisobutylbarbituric Acid (A-1038).	Sealed Ampule: 1ml.	04/10/85
Sigma Chemical Co.	Alphaprodine Hydrochloride (A-1537).	Ampule: 1ml.	09/27/84
Sigma Chemical Co.	Alphenal (A-1163).	Ampule: 1ml.	04/10/85
Sigma Chemical Co.	Ammonia Reagent, Stock No. 170-10.	Vial: 10ml.	02/17/77
Sigma Chemical Co.	Ammonia Reagent Kit: Stock No. 170-10.	Kit: 10 Vials.	02/17/77
Sigma Chemical Co.	Ammonia Reagent Stock No. 170-10.	Vial: 30ml.	12/13/77
Sigma Chemical Co.	Ammonia in Plasma Kit.	Kit: 100 tests, 30 tests.	12/13/77
Sigma Chemical Co.	Amobarbital, Product No. A-5142.	Sealed Ampule: 1ml.	06/30/77
Sigma Chemical Co.	Antibody Sensitized Sheep Erythrocytes (EA7S).	Vials: 2ml and 5X 2ml.	04/02/86
Sigma Chemical Co.	Aprobarbital, Product No. A-7023.	Sealed Ampule: 1ml.	06/30/77
Sigma Chemical Co.	Barbital Buffer, Product No. B-6632.	Polyethylene Vial: 30ml.	05/11/77
Sigma Chemical Co.	Barbital Buffer with Albumin Stock No. 680-3.	Vial: 20ml.	07/11/80
Sigma Chemical Co.	Barbital, Product No. B-8632.	Sealed Ampule: 1ml.	06/30/77
Sigma Chemical Co.	Benzphetamine Hydrochloride, Product No. B-8765.	Sealed Ampule: 1ml.	06/08/84
Sigma Chemical Co.	Bufotenine Monooxalate, Product No. B-8757.	Sealed Ampule: 1ml.	06/30/77
Sigma Chemical Co.	Butabarbital, Product No. B-8882.	Sealed Ampule: 1ml.	06/30/77
Sigma Chemical Co.	Butalbital, Product No. B-5514.	Sealed Ampule: 1ml.	09/19/83
Sigma Chemical Co.	Butethal (B-7516).	Ampule: 1ml.	09/05/85
Sigma Chemical Co.	Cannabidiol, Product No. C-6395.	Sealed Ampule: 1ml.	08/29/79
Sigma Chemical Co.	Cannabidiol, Product No. C-6395.	Vial: 1ml.	05/11/81
Sigma Chemical Co.	Cannabinol, Product No. C-6520.	Sealed Ampule: 1ml.	08/29/79
Sigma Chemical Co.	Cannabinol, Product No. C-6520.	Vial: 1ml.	05/11/81
Sigma Chemical Co.	Chloral Hydrate, Product No. C-6516.	Sealed Ampule: 1ml.	06/30/77
Sigma Chemical Co.	Chlorazepam Dipotassium Salt, (C-9531).	Ampule: 1ml.	05/24/85
Sigma Chemical Co.	Chlordiazepoxide (C-4782).	Ampule: 1ml.	09/05/85
Sigma Chemical Co.	Clonazepam, Product No. C-4404.	Sealed Ampule: 1ml.	06/08/84
Sigma Chemical Co.	Cocaine Hydrochloride Product No. C-1528.	Sealed Ampule: 1ml.	09/19/83
Sigma Chemical Co.	Codeine, Product No. C-1653.	Sealed Ampule: 1ml.	09/19/83
Sigma Chemical Co.	D-Amphetamine Sulfate, Product No. A-3278.	Vial: 1ml.	05/11/81
Sigma Chemical Co.	DL-Amphetamine HCL, Product No. A-5017.	Sealed Ampule: 1ml.	06/30/77
Sigma Chemical Co.	Dextropropoxyphene Hydrochloride (D-8901).	Ampule: 1ml.	09/27/84
Sigma Chemical Co.	Diazepam, Product No. D-9900.	Sealed Ampule: 1ml.	06/08/84
Sigma Chemical Co.	Diethylpropion Hydrochloride, Product No. D-7274.	Sealed Ampule: 1ml.	09/19/83
Sigma Chemical Co.	Diphenoxylate (D-0780).	Ampule: 1ml.	09/05/85
Sigma Chemical Co.	Drug Standard Mix 1, D-3155.	Ampule: 2ml.	04/18/86
Sigma Chemical Co.	Drug Standard Mix 2, D-3030.	Ampule: 2ml.	04/18/86
Sigma Chemical Co.	Ethinamate (E-8508).	Ampule: 1ml.	04/10/85
Sigma Chemical Co.	Fenfluramine Hydrochloride, Product No. F-1884.	Sealed Ampule: 1ml.	09/19/83
Sigma Chemical Co.	Flunitrazepam No. F-8763.	Vial: 1 ml.	06/30/87
Sigma Chemical Co.	Flurazepam Dihydrochloride Methanol Drug Standard, No. F-9134.	Ampule: 2 ml.	10/20/89
Sigma Chemical Co.	Flurazepam Dihydrochloride, Product No. F-9134.	Sealed Ampule: 1ml.	06/08/84
Sigma Chemical Co.	Gelatin Veronal Buffer (GVB2+) No. G-6514.	Vial: 50 ml, 250ml.	09/15/86

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Sigma Chemical Co.	Glutethimide, Product No. G-3134	Sealed Ampule: 1ml	06/30/77
Sigma Chemical Co.	Glycerophosphate Substrate, Product No. 675-2	Bottle: 4 ounce	07/25/83
Sigma Chemical Co.	Glycerophosphate Substrate, Product No. 704-1	Bottle: 4 ounce	07/25/83
Sigma Chemical Co.	Hexobarbital, Product No. H-2007	Sealed Ampule: 1ml	06/30/77
Sigma Chemical Co.	Hydromorphone Hydrochloride No. H-7141	Vial: 1 ml	06/30/87
Sigma Chemical Co.	Ibogaine HCL, Product No. I-4630	Sealed Ampule: 1ml	06/30/77
Sigma Chemical Co.	LDH Electrophoresis Buffer, Stock No. 705-1	Amber Jar: 30ml	01/04/77
Sigma Chemical Co.	LDH-P Reagent No. 125-10	Vial: 30ml	05/29/73
Sigma Chemical Co.	LDH-P Reagent No. 125-100	Vial: 100ml	05/29/73
Sigma Chemical Co.	Lorazepam (L-0140)	Ampule: 1ml	05/24/85
Sigma Chemical Co.	Lysergic Acid, Product No. L-5881	Sealed Ampule: 1ml	06/30/77
Sigma Chemical Co.	Mayer's Hematoxylin Solution, No. MHS-1	Bottle: 25ml, 100ml	08/06/73
Sigma Chemical Co.	Mebutamate (M-3772)	Ampule: 1ml	09/05/85
Sigma Chemical Co.	Medazepam (M-7646)	Ampule: 1ml	05/24/85
Sigma Chemical Co.	Meperidine Hydrochloride (M-1020)	Ampule: 1ml	08/27/84
Sigma Chemical Co.	Mephobarbital, Product No. M-3514	Vial: 1ml	05/11/81
Sigma Chemical Co.	Meprobamate (M-0271)	Ampule: 1ml	05/24/85
Sigma Chemical Co.	Mescaline HC1, Product No. M-5153	Sealed Ampule: 1ml	06/30/77
Sigma Chemical Co.	Methadone Hydrochloride, Product No. M-3268	Sealed Ampule: 1ml	09/19/83
Sigma Chemical Co.	Methamphetamine HC1, Product No. M-5260	Sealed Ampule: 1ml	06/30/77
Sigma Chemical Co.	Methaqualone Hydrochloride, Product No. M-3393	Sealed Ampule: 1ml	09/19/83
Sigma Chemical Co.	Methylphenidate Hydrochloride (M-1145)	Ampule: 1ml	10/31/84
Sigma Chemical Co.	Methyprylon, Product No. M-1769	Sealed Ampule: 1ml	06/08/84
Sigma Chemical Co.	Morphine-3-B-D Glucuronide, Product No. M-4266	Ampule: 1ml	10/21/82
Sigma Chemical Co.	N,N-Diethyltryptamine, Product No. D-0392	Vial: 1ml	05/11/81
Sigma Chemical Co.	N,N-Dimethyltryptamine, Product No. D-6263	Sealed Ampule: 1ml	06/30/77
Sigma Chemical Co.	Nalorphine Hydrochloride	Ampule: 1ml	08/27/84
Sigma Chemical Co.	Oxazepam, No. O-1755	Vial: 1 ml	06/30/87
Sigma Chemical Co.	Oxycodone Hydrochloride, Product No. O-2628	Sealed Ampule: 1ml	09/19/83
Sigma Chemical Co.	Paraldehyde, Product No. D-3778	Ampule: 1ml	10/21/82
Sigma Chemical Co.	Pemoline, Product No. P-3518	Sealed Ampule: 1ml	06/30/77
Sigma Chemical Co.	Pentazocine Hydrochloride, Product No. P-7530	Sealed Ampule: 1ml	09/19/83
Sigma Chemical Co.	Pentobarbital, Product No. P-3393	Sealed Ampule: 1ml	06/30/77
Sigma Chemical Co.	Phencyclidine, No. P-7043	Vial: 1 ml	06/30/87
Sigma Chemical Co.	Phendimetrazine, Product No. P-3524	Vial: 1ml	05/11/81
Sigma Chemical Co.	Phenobarbital FPIA Calibrator Set Cat. No. P9051	Kit: 6 vials	11/21/89
Sigma Chemical Co.	Phenobarbital FPIA Calibrator: A-No.P8301, B-No.P8426, C-No.P8551, D-No.P8676, E-No.P8801, F-NO.P8926	Vial: 2.5 ml	11/21/89
Sigma Chemical Co.	Phenobarbital Prod. No.P-3643	Sealed Ampule: 1ml	06/30/77
Sigma Chemical Co.	Phentermine Hydrochloride, Product No. P-7655	Sealed Ampule: 1ml	09/19/83
Sigma Chemical Co.	Phenylacetone, Product No. P-2024	Vial: 1ml	05/11/81
Sigma Chemical Co.	Prazepam, No. P-7168	Vial: 1 ml	06/30/87
Sigma Chemical Co.	SGOT 10 Assay Vial No. 55-10	Vial: 30ml	05/29/73
Sigma Chemical Co.	SGOT Reagent No. 155-10	Vial: 30ml	05/29/73
Sigma Chemical Co.	SGOT Reagent No. 155-100	Vial: 100ml	05/29/73
Sigma Chemical Co.	SGOT Single Assay Vial No. 55-1	Vial: 3ml	05/29/73
Sigma Chemical Co.	SGOT Single Assay Vial No. 55-5	Vial: 15ml	05/29/73
Sigma Chemical Co.	SGPT 10 Assay Vial No. 55-10P	Vial: 30ml	05/29/73
Sigma Chemical Co.	SGPT Assay Vial No. 55-5P	Vial: 15ml	05/29/73
Sigma Chemical Co.	SGPT Reagent No. 155-100P	Vial: 100ml	05/29/73
Sigma Chemical Co.	SGPT Reagent No. 155-10P	Vial: 30ml	05/29/73
Sigma Chemical Co.	SGPT Single Assay Vial No. 55-1P	Vial: 3ml	05/29/73
Sigma Chemical Co.	Secobarbital, Product No. S-4006	Sealed Ampule: 1ml	06/30/77
Sigma Chemical Co.	Temazepam, No. T-4903	Vial: 1 ml	06/30/87
Sigma Chemical Co.	Thebaine, Product No. T-5270	Sealed Ampule: 1ml	09/19/83
Sigma Chemical Co.	Thiamyl Sodium, Product No. T-6896	Sealed Ampule: 1ml	06/08/84
Sigma Chemical Co.	Thiopental (T-1022)	Ampule: 1ml	08/27/84
Sigma Chemical Co.	Trizma-Barbital Buffer, Stock No. 710-1	Amber Jar: 30ml	01/04/77
Sigma Chemical Co.	Tropacocaine, Product No. T-4516	Vial: 1ml	05/11/81
Sigma Chemical Company	11-nor-delta9-Tetrahydrocannabinol, 9-carboxylic .05 mg/ml acid, No. N-5642	Glass Ampule: 2 ml	06/29/89
Sigma Chemical Company	3,4 Methyleneoxyamphetamine 1 mg/ml, No. M-5029	Glass Ampule: 2 ml	06/29/89
Sigma Chemical Company	3,4-Methyleneoxyamphetamine, No. M-3272	Glass Ampule: 2ml	06/06/89
Sigma Chemical Company	Alprazolam .25 mg/ml, No. A-5052	Glass Ampule: 2 ml	06/29/89
Sigma Chemical Company	Benzoylcegonine 1 mg/ml, No. B-8900	Glass Ampule: 2 ml	06/29/89
Sigma Chemical Company	Clobazam, No. C-6667	Glass Ampule: 2ml	06/06/89
Sigma Chemical Company	Desmethyldiazepam 1 mg/ml, No. D-3162	Glass Ampule: 2 ml	06/29/89
Sigma Chemical Company	Ecgonine Hydrochloride 1 mg/ml, No. E-9762	Glass Ampule: 2 ml	06/29/89
Sigma Chemical Company	Fenproporex Hydrochloride, No. F-7261	Glass Ampule: 2ml	06/06/89
Sigma Chemical Company	Fentanyl Citrate, No. F-5886	Glass Ampule: 2 ml	06/06/89
Sigma Chemical Company	Heroin Hydrochloride .1 mg/ml, No. H-5144	Glass Ampule: 2 ml	06/29/89
Sigma Chemical Company	Hydrocodone Bitartrate, No. H-2269	Glass Ampule: 2 ml	06/06/89
Sigma Chemical Company	Levorphanol Tartrate 1 mg/ml, No. L-0896	Glass Ampule: 2 ml	06/29/89
Sigma Chemical Company	Lormetazepam, No. 8145	Glass Ampule: 2ml	06/06/89
Sigma Chemical Company	Morphine Sulfate, No. M-9524	Glass Ampule: 2ml	06/06/89

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Sigma Chemical Company	Norcodeine Hydrochloride, No. N-3017	Glass Ampule: 2ml	06/06/89
Sigma Chemical Company	Oxazolam, No. 0-8005	Glass Ampule: 2ml	06/06/89
Smart Chemical Co.	Regal 180XL	Plastic Drum: 55 gallon	06/12/86
Supelco, Inc.	Alk Mix No. 04-9210	Vial: 1ml	08/28/73
Supelco, Inc.	Amobarbital, No.04-9170	Ampule: 1ml	12/22/72
Supelco, Inc.	Amph. Mix Catalog No. 4-9205	Glass Ampule: 2ml	06/09/86
Supelco, Inc.	Amphetamine No.04-9165	Ampule: 1ml	12/22/72
Supelco, Inc.	Anticonvulsant Mixture No.1; No. 04-9202	Glass Serum Bottle: 50ml	06/16/77
Supelco, Inc.	Antiepileptic Calibration Standard Kit, No.4-9259	Kit: 3 Ampules	05/21/80
Supelco, Inc.	Antiepileptic Calibration Standards, Nos.4-9256, 4-9257, 4-9258	Glass Ampule: 5ml	05/21/80
Supelco, Inc.	Aprobarbital No.04-9171	Ampule: 1ml	12/22/72
Supelco, Inc.	Barb. Mix 1,Catalog No. 4-9200	Glass Ampule: 2ml	06/09/86
Supelco, Inc.	Barb. Mix 2,Catalog No. 4-9201	Glass Ampule: 2ml	06/09/86
Supelco, Inc.	Barbital,Catalog No. 4-9279	Glass Ampule: 10ml	06/09/86
Supelco, Inc.	Barbiturates Test Mix Catalog No. 4-9295	Ampule: 2 ml	02/25/87
Supelco, Inc.	Cannabidiol, No.04-9221	Ampule: 1ml	11/27/74
Supelco, Inc.	Cannabinol, No.04-9235	Ampule: 1ml	11/27/74
Supelco, Inc.	Cocaine, No.04-9188	1000 mcg /Glass Ampule	06/05/75
Supelco, Inc.	Codeine No.04-9161	Ampule: 1ml	12/22/72
Supelco, Inc.	Cyclobarbital No.04-9175	Ampule: 1ml	12/22/72
Supelco, Inc.	Delta-1 THC, No.04-9237	Ampule: 1ml	11/27/74
Supelco, Inc.	Delta-6 THC, No.04-9238	Ampule: 1ml	11/27/74
Supelco, Inc.	Dextroamphetamine, No.4-9185	Glass Ampule: 1ml	05/21/80
Supelco, Inc.	Glutethimide No.04-9173	Ampule: 1ml	12/22/72
Supelco, Inc.	Heroin No.04-9162	Ampule: 1ml	12/22/72
Supelco, Inc.	Hexobarbital No.04-9177	Ampule: 1ml	12/22/72
Supelco, Inc.	Mephobarbital No.04-9178	Ampule: 1ml	12/22/72
Supelco, Inc.	Meprobamate, No.4-9184	Glass Ampule: 1ml	05/21/80
Supelco, Inc.	Methadone No.04-9163	Ampule: 1ml	12/22/72
Supelco, Inc.	Methamphetamine No.04-9168	Ampule: 1ml	12/22/72
Supelco, Inc.	Methaqualone, No.04-9183	1000 mcg /Glass Ampule	06/05/75
Supelco, Inc.	Morphine No. 04-9160	Glass Ampule: 1000mcg	03/08/78
Supelco, Inc.	Pentobarbital No. 04-9179	Glass Ampule: 1000mcg	03/08/78
Supelco, Inc.	Phenobarbital No. 04-9181	Glass Ampule: 1000mcg	03/08/78
Supelco, Inc.	Psilocybin, No.04-9191	1000 mcg /Glass Ampule	06/05/75
Supelco, Inc.	Secobarbital No. 04-9180	Glass Ampule: 1000mcg	03/08/78
Syva Co.	AccuLevel Phenobarbital Test Control Stock Solution.	Flask: 50ml	10/31/85
Syva Co.	AccuLevel Phenobarbital Test Kit (Catalog No.10C019) Contains: (1)AccuLevel Phenobarbital Control (2)AccuLevel Reagent I.	(1)Glass Vial: 6ml; (2)Glass Vial: 9ml, 12 Vials per test kit.	01/24/86
Syva Co.	Advance T-3 Uptake Assay	Kit: 100 tests	05/11/82
Syva Co.	Advance Thyroxin Assay	Kit: 100 tests	05/11/82
Syva Co.	Antiepileptic Drug Control	Vial: 10ml, Lyophilized	08/27/74
Syva Co.	Emit 700 Amphetamine Assay Catalog No. 3C919.	Bottle: 180ml	10/12/84
Syva Co.	Emit 700 Barbiturate Assay Catalog No.3D919	Bottle: 180ml	10/12/84
Syva Co.	Emit 700 Calibrator A Catalog No. 3A919	Bottle: 3ml	10/05/84
Syva Co.	Emit 700 Calibrator B Catalog No. 3A969	Bottle: 3ml	10/05/84
Syva Co.	Emit 700 Cannabinoid (100) Assay Catalog No. 3M919.	Bottle: 180ml	10/12/84
Syva Co.	Emit 700 Cannabinoid (100) Calibrator Catalog No. 3M969.	Bottle: 3ml	10/09/84
Syva Co.	Emit 700 Cannabinoid (20) Assay, Catalog No. 3M959.	Plastic Bottle: 180ml	09/15/86
Syva Co.	Emit 700 Cannabinoid Control Set Catalog No. 3M989.	2 Bottles: 3ml	10/09/84
Syva Co.	Emit 700 Cocaine Metabolite Assay Catalog No. 3H919.	Bottle: 180ml	10/12/84
Syva Co.	Emit 700 Control Set A Catalog No. 3A939	2 Bottles: 3ml	10/09/84
Syva Co.	Emit 700 Control Set B Catalog No. 3A989	2 Bottles: 3ml	10/09/84
Syva Co.	Emit 700 Methaqualone Assay Catalog No. 3Q919.	Bottle: 180ml	10/19/84
Syva Co.	Emit 700 Opiate Assay Catalog No.3B919	Bottle: 180ml	10/12/84
Syva Co.	Emit 700 Phencyclidine Assay Catalog No. 3J919.	Bottle: 180ml	10/12/84
Syva Co.	Emit AED-No. 1 Calibrator	Vial: 3ml, Lyophilized	08/27/74
Syva Co.	Emit AED-No. 2 Calibrator	Vial: 3ml, Lyophilized	08/27/74
Syva Co.	Emit AED-No. 3 Calibrator	Vial: 3ml, Lyophilized	08/27/74
Syva Co.	Emit AED-No. 4 Calibrator	Vial: 3ml, Lyophilized	08/27/74
Syva Co.	Emit AED-No. 5 Calibrator	Vial: 3ml, Lyophilized	08/27/74
Syva Co.	Emit Convenience Pack Phenobarbital Assay: Catalog No. 5D009.	Plastic Cassette: 100 tests	11/23/87
Syva Co.	Emit Convenience Pack: T-Uptake Assay (Thyroid Hormone Binding Ratio).	Kit: 100 Tests Ea. Kit-Plastic Cassette: 16 ml	05/09/88
Syva Co.	Emit HVA Amphetamine Assay Catalog No. 3C619.	Kit: 2500 Assays	06/30/88
Syva Co.	Emit HVA Barbiturate Assay Catalog No. 3D619	Kit: 2500 Assays	06/30/88
Syva Co.	Emit HVA Calibrator Kit Catalog No. 3A619	Kit: 500 Tests Each Kit - 2 Glass Bottles 100 ml.	05/10/88

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Syva Co.	Emit HVA Cannabinoid 100 ng Assay Control Kit, Catalog No. 3M739.	Kit: 2 Bottles, 50 ml. ea.	07/15/88
Syva Co.	Emit HVA Cannabinoid 100 ng. Assay Calibrator Kit, Catalog No. 3M729.	Kit: 3 Bottles 50 ml. ea.	07/15/88
Syva Co.	Emit HVA Cannabinoid 100 ng. Assay Kit, Catalog No. 3M719.	Kit: 2500 Assays	07/15/88
Syva Co.	Emit HVA Cocaine Metabolite Assay Catalog No. 3H619.	Bottle: 125 ml	05/10/88
Syva Co.	Emit HVA Control Kit Catalog No. 3A629.	Kit: 500 Tests Each Kit-2 Glass Bottles - 100 ml	05/10/88
Syva Co.	Emit HVA Opiate Assay Catalog No. 3B619.	Bottle: 125 ml	05/10/88
Syva Co.	Emit HVA Phencyclidine Assay Catalog No. 3J619.	Bottle: 125 ml	05/19/88
Syva Co.	Emit Phenobarbital Enzyme Reagent B.	Vial: 6 ml, Lyophilized	08/27/74
Syva Co.	Emit Qst Phenobarbital Bulk Powder Reagent.	Steel Drum: 7 gallon	06/05/86
Syva Co.	Emit Qst Primidone Assay Catalog No. 60819.	Glass Vial: 6ml, 50 Vials/Kit	11/12/85
Syva Co.	Emit Serum Barbiturate-Enzyme Reagent B.	Bottle: 3ml	05/22/79
Syva Co.	Emit T-Uptake Assay (Thyroid Hormone Binding Ratio) Catalog No. 6J519.	Polyethylene Bottle: 4 oz.	02/29/88
Syva Co.	Emit Tox Serum Benzodiazepine Assay Kit Containing: Emit Enzyme Reagent B.	Bottle: 3ml	02/01/79
Syva Co.	Emit d.a.u. Amphetamine Assay Catalog Nos. 3C019, 3C119.	Kit: 100 tests, 1000 tests	09/27/84
Syva Co.	Emit d.a.u. Benzodiazepine Assay Catalog Nos. 3F019, 3F119.	Kit: 100 tests, 1000 tests	09/27/84
Syva Co.	Emit d.a.u. Cannabinoid 100 ng Assay, Catalog No. 3M119.	Kit: 1000 tests	09/12/86
Syva Co.	Emit d.a.u. Cannabinoid 20ng Assay Catalog No. 3M619.	Kit: 100 tests	02/10/86
Syva Co.	Emit d.a.u. Cannabinoid 20ng Enzyme Reagent B.	Vial: 10ml Lyophilized Powder	02/10/86
Syva Co.	Emit d.a.u. Cannabinoid 50 ng Assay Calibrators, Low And Medium: Cat. No. 3M509.	Vial: 5 ml	06/01/88
Syva Co.	Emit d.a.u. Cannabinoid 50 ng Assay: Cat. No. 3M519.	Kit: 100 tests	06/01/88
Syva Co.	Emit d.a.u. Cannabinoid Assay Catalog No. 3M019.	Kit: 100 tests	09/24/84
Syva Co.	Emit d.a.u. Cannabinoid Urine Calibrator Set.	Kit: 3 Vials, 3ml Each	01/03/80
Syva Co.	Emit d.a.u. Cocaine Metabolite Assay Catalog Nos. 3H019, 3H119.	Kit: 100 tests, 1000 tests	09/27/84
Syva Co.	Emit d.a.u. Low Calibrator A.	Bottle: 5ml	07/20/84
Syva Co.	Emit d.a.u. Low Calibrator A, Catalog No. 3C579.	5 ml vial	10/06/88
Syva Co.	Emit d.a.u. Medium Calibrator A, Catalog No. 3C569.	5 ml vial	10/06/88
Syva Co.	Emit d.a.u. Medium Calibrator B.	Bottle: 5ml	08/03/84
Syva Co.	Emit d.a.u. Methadone Assay Catalog Nos. 3E019, 3E119.	Kit: 100 tests, 1000 tests	10/05/84
Syva Co.	Emit d.a.u. Monoclonal Amphetamine/Methamphetamine Assay, Catalog No3C548 100 tests, 3C559 1000 tests.	Kit: 100 tests, 1000 tests	10/06/88
Syva Co.	Emit d.a.u. Opiate Assay Catalog Nos. 3B019, 3B119.	Kit: 100 tests, 1000 tests	09/27/84
Syva Co.	Emit d.a.u. Phencyclidine Assay Kit Containing: (1)Emit Phencyclidine Enzyme Reagent B.	Bottle: 6ml	02/01/79
Syva Co.	Emit d.a.u.Barbiturate Assay Catalog Nos. 3D019, 3D119.	Kit: 100 tests, 1000 tests	09/27/84
Syva Co.	Emit d.a.u.Low Calibrator B	Bottle: 5ml	08/03/84
Syva Co.	Emit d.a.u.Medium Calibrator A	Bottle: 5ml	07/20/84
Syva Co.	Emit-Tox Serum Barbiturate Assay	Kit: 50 tests	05/22/79
Syva Co.	Emit-Qst Phenobarbital Assay, Catalog Number 6D819.	Kit: 50 Vials	01/18/84
Syva Co.	Emit-Tox Serum Calibrators; Low and Medium	Bottle: 3ml	02/01/79
Syva Co.	Emit-d.a.u. Methaqualone Assay	Kit: 100 tests	04/27/82
Syva Co.	Emit-st Amphetamine Assay	Vial: 3ml, 80 vials/kit	10/03/80
Syva Co.	Emit-st Barbiturate Assay	Vial: 3ml, 80 vials/kit	10/03/80
Syva Co.	Emit-st Benzodiazepine Assay	Vial: 3ml, 80 vials/kit	10/03/80
Syva Co.	Emit-st Cannabinoid Assay Catalog No. 3M319	Vial: 6ml, 80 Vials/Kit	09/27/84
Syva Co.	Emit-st Cannabinoid Calibrator	Vial: 3ml, 2 vials/kit	07/10/81
Syva Co.	Emit-st Cannabinoid Controls	Vial: 3ml, 2 vials/kit	07/10/81
Syva Co.	Emit-st Opiate Assay	Kit: 3ml, 80 vials/kit	10/03/80
Syva Co.	Emit-st Phencyclidine Assay	Vial: 3ml, 80 vials/kit	01/07/81
Syva Co.	Emit-st Serum Barbiturate Assay	Vial: 3ml, 80 vials/kit	02/16/81
Syva Co.	Emit-st Serum Benzodiazepine Assay	Vial: 3ml, 80 vials/kit	02/16/81
Syva Co.	Emit-st Serum Calibrator	Vial: 3ml	02/16/81
Syva Co.	Emit-st Serum Controls	Vial: 3ml, 2 vials/kit	02/16/81
Syva Co.	Emit-st Serum Phencyclidine Assay	Vial: 3ml, 80 vials/kit	02/16/81
Syva Co.	Emit-st Urine Calibrator A	Vial: 1ml, 3 vials/kit	10/03/80
Syva Co.	Emit-st Urine Cocaine Metabolite Assay	Vial: 3 ml, 80 Vials/Kit	03/16/82
Syva Co.	Emit-st Urine Controls A	Vial: 1ml, 6 vials/kit	10/03/80
Syva Co.	Emit-st Urine Methadone Assay	Vial: 3ml, 80 vials/kit	03/22/82
Syva Co.	Emit-st Urine Methaqualone Assay	Kit: 80 Vials	04/27/82

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Syva Co.	Emit-st Urine Methaqualone Calibrator.....	Vial: 3ml.....	04/27/82
Syva Co.	Emit-st Urine Methaqualone Controls.....	Vial: 3ml.....	04/27/82
Syva Company	EMIT Thyroxine Assay, Cat. No. 6J909.....	Glass Bottle: 4oz., Kit: 500 Assays.....	01/23/89
Syva Company	Emit 700 Benzodiazepine Assay Reagent 2.....	Glass Bottle: 180ml, Kit: 2 bottles.....	02/21/89
Syva Company	Emit 700 Cannabinoid 100ng Assay Calibrator.....	Vial: 3ml.....	07/31/89
Syva Company	Emit 700 Cannabinoid 100ng Assay Control Set.....	Kit: 2 bottles.....	07/31/89
Syva Company	Emit 700 Cannabinoid 100ng Assay, Positive Control.....	Bottle: 3ml.....	07/31/89
Syva Company	Emit 700 Cannabinoid 20ng Assay Calibrator.....	Glass Bottle: 5ml, Kit: 2 bottles.....	02/21/89
Syva Company	Emit 700 Cannabinoid 20ng Assay Control Set-Positive Control.....	Glass Bottle: 5ml, Kit: 2 bottles.....	02/21/89
Syva Company	Emit Amphetamine Bulk Powder Reagent 2.....	Bottle: 1000 ml.....	10/04/89
Syva Company	Emit Barbiturate Bulk Powder Reagent 2.....	Bottle: 1000 ml.....	10/04/89
Syva Company	Emit Benzodiazepine Bulk Powder Reagent 2.....	Bottle: 1000 ml.....	10/04/89
Syva Company	Emit Cannabinoid (100) Bulk Powder Reagent 2.....	Bottle: 1000 ml.....	10/04/89
Syva Company	Emit Cocaine Metabolite Bulk Powder Reagent 2.....	Bottle: 1000 ml.....	10/04/89
Syva Company	Emit Convenience Pack: Thyroxine Assay Enzyme Reagent B.....	Plastic Cassette: 8ml, Kit: 100 Assays.....	02/22/89
Syva Company	Emit Delta 9 Cannabinoid 100 ng/ml Calibrator/Control.....	Vial: 3 ml.....	08/22/89
Syva Company	Emit Delta 9 Cannabinoid 20 ng/ml Calibrator/Control.....	Vial: 3 ml.....	08/22/89
Syva Company	Emit Delta 9 Cannabinoid 400 ng/ml Calibrator/Control.....	Vial: 3 ml.....	08/22/89
Syva Company	Emit Delta 9 Cannabinoid 50 ng/ml Calibrator/Control.....	Vial: 3 ml.....	08/22/89
Syva Company	Emit Methadone Bulk Powder Reagent 2.....	Bottle: 1000 ml.....	10/04/89
Syva Company	Emit Methaqualone Bulk Powder Reagent 2.....	Bottle: 1000 ml.....	10/04/89
Syva Company	Emit Opiate Bulk Powder Reagent 2.....	Bottle: 1000 ml.....	10/04/89
Syva Company	Emit Phencyclidine Bulk Powder Reagent 2.....	Bottle: 1000 ml.....	10/04/89
Syva Company	Emit Phenobarbital Bulk Powder Reagent B.....	Bottle: 1000 ml.....	10/04/89
Syva Company	Emit T-Uptake Assay.....	Bottle: 4 oz., 1L, Kit: 500 tests, 5000 tests.....	05/25/89
Syva Company	Emit T-Uptake Bulk Powder Reagent A.....	Bottle: 1000 ml.....	10/04/89
Syva Company	Emit Thyroxine Assay.....	Glass Bottle: 8 oz., 1L, Kit: 1300 tests, 5000 tests.....	05/25/89
Syva Company	Emit Thyroxine Bulk Powder Reagent B.....	Bottle: 1000 ml.....	10/04/89
Syva Company	Emit d.a.u. Amphetamine Class Low Calibrator, Cat. No. 3C179.....	Glass Vial: 5ml.....	01/30/89
Syva Company	Emit d.a.u. Amphetamine Class Medium Calibrator, Cat. No. 3C189.....	Glass Vial: 5ml.....	01/30/89
Syva Company	Emit d.a.u. Cannabinoid 100ng Assay Calibrator.....	Kit: 3 vials.....	07/31/89
Syva Company	Emit d.a.u. Cannabinoid 100ng Assay Low Calibrator.....	Vial: 3ml.....	07/31/89
Syva Company	Emit d.a.u. Cannabinoid 100ng Assay Medium Calibrator.....	Vial: 3ml.....	07/31/89
Syva Company	Emit d.a.u. Low Calibrator A.....	Vial: 5 ml.....	06/30/89
Syva Company	Emit d.a.u. Medium Calibrator A.....	Vial: 5 ml.....	06/30/89
Technicon	Ammonium Sulfate Reagent No. T01-1139.....	Glass Bottle: 1 and 4 liters.....	01/31/80
Technicon	Set Point RA-1000 Systems T4 Standards Product No. T03-1481-01.....	Glass Bottles: 5ml (Standard 1 Fill Volume=5ml) (Standards 2-6 Fill Volume=1.5ml).....	08/02/85
Technicon	T4 Agglutinator Reagent No.T11-1484.....	Glass Bottle: 10ml.....	08/02/85
Technicon	TQC T.D.M. Calibrator 1, No. T13-1150.....	Glass Vial: 15ml.....	01/31/80
Technicon	TQC T.D.M. Control A, No. T13-1115.....	Glass Vial: 15ml.....	01/31/80
Technicon Instruments Corporation	Agar Gel Plates No. 8794.....	Plate: 25ml.....	08/01/72
Technicon Instruments Corporation	Agar Gel Plates, No. 7114.....	Plate: 15 ml.....	01/15/87
Technicon Instruments Corporation	Buffer No. 3017.....	Vial: 250 ml.....	08/31/71
Technicon Instruments Corporation	Buffer No. 8793.....	Vial: 250ml.....	08/01/72
Technicon Instruments Corporation	Diluting Fluid No. 3400.....	Vial: 10ml.....	08/31/71
Technicon Instruments Corporation	Electrode Buffer, DR07172.....	Bulk.....	12/26/74
Technicon Instruments Corporation	LD Electrode Buffer, DR07173.....	Bulk.....	02/12/79
Technicon Instruments Corporation	Ligand Control I-No.4814, II-No.4824, and III-No.4834.....	Vials: 5ml.....	02/24/81
Technicon Instruments Corporation	Partial Thromboplastin (Dried), No.3491.....	Vial: 1ml and 5 ml.....	08/31/71
Technicon Instruments Corporation	Therapeutic Drug Monitoring Survey ("Z").....	Vial: 10 ml.....	12/16/87
Technicon Instruments Corporation	Therapeutic Drug Monitoring Survey (Z Series).....	Vials: 5 ml.....	09/24/86
Technicon Instruments Corporation	Therapeutic Monitor Level I No.4881.....	Vial: 3ml.....	01/20/83
Technicon Instruments Corporation	Therapeutic Monitor Level II No.4882.....	Vial: 3ml.....	01/20/83
Technicon Instruments Corporation	Therapeutic Monitor Level III No.4883.....	Vial: 3ml.....	01/20/83
Technicon Instruments Corporation	Toxicology Survey ("T").....	Vial: 50 ml.....	12/16/87
Technicon Instruments Corporation	Toxicology Survey (T Series).....	Vials: 20 ml, 50 ml.....	09/24/86
Technicon Instruments Corporation	Toxicology Urine Control No. 0841.....	Vial: 10ml.....	06/11/82
Technicon Instruments Corporation	Toxicology Urine Control No. 0842.....	Vial: 3ml.....	06/11/82
Technicon Instruments Corporation	Urine Control No. 0277.....	Vial: 25ml.....	04/14/81
Technicon Instruments Corporation	Urine Toxicology Survey ("UT").....	Vial: 50 ml.....	12/16/87
Technicon Instruments Corporation	Urine Toxicology Survey (UT Series).....	Vials: 50 ml.....	09/24/86
Tempil Division, Big Three Industries, Inc.	Tempilaq Striped Mylar.....	Plastic Sheet: 6 by 12 in. 50 sheets per envelope.....	09/22/76
The Theta Corp.	Allobarbitol No.FP305.....	Vial: 2ml.....	04/10/73
The Theta Corp.	Amobarbitol No. FP313.....	Vial: 2ml.....	04/10/73

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
The Theta Corp.	Amphetamine No. FP604	Vial: 2ml	04/10/73
The Theta Corp.	Anileridine No. FP203	Vial: 2ml	04/10/73
The Theta Corp.	Aprobarbital No. FP306	Vial: 2ml	04/10/73
The Theta Corp.	Barbital No. FP314	Vial: 2ml	04/10/73
The Theta Corp.	Benzoylcegonine FP-1001	Vial: 2 ml	01/24/87
The Theta Corp.	Butabarbital No. FP315	Vial: 2ml	04/10/73
The Theta Corp.	Butalbital No. FP307	Vial: 2ml	04/10/73
The Theta Corp.	Chloral Betaine No. FP502	Vial: 2ml	04/10/73
The Theta Corp.	Chloral Hydrate No. FP501	Vial: 2ml	04/10/73
The Theta Corp.	Cocaine No. FP601	Vial: 2ml	04/10/73
The Theta Corp.	Codeine No. FP102	Vial: 2ml	04/10/73
The Theta Corp.	Cyclobarbital No. FP308	Vial: 2ml	04/10/73
The Theta Corp.	Dihydrocodeine No. FP108	Vial: 2ml	04/10/73
The Theta Corp.	Diphenoxylate No. FP205	Vial: 2ml	04/10/73
The Theta Corp.	Ethchlorvynol No. FP508	Vial: 2ml	04/10/73
The Theta Corp.	Ethylmorphine No. FP106	Vial: 2ml	04/10/73
The Theta Corp.	FP207	Vial: 2ml	09/04/80
The Theta Corp.	FP210	Vial: 2ml	05/15/84
The Theta Corp.	FP214	Vial: 2ml	04/10/84
The Theta Corp.	FP327	Vial: 2ml	04/10/84
The Theta Corp.	FP405	Vial: 2ml	03/08/79
The Theta Corp.	FP411	Vial: 2ml	05/15/84
The Theta Corp.	FP412	Vial: 2ml	05/15/84
The Theta Corp.	FP416	Vial: 2ml	05/15/84
The Theta Corp.	FP512	Vial: 2ml	03/08/79
The Theta Corp.	FP513	Vial: 2ml	03/08/79
The Theta Corp.	FP514	Vial: 2ml	05/15/84
The Theta Corp.	FP515	Vial: 2ml	03/08/79
The Theta Corp.	FP556	Vial: 2ml	04/10/84
The Theta Corp.	FP601A	Vial: 2ml	05/15/84
The Theta Corp.	FP607	Vial: 2ml	05/15/84
The Theta Corp.	FP609	Vial: 2ml	05/15/84
The Theta Corp.	Fentanyl No. FP211	Vial: 2ml	04/10/73
The Theta Corp.	Glutethimide No. FP404	Vial: 2ml	04/10/73
The Theta Corp.	Heptabarbital No. FP309	Vial: 2ml	04/10/73
The Theta Corp.	Hexabarbital No. FP303	Vial: 2ml	04/10/73
The Theta Corp.	Hydrocodone No. FP107	Vial: 2ml	04/10/73
The Theta Corp.	Hydromorphone No. FP103	Vial: 2ml	04/10/73
The Theta Corp.	Levorphanol No. FP208	Vial: 2ml	04/10/73
The Theta Corp.	Marker Mixture No. FPM-104	Vial: 2ml	04/10/73
The Theta Corp.	Marker Mixture No. FPM-201	Vial: 2ml	04/10/73
The Theta Corp.	Meperidine No. FP201	Vial: 2ml	04/10/73
The Theta Corp.	Mephobarbital No. FP301	Vial: 2ml	04/10/73
The Theta Corp.	Meprobamate No. FP402	Vial: 2ml	04/10/73
The Theta Corp.	Methadone No. FP206	Vial: 2ml	04/10/73
The Theta Corp.	Methamphetamine No. FP603	Vial: 2ml	04/10/73
The Theta Corp.	Metharbital No. FP302	Vial: 2ml	04/10/73
The Theta Corp.	Methohexital No. FP304	Vial: 2ml	04/10/73
The Theta Corp.	Methylphenidate No. FP605	Vial: 2ml	04/10/73
The Theta Corp.	Monthly Urine Test No. FPM-103	Vial: 2ml	04/10/73
The Theta Corp.	Morphine No. FP101	Vial: 2ml	04/10/73
The Theta Corp.	Oxycodone No. FP109	Vial: 2ml	04/10/73
The Theta Corp.	Oxymorphone No. FP104	Vial: 2ml	04/10/73
The Theta Corp.	Paraldehyde No. FP506	Vial: 2ml	04/10/73
The Theta Corp.	Pentobarbital No. FP318	Vial: 2ml	04/10/73
The Theta Corp.	Phenazocine No. FP213	Vial: 2ml	04/10/73
The Theta Corp.	Phenmetrazine No. FP606	Vial: 2ml	04/10/73
The Theta Corp.	Phenobarbital No. FP320	Vial: 2ml	04/10/73
The Theta Corp.	Piminodine No. FP202	Vial: 2ml	04/10/73
The Theta Corp.	Probarbital No. FP319	Vial: 2ml	04/10/73
The Theta Corp.	Secobarbital No. FP310	Vial: 2ml	04/10/73
The Theta Corp.	Talbutal No. FP311	Vial: 2ml	04/10/73
The Theta Corp.	Test Mixture SM No. 1	Vial: 2ml	06/19/74
The Theta Corp.	Test Mixture SM No. 2	Vial: 2ml	06/19/74
The Theta Corp.	Test Mixture SM No. 3	Vial: 2ml	06/19/74
The Theta Corp.	Test Mixture SM No. 4	Vial: 2ml	06/19/74
The Theta Corp.	Test Mixture SP No. 1	Vial: 2ml	06/19/74
The Theta Corp.	Test Mixture SP No. 2	Vial: 2ml	06/19/74
The Theta Corp.	Test Mixture SP No. 3	Vial: 2ml	06/19/74
The Theta Corp.	Test Mixture SP No. 4	Vial: 2ml	06/19/74
The Theta Corp.	Test Mixture TM No. 1	Vial: 2ml	06/19/74
The Theta Corp.	Test Mixture TM No. 2	Vial: 2ml	06/19/74
The Theta Corp.	Thiamylal No. FP322	Vial: 2ml	04/10/73
The Theta Corp.	Thiopental No. FP321	Vial: 2ml	04/10/73
The Theta Corp.	Vinbarbital No. FP312	Vial: 2ml	04/10/73
The Theta Corp.	Weekly Urine Test (FDA) No. FPM-101	Vial: 2ml	04/10/73
The Theta Corp.	Weekly Urine Test (States) No. FPM-102	Vial: 2ml	04/10/73
Toxi-Lab, Inc.	Proficiency Sample	Plastic Bottle Containing 40 ml	06/22/82
Toxi-Lab, Inc.	Special Toxi-Discs	Plastic Vial or Bottle Containing 50 Standard Discs	03/30/77

Exempt Chemical Preparations—Continued

Supplier	Product	Form of Product	Date
Toxi-Lab, Inc.	Supplemental Standard Toxi-Discs No. SD-4 Catalog No. 234.	Plastic Vial Containing 50 Standard Discs	06/15/88
Toxi-Lab, Inc.	Supplemental Standard Toxi-Discs No. SD-5 Catalog No. 235.	Plastic vial containing 50 standard discs	06/15/88
Toxi-Lab, Inc.	Supplemental Standard Toxi-Discs No. SD-6 Catalog No. 236.	Plastic vial containing 50 standard discs	06/15/88
Toxi-Lab, Inc.	Toxi-Control	Plastic Bottle Containing 50 ml	03/30/77
Toxi-Lab, Inc.	Toxi-Control THC	Plastic Bottle Containing 50 ml	10/05/83
Toxi-Lab, Inc.	Toxi-Disc A Series	Plastic Vial Containing 50 Standard Discs	05/06/75
Toxi-Lab, Inc.	Toxi-Disc B Series	Plastic Vial Containing 50 Standard Discs	05/06/75
Toxi-Lab, Inc.	Toxi-Discs Library II, No. 3 Catalog No. 131C	Plastic vial containing 50 standard discs	06/15/88
Toxi-Lab, Inc.	Toxi-Discs Library II, No. 1 Catalog No. 131A	Plastic vial containing 50 standard discs	06/15/88
Toxi-Lab, Inc.	Toxi-Discs Library II, No. 10 Catalog No. 131K	Plastic vial containing 50 standard discs	06/15/88
Toxi-Lab, Inc.	Toxi-Discs Library II, No. 11, Catalog No. 131L	Plastic vial containing 50 standard discs	06/15/88
Toxi-Lab, Inc.	Toxi-Discs Library II, No. 12 Catalog No. 131M	Plastic vial containing 50 standard discs	06/15/88
Toxi-Lab, Inc.	Toxi-Discs Library II, No. 2 Catalog No. 131B	Plastic vial containing 50 standard discs	06/15/88
Toxi-Lab, Inc.	Toxi-Discs Library II, No. 5 Catalog No. 131E	Plastic vial containing 50 standard discs	06/15/88
Toxi-Lab, Inc.	Toxi-Discs Library II, No. 8 Catalog No. 131H	Plastic vial containing 50 standard discs	06/15/88
Toxi-Lab, Inc.	Toxi-Discs THC	Plastic Vial Containing 50 Standard Discs	10/05/83
Toxi-Lab, Inc.	Toxi-Grams	Glass Jar Containing 50 or 100 Chromatograms	09/24/80
Toxi-Lab, Inc.	Toxi-Lab Cannabinoid (THC) Screen	Kit: 50 tests	10/05/83
Travenol Labs (Clinical Assays Division)	(125I) Human TSH Radioimmunoassay kit	Kit: 125 determinations	11/16/77
Travenol Labs (Clinical Assays Division)	(125I) Human TSH Tracer	Glass Vial: 6ml	11/16/77
Travenol Labs (Clinical Assays Division)	Anticonvulsant Drug Controls	Kit: 500 determinations, 50 determinations	11/16/77
Travenol Labs (Clinical Assays Division)	Assay buffer CA-742	Polypropylene Bottle: 150ml	03/14/77
Travenol Labs (Clinical Assays Division)	CA-380 Phenobarbital Serum Standard 1:101 dilution of 1.0 ug/ml.	Septem sealed glass vial: 2ml	11/16/77
Travenol Labs (Clinical Assays Division)	CA-381 Phenobarbital Serum Standard 1:101 dilution of 3.0 ug/ml.	Septem sealed glass vial: 2ml	11/16/77
Travenol Labs (Clinical Assays Division)	CA-382 Phenobarbital Serum Standard 1:101 dilution of 10 ug/ml.	Septem sealed glass vial: 2ml	11/16/77
Travenol Labs (Clinical Assays Division)	CA-383 Phenobarbital Serum Standard 1:101 dilution of 30 ug/ml.	Septem sealed glass vial: 2ml	11/16/77
Travenol Labs (Clinical Assays Division)	CA-384 Phenobarbital 1:101 dilution of 100 ug/ml.	Septem sealed glass vial: 2ml	11/16/77
Travenol Labs (Clinical Assays Division)	CA-419 Anticonvulsant Drug Control, Level I	Septem sealed glass vial: 2ml	11/16/77
Travenol Labs (Clinical Assays Division)	CA-420 Anticonvulsant Drug Control, Level II	Septem sealed glass vial: 2ml	11/16/77
Travenol Labs (Clinical Assays Division)	Human TSH standards, 2.0 uIU/ml, 5.0 uIU/ml, 10 uIU/ml, 20 uIU/ml, 50 uIU/ml.	Glass vials: 2ml	11/16/77
Travenol Labs (Clinical Assays Division)	Rabbit Anti-Human TSH Serum	Glass vial: 20ml	11/16/77
Tudor Laboratories, Inc.	FPIA Phenobarbital Kit - Cat. No. 105	Kit: 100 tests	11/27/89
Tudor Laboratories, Inc.	Phenobarbital Calibrator Kit Cat. No. 205	Kit: 6 vials	11/27/89
Tudor Laboratories, Inc.	Phenobarbital Calibrators B,C,D,E,F	Vial: 4.0 ml	11/27/89
Utak Laboratories	Toxicology Control-High Range Anticonvulsants No. 71910.	Bottle: 10ml	04/14/80
Utak Laboratories	Toxicology Control-High Range Barbiturates No. 71916.	Bottle: 10ml	04/14/80
Utak Laboratories	Toxicology Control-High Range Hypnotic Plus Acetaminophem, No. 71918.	Bottle: 10ml	04/14/80
Utak Laboratories	Toxicology Control-High Range Hypnotic Plus Salicylate, No. 71920.	Bottle: 10ml	04/14/80
Utak Laboratories	Toxicology Control-Mid Range Anticonvulsants No. 71911.	Bottle: 10ml	04/14/80
Utak Laboratories	Toxicology Control-Mid Range Barbiturates No. 71917.	Bottle: 10ml	04/14/80
Utak Laboratories	Toxicology Control-Mid Range Hypnotic Plus Acetaminophem, No. 71919.	Bottle: 10ml	04/14/80
Utak Laboratories	Toxicology Control-Mid Range Hypnotic Plus Salicylate, No. 71921.	Bottle: 10ml	04/14/80
Utak Laboratories	Toxicology Serum Control Dried #88112	Bottle: 10ml	07/29/82
Utak Laboratories	Toxicology Serum Control Dried #88113	Bottle: 10ml	07/29/82
Utak Laboratories	Toxicology Serum Control Dried #88120	Bottle: 10ml	07/29/82
Utak Laboratories	Toxicology Serum Control-Dried Catalog Nos. 44610, 44612, 44632, 44635, 44636, 44637, 44642, 44645, 44646, 44647, 44658.	In Bottles	05/24/76
Utak Laboratories	Toxicology Urine Control Dried #88100	Bottle: 20ml	07/29/82
Utak Laboratories	Toxicology Urine Control Dried #88121	Bottle: 10ml	07/29/82
Utak Laboratories	Toxicology Urine Control-Dried Catalog Nos. 44650, 44651, 44652, 44653.	Bottle: 1 oz.	05/24/76
Wescor, Inc.	Osmocoll	Bottle: 9 ml	12/05/86
Wien Laboratories, Inc.	ANS Buffer pH 8.6 Catalog No. T-5144	Plastic Bottle: 100ml	05/14/75
Wien Laboratories, Inc.	Buffer Reagent pH 8.6 Catalog No. T-5065	Bottle: 4oz	12/22/72
Wien Laboratories, Inc.	Coated Charcoal Suspension No. T-5077	Bottle: 4oz	12/22/72
Wien Laboratories, Inc.	T3 Buffer Reagent Catalog No. T-5156	Plastic Vial: 20ml	09/13/78
Windsor Laboratories, Inc.	Calibrators FPR Phenobarbital	Kit: 6 Vials	10/30/86
Windsor Laboratories, Inc.	Phenobarbital Fluorescence Polarization Immunoassay Kit.	Kit: 100 tests	11/20/86

Dated: February 13, 1990.

Gene R. Haislip,

Deputy Assistant Administrator, Office of
Diversion Control, Drug Enforcement
Administration.

[FR Doc. 90-4605 Filed 3-8-90; 8:45 am]

BILLING CODE 4410-01-M

DEPARTMENT OF THE TREASURY

Internal Revenue Service

26 CFR Part 1

[T.D. 8291]

RIN 1545-AN72

Alcohol Fuels Credit; Definition of Mixture

AGENCY: Internal Revenue Service, Treasury.

ACTION: Final regulations.

SUMMARY: This document contains final regulations under section 40 interpreting the term "mixture" as used in that section. Under these final regulations, ethanol used in the production of ethyl tertiary butyl ether (ETBE) may be eligible for the income tax credit allowed under section 40. These final regulations respond to requests from taxpayers and other interested parties that the Internal Revenue Service clarify the definition of the term "mixture" as used in section 40.

EFFECTIVE DATE: These regulations are effective for sales or uses after September 30, 1980, in tax years ending after September 30, 1980.

FOR FURTHER INFORMATION CONTACT: Frank Boland, Office of Assistant Chief Counsel (Passthroughs and Special Industries), 202-566-4077 (not a toll-free call).

SUPPLEMENTARY INFORMATION:

Background

On November 24, 1989, the Federal Register published proposed amendments to the Income Tax Regulations (26 CFR part 1) under section 40 of the Internal Revenue Code of 1986 (54 FR 48639). The preamble to that notice of proposed rulemaking contains (1) an explanation of the proposed rules, (2) a discussion of the term "mixture" as that term is used in section 40, and (3) a discussion of the considerations that were taken into account in deciding to issue the proposed regulations. A public hearing was held on January 4, 1990. After consideration of public comments regarding the proposed regulations, the proposed regulations are adopted by this Treasury decision.

Explanation of Provisions

Section 40(a) provides for an alcohol fuels credit equal to the sum of the alcohol mixture credit and the alcohol credit. Section 40(b)(1) provides that the alcohol mixture credit is 60 cents for each gallon of alcohol used by the taxpayer in the production of a qualified mixture during the taxable year. The term "qualified mixture" means a mixture of alcohol and gasoline or of alcohol and a special fuel which either (i) is sold by the taxpayer producing such mixture to any person for use as a fuel, or (ii) is used as a fuel by the taxpayer producing the mixture. For purposes of section 40 the term "alcohol" does not include alcohol produced from petroleum, natural gas, or coal.

ETBE is a chemical compound produced in a reaction between ethanol (an alcohol that is not produced from petroleum, natural gas, or coal), and isobutylene (a by-product of petroleum refining). ETBE is then blended with gasoline as an octane enhancer. There is no significant loss in the energy content of ethanol when it is used to produce ETBE.

The final regulations provide that a product derived from alcohol and other components is considered to be a mixture of that alcohol and those other components even if the alcohol is chemically transformed in producing the product so that the alcohol is no longer present as a separate chemical in the final product. Thus, the final regulations provide that a product is considered to be a "mixture of alcohol and gasoline or of alcohol and a special fuel" within the meaning of section 40(b)(1)(B) if such product is produced by blending a chemical compound derived from alcohol with gasoline or a special fuel, so long as there is no significant loss of energy content of the alcohol. For example, a blend of gasoline and ETBE, a compound derived in part from ethanol, is considered for purposes of section 40(b)(1)(B) to be a mixture of gasoline and the ethanol used to produce the ETBE, even though the ethanol is chemically transformed in the production of ETBE and is not present separately in the final mixture.

Public Comments

Statutory construction. Several commentators suggested that ethanol used to produce ETBE does not qualify for the section 40 credit because ETBE is neither an "alcohol" nor a "mixture" within the meaning of section 40. However, as indicated in the preamble to the proposed regulations, the Service has adopted a nontechnical

interpretation of the term "mixture." It was clear prior to issuance of the proposed regulations that ethanol blended with other ingredients to produce an octane enhancer for gasoline could qualify for the section 40 credit. See Rev. Rul. 88-64, 1988-2 C.B. 10. Thus, even prior to issuance of the proposed regulations, it would have been clear that ethanol used to produce ETBE would qualify for the credit if no chemical reaction between ethanol and isobutylene occurred in producing ETBE. The Service has concluded that the fact that such a chemical reaction does occur is without legal significance in view of the purpose of the credit, which is to encourage fuel use of alcohol from renewable sources. The Service has concluded that it would be inconsistent with this purpose to interpret the term "mixture" in such a way that eligibility for the credit depended on whether such a reaction occurred.

Accordingly, the Service has interpreted the term "mixture" broadly, so that the presence or absence of a chemical reaction between ethanol and other ingredients does not affect eligibility for the credit. Therefore, ethanol used to produce ETBE may qualify for the section 40 credit even though it is chemically transformed in the reaction in which ETBE is produced.

"Significant energy loss" standard. Under the proposed regulations, the chemical transformation of alcohol is not taken into account in determining whether a mixture has been produced, "provided that there is no significant loss in the energy content of the alcohol." At least one commentator argued that this requirement is without legal authority and is ambiguous. Although this requirement is not based on the statutory language of section 40, it is necessary and appropriate to carry out its purpose. The preamble to the proposed regulations indicates that this requirement is satisfied in the case of ethanol used to produce ETBE. Whether this requirement would also be satisfied in the case of other alcohol-based products is a factual question that is beyond the scope of the regulations.

Effect of tariff laws. Under United States tariff laws, ethyl alcohol imported for fuel use is subject to a duty of 60 cents a gallon. This duty offsets the credit that would be available for foreign alcohol under section 40. ETBE would not be subject to this duty. A number of commentators noted that ETBE produced in a foreign country from ethanol derived from foreign agricultural products would not be subject to this duty and thus could