

environmental assessment, may be seen in the Dockets Management Branch (address above) between 9 a.m. and 4 p.m., Monday through Friday.

#### List of Subjects in 21 CFR Part 529

Animal drugs.

Therefore, under the Federal Food, Drug, and Cosmetic Act and under authority delegated to the Commissioner of Food and Drugs and redelegated to the Center for Veterinary Medicine, 21 CFR part 529 is amended as follows:

#### PART 529—CERTAIN OTHER DOSAGE FORM NEW ANIMAL DRUGS

1. The authority citation for 21 CFR part 529 continues to read as follows:

Authority: Sec. 512 of the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 360b).

#### § 529.1030 [Amended]

2. Section 529.1030 *Formalin solution* is amended in paragraph (b) by revising the phrase "See Nos. 049968 and 051212" to read "See Nos. 049968, 050378, and 051212".

Dated: September 9, 1992.

Gerald B. Guest,

Director, Center for Veterinary Medicine.

[FR Doc. 92-22237 Filed 9-14-92; 8:45 a.m.]

BILLING CODE 4160-01-F

#### 21 CFR Part 520

#### Animal Drugs, Feeds, and Related Products; Oxytetracycline Hydrochloride Soluble Powder

AGENCY: Food and Drug Administration, HHS.

ACTION: Final rule.

SUMMARY: The Food and Drug Administration (FDA) is amending the animal drug regulations to codify an approved new animal drug application (NADA) held by Fermenta Animal Health Co. The NADA provides for the use of an oxytetracycline hydrochloride soluble powder as an antibacterial in the drinking water of growing turkeys.

EFFECTIVE DATE: September 15, 1992.

#### FOR FURTHER INFORMATION CONTACT:

Dianne T. McRae, Center for Veterinary Medicine (HFV-102), Food and Drug Administration, 7500 Standish Pl., Rockville, MD 20855, 301-295-8623.

#### SUPPLEMENTARY INFORMATION:

Fermenta Animal Health Co., 10150 North Executive Hills Blvd., Kansas City, MO 64153, is the sponsor of NADA 38-200, which provides for the use of oxytetracycline hydrochloride soluble powder as an antibacterial in the drinking water of growing turkeys for control of hexamitiasis caused by

*Hexamita meleagridis*. The NADA was originally approved as published in the Federal Register of October 13, 1970 (35 FR 16041). That approval should have been but was not codified in part 520 (21 CFR part 520). Accordingly, the regulations at § 520.1660d(b) (21 CFR 520.1660d(b)) are now amended to provide for that approval.

#### List of Subjects in 21 CFR Part 520

Animal drugs.

Therefore, under the Federal Food, Drug, and Cosmetic Act and under authority delegated to the Commissioner of Food and Drugs and redelegated to the Center for Veterinary Medicine, 21 CFR part 520 is amended as follows:

#### PART 520—ORAL DOSAGE FORM NEW ANIMAL DRUGS NOT SUBJECT TO CERTIFICATION

1. The authority citation for 21 CFR part 520 continues to read as follows:

Authority: Sec. 512 of the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 360b).

2. Section 520.1660d is amended by revising paragraph (b) to read as follows:

#### § 520.1660d Oxytetracycline hydrochloride soluble powder.

(b) *Sponsors*. See No. 017144 in § 510.600(c) of this chapter for use as in paragraph (e)(1) of this section. See No. 054273 for use as in paragraph (e)(1)(ii) of this section.

Dated: September 9, 1992.

Gerald B. Guest,

Director, Center for Veterinary Medicine.

[FR Doc. 92-22239 Filed 9-14-92; 8:45 a.m.]

BILLING CODE 4160-01-F

#### DEPARTMENT OF THE TREASURY

#### Internal Revenue Service

#### 26 CFR Part 1

[T.D. 8423]

RIN 1545-AP93

#### Taxation of Tax-Exempt Organizations' Income From Ordinary and Routine Investments; Correction

AGENCY: Internal Revenue Service, Treasury.

ACTION: Correction to final regulations.

SUMMARY: This document contains a correction to Treasury Decision 8423, which was published in the Federal Register Wednesday, July 29, 1992 (57 FR 33442), relating to the taxation of tax-

exempt organizations' unrelated business taxable income.

EFFECTIVE DATE: July 29, 1992.

FOR FURTHER INFORMATION CONTACT: Regina L. Oldak, (202) 622-6080 (not a toll-free number).

#### SUPPLEMENTARY INFORMATION:

#### Background

The final regulations that are the subject of this correction amend the regulations under section 512(b)(1) to conform to and incorporate the 1978 statutory amendment regarding securities loans.

#### Need for Correction

As published, T.D. 8423 contains an error which may prove to be misleading and is in need of clarification.

#### Correction of Publication

Accordingly, the publication of the final regulation (T.D. 8423), which was the subject of FR Doc. 92-17677, is corrected as follows:

1. On page 33443, column 3, § 1.512(b)-1(a)(3), line 4, the language "prior to this Treasury decision remain" is corrected to read "prior to August 30, 1991, remain".

Dale D. Goode,

Federal Register Liaison Officer, Assistant Chief Counsel (Corporate).

[FR Doc. 92-22230 Filed 9-14-92; 8:45 a.m.]

BILLING CODE 4830-01-M

#### PENSION BENEFIT GUARANTY CORPORATION

#### 29 CFR Part 2676

#### Valuation of Plan Benefits and Plan Assets Following Mass Withdrawal—Interest Rates

AGENCY: Pension Benefit Guaranty Corporation.

ACTION: Final rule.

SUMMARY: This is an amendment to the Pension Benefit Guaranty Corporation's regulation on Valuation of Plan Benefits and Plan Assets Following Mass Withdrawal (29 CFR part 2676). The regulation prescribes rules for valuing benefits and certain assets of multiemployer plans under sections 4219(c)(1)(D) and 4281(b) of the Employee Retirement Income Security Act of 1974. Section 2676.15(c) of the regulation contains a table setting forth, for each calendar month, a series of interest rates to be used in any valuation performed as of a valuation date within that calendar month. On or about the fifteenth of each month, the

PBGC publishes a new entry in the table for the following month, whether or not the rates are changing. This amendment adds to the table the rate series for the month of October 1992.

**EFFECTIVE DATE:** October 1, 1992.

**FOR FURTHER INFORMATION CONTACT:** Deborah C. Murphy, Attorney, Office of the General Counsel (22500), Pension Benefit Guaranty Corporation, 2020 K Street NW., Washington, DC 20006; 202-778-8820 (202-778-1958) for TTY and TDD. (These are not toll-free numbers.)

**SUPPLEMENTARY INFORMATION:** The PBGC finds that notice of and public comment on this amendment would be impracticable and contrary to the public interest, and that there is good cause for making this amendment effective immediately. These findings are based on the need to have the interest rates in this amendment reflect market conditions that are as nearly current as possible and the need to issue the

interest rates promptly so that they are available to the public before the beginning of the period to which they apply. (See 5 U.S.C. 553 (b) and (d).) Because no general notice of proposed rulemaking is required for this amendment, the Regulatory Flexibility Act of 1980 does not apply (5 U.S.C. 601(2)).

The PBGC has also determined that this amendment is not a "major rule" within the meaning of Executive Order 12291 because it will not have an annual effect on the economy of \$100 million or more; or create a major increase in costs or prices for consumers, individual industries, or geographic regions; or have significant adverse effects on competition, employment, investment, or innovation, or on the ability of United States-based enterprises to compete with foreign-based enterprises in domestic or export markets.

#### List of Subjects in 29 CFR Part 2676

Employee benefit plans and pensions.

In consideration of the foregoing, part 2676 of subchapter H of chapter XXVI of title 29, Code of Federal Regulations, is amended as follows:

#### PART 2676—VALUATION OF PLAN BENEFITS AND PLAN ASSETS FOLLOWING MASS WITHDRAWAL

1. The authority citation for part 2676 continues to read as follows:

**Authority:** 29 U.S.C. 1302(b)(3), 1399(c)(1)(D), and 1441(b)(1).

2. In § 2676.15, paragraph (c) is amended by adding to the end of the table of interest rates therein the following new entry:

#### § 2676.15 Interest.

\* \* \* \* \*

(c) Interest Rates.

| For valuation dates occurring in the month: | The values for $i_k$ are: |       |        |       |        |       |       |       |       |          |          |          |          |          |          |          |
|---------------------------------------------|---------------------------|-------|--------|-------|--------|-------|-------|-------|-------|----------|----------|----------|----------|----------|----------|----------|
|                                             | $i_1$                     | $i_2$ | $i_3$  | $i_4$ | $i_5$  | $i_6$ | $i_7$ | $i_8$ | $i_9$ | $i_{10}$ | $i_{11}$ | $i_{12}$ | $i_{13}$ | $i_{14}$ | $i_{15}$ | $i_{16}$ |
| October 1992...                             | .06375                    | .0625 | .06125 | .06   | .05875 | .0575 | .0575 | .0575 | .0575 | .0575    | .05625   | .05625   | .05625   | .05625   | .05625   | .055     |

Issued at Washington, DC, on this 8th day of September 1992.  
James B. Lockhart III,  
Executive Director, Pension Benefit Guaranty Corporation.  
[FR Doc. 92-22258 Filed 9-14-92; 8:45 am]  
BILLING CODE 7708-01-M

#### DEPARTMENT OF HEALTH AND HUMAN SERVICES

##### Health Care Financing Administration

##### 42 CFR Parts 405, 413, 414, and 415

[BPD-712-CN]

RIN 0938-AE91

##### Medicare Program; Fee Schedule for Physicians' Services

**AGENCY:** Health Care Financing Administration (HCFA), HHS.

**ACTION:** Correction of final rule.

**SUMMARY:** In the November 25, 1991 final rule (56 FR 59624) on the Medicare fee schedule for physician services, we inadvertently set forth regulations on the fee schedule at 42 CFR, part 415. However, our plan for the recodification of HCFA regulations calls for general regulations on payment for Part B

medical and other health services to be codified in part 414, with part 415 reserved for regulations on payment to teaching physicians, teaching hospitals, and provider-based physicians. Therefore, in this correction notice, we are redesignating in their entirety the physician fee schedule regulations contained in part 415, subpart A to part 414, subpart A, and reserving part 415 for future use.

Also, this document corrects technical errors that appeared in the final rule published in the *Federal Register* on November 25, 1991 (56 FR 59502) entitled "Medicare Program; Fee Schedule for Physicians' Services".

**EFFECTIVE DATE:** January 1, 1992.

**FOR FURTHER INFORMATION CONTACT:** Nancy Miller, (410) 966-4494.

**SUPPLEMENTARY INFORMATION:** In *Federal Register* Document 91-27785, beginning on page 59502, published November 25, 1991, make the following corrections:

#### Preamble

##### A. Page 59507

In column 1, paragraph g., the parenthetical reference " (§ 415.60)" is removed from the first sentence. Immediately following the parenthetical

statement at the end of the first sentence, two new sentences are added to read: "We will address in a future FR document the coverage of psychological testing services furnished by CPs and CSWs. Until that document is published, we will continue our present policy of covering psychological testing if the service is furnished by a physician (including incident-to services) or by a qualified psychologist (whether or not a clinical psychologist)."

##### B. Page 59508

In column 2, section C.1., in the second paragraph the first sentence is corrected to read: "The work RVUs, along with the RVUs for practice expense, malpractice, and technical components, are considered to be 'initial' RVUs."

##### C. Page 59515

In column 2, paragraph (2), the third through fifth sentences are corrected to read: "We have added 0.01804 work RVUs, 0.00531 practice expense RVUs, and 0.00032 malpractice RVUs or approximately \$0.73 per service to the office visits, office consultations, and emergency visit codes to reflect the work in EKG interpretations. We added 0.02706 work RVUs, 0.00807 practice

expense RVUs and 0.00053 malpractice RVUs or approximately \$1.11 per service to the hospital visits, hospital consultations, and critical care service codes. For NF, nursing home, and home visits, we added 0.00255 work RVUs, 0.00074 practice expense RVUs, and 0.00005 malpractice RVUs or approximately \$0.10 per service."

#### D. Page 59516, Column 2

1. The title of the table is corrected to read: "Post-Operative Percent of Total RVUs by Procedure Family for Major Surgeries".

2. The following post-operative percentages in the table are corrected to read "(Integumentary) 19"; "(Respiratory) 14"; "(Cardiovascular) 7"; "(Digestive) 10"; "(Urinary) 9"; "(Male Genital) 10"; "(Female Genital) 14"; "(Maternity) 23"; "(Nervous) 13"; and "(Auditory) 14".

3. Immediately following the table, a new sentence is added to read "All minor surgeries with a global surgical period including 10 post-operative days (that is, minor surgeries identified in ADDENDUM B with a global fee period of 010) have a post-operative RVU percentage of 10."

#### E. Page 59517

In column 2, paragraph 4, is corrected to read:

#### 4. New Physician/Practitioner Adjustment

We will phase-in increases to the fee schedule payment (or prevailing charge, if applicable) for physicians, independently practicing PTs and OTs, and all other health care practitioners, who are in their first through fourth years of practice if certain conditions are met (§ 414.42).

a. *Exceptions.* As specified in the statute, we will not apply the new physician/practitioner adjustment to primary care services or to services furnished in a rural area (as defined in section 1886(d)(2)(D) of the Act) that is designated, under section 332(a)(1)(A) of the Public Health Service Act, as a Health Professional Shortage Area (HPSA).

b. *Years of practice.* The "first year of practice" will be the first full CY during the first 6 months of which the physician, independently practicing PT or OT, or other health care practitioner furnishes professional services for which payment may be made under Part B plus any portion of the prior CY if that prior year does not meet the first 6 months test (§ 414.42(c)). The second, third and fourth years of practice will be the first, second and third CYs, respectively, following the first year of

practice. These reductions will apply to each physician/practitioner based on his or her status as a "new physician/practitioner", regardless of whether the new physician/practitioner is a member of a uniform charge structure group practice.

c. *Amounts of adjustments.* The payment for the service of a new physician, PT, OT, or other health care practitioner will be 80 percent of the fee schedule amount or prevailing charge in the first year of practice, 85 percent in the second year, 90 percent in the third year, and 95 percent in the fourth year (§ 414.42(d)). These percentages are specified in the statute.

#### F. Page 59525

In column 2, in the third paragraph, "90784" is corrected to read "90788".

#### G. Page 59580

In column 2, the sixth paragraph is corrected to read "Taking all these factors into account and using these assumptions, we set forth a conversion factor of \$26.873 in the proposed rule."

#### H. Page 59581

In column 2, in the first and second sentences "nursing assessments" is corrected to read "nursing facility assessments."

#### I. Page 59587

In column 2, the first "Comment:" is corrected to read "A commenter stated 'the PPS experience argues against the need for a prospective behavioral offset to physician payments. The PPS experience suggests that Congress is likely to correct misestimates that lead to overpayment of physicians under the RBRVS, \* \* \*'."

#### J. Page 59588

In column 2, line 29, "one-third" is corrected to read "30 percent".

#### K. Page 59603, Column 2

1. The table is corrected to read:

(Note: Corrected Post-operative percentage figures are followed by an asterisk; under Family, Cardiovascular (with accompanying code and percentage) is added to correct an omission in the original publication.)

#### POST-OPERATIVE PERCENT OF TOTAL RVUS BY PROCEDURE FAMILY FOR MAJOR SURGERIES

| Family               | Procedure codes | Post-operative percentage |
|----------------------|-----------------|---------------------------|
| Integumentary.....   | 10000-19499     | 19*                       |
| Musculoskeletal..... | 20000-29909     | 21                        |
| Respiratory.....     | 30000-32999     | 14*                       |
| Cardiovascular.....  | 33010-37799     | 7                         |

#### POST-OPERATIVE PERCENT OF TOTAL RVUS BY PROCEDURE FAMILY FOR MAJOR SURGERIES—Continued

| Family                   | Procedure codes | Post-operative percentage |
|--------------------------|-----------------|---------------------------|
| Hemic and lymphatic..... | 38100-38999     | 7*                        |
| Mediastinum.....         | 39000-39599     | 7                         |
| Digestive.....           | 40490-49999     | 10*                       |
| Urinary.....             | 50010-53899     | 9*                        |
| Male genital.....        | 54000-55999     | 10*                       |
| Female genital.....      | 56000-58999     | 14*                       |
| Maternity.....           | 59000-59899     | 23*                       |
| Endocrine.....           | 60000-60699     | 9                         |
| Nervous.....             | 61000-64999     | 13*                       |
| Eye.....                 | 65091-68899     | 20                        |
| Auditory.....            | 69000-69979     | 14*                       |

2. Following the table, a new sentence is added to read "All minor surgeries with a global surgical period including 10 post-operative days (that is, minor surgeries identified in ADDENDUM B with a global fee period of 010) have a post-operative RVU percentage of 10."

#### Regulations

#### A. Page 59624

1. In column 3, amendatory instruction C. is corrected to read as follows: "C. part 414 is amended by adding a new subpart A to read as follows:"

2. Beginning in column 3, subpart A of part 415, consisting of §§ 415.1 through 415.60, is correctly designated as subpart A of part 414, consisting of §§ 414.1 through 414.60, and the internal references in the regulations that follow are corrected in the following places:

| Redesignated section | Old       | New       |
|----------------------|-----------|-----------|
| 414.2(2).....        | 415.36    | 414.36    |
| 414.24(c)(2).....    | 415.2     | 414.2     |
| 414.26(a)(1).....    | 415.22(a) | 414.22(a) |
| 414.26(a)(2).....    | 415.22(b) | 414.22(b) |
| 414.26(a)(3).....    | 415.22(c) | 414.22(c) |
| 414.28(a).....       | 415.30    | 414.30    |
| 414.28(b).....       | 415.30    | 414.30    |
| 414.38(c).....       | 415.36    | 414.36    |
| 414.38(d).....       | 415.36    | 414.36    |
| 414.46(b)(1).....    | 415.20    | 414.20    |
| 414.46(f)(1).....    | 415.20    | 414.20    |
| 414.58(a).....       | 415.1     | 414.1     |
| .....                | 415.48    | 414.48    |
| 414.60.....          | 415.44(d) | 414.44(d) |

#### PART 415—[AMENDED]

#### B. Page 59625

1. In column 1, the heading "Subpart B-[Reserved]" is removed.

#### PART 414—[AMENDED]

2. In column 1, the authority that appears above subpart A is revised to read as follows:

"Authority: Secs. 1102, 1832, 1833, 1834, 1842, 1848, 1861(b) and (s), 1862, 1866, 1871, and 1881 of the Social Security Act as amended (42 U.S.C. 1302, 1395k, 1395l, 1395m, 1395u, 1395w-4, 1395x (b) and (s), 1395y, 1395cc, 1395hh, and 1395rr)."

3. In column 2, in newly redesignated § 414.22(a)(2), the reference to newly redesignated "§ 414.44" is corrected to read "§ 414.46."

#### C. Page 59627

1. In column 1, newly redesignated § 414.38(b), "intrathecal, intravenous," is corrected to read "all intrathecal injections and in intravenous".

2. In column 2, newly redesignated § 414.42 is corrected to read as follows:

(a) *General rule.* Except as specified in paragraph (b) of this section, the fee schedule payment amount or prevailing charge must be phased in as specified in paragraph (d) of this section for physicians, physical therapists (PTs), occupational therapists (OTs), and all other health care practitioners who are in their first through fourth years of practice.

(b) *Exception.* The reduction required in paragraph (d) of this section does not

apply to primary care services or to services furnished in a rural area as defined in section 1886(d)(2)(D) of the Act that is designated under section 332(a)(1)(A) of the Public Health Service Act as a Health Professional Shortage Area.

(c) *Definition of years of practice.* (1) The "first year of practice" is the first full CY during the first 6 months of which the physician, PT, OT, or other health care practitioner furnishes professional services for which payment may be made under Medicare Part B, plus any portion of the prior CY if that prior year does not meet the first 6 months test.

(2) The "second, third, and fourth years of practice" are the first, second, and third CYs following the first year of practice, respectively.

(d) *Amounts of adjustment.* The fee schedule payment for the service of a new physician, PT, OT, or other health care practitioner is limited to the following percentages for each of the indicated years:

- (1) First year—80 percent
- (2) Second year—85 percent
- (3) Third year—90 percent

(4) Fourth year—95 percent

#### D. Page 59629

In column 2, newly redesignated § 414.58(b), "exceed the" is corrected to read "exceed 85 percent of the".

#### Addendum B

##### A. Page 59633

In item 10, "of days" is corrected to read "of post-operative days".

##### B. Page 59634

At the beginning of the page, add the following: "MMM=The code describes a service furnished in uncomplicated maternity cases including antepartum care, delivery, and postpartum care. The usual global surgical concept does not apply. See page 309 of the 1992 *Physicians' Current Procedural Terminology* for specific definitions."

##### C. Pages 59635 Through 59784

Global Fee indicators, status indicators, and relative value units for services are corrected to read as follows:

**Note:** Corrected values are followed by an asterisk.

#### ADDENDUM B CORRECTIONS

[Relative Value Units (RVUs) and Related Information]

| HCPCS <sup>1</sup> | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|--------------------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| 11043.....         |     | A      | 2.12      | 1.90                  | 0.35             | 4.37       | 010*              |
| 11044.....         |     | A      | 2.61      | 2.97                  | 0.52             | 6.10       | 010*              |
| 11400.....         |     | A      | 0.91      | 0.57                  | 0.05             | 1.53       | 010*              |
| 11922.....         |     | N      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX*              |
| 15999.....         |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| 17304.....         |     | A      | 5.84      | 4.23                  | 0.32             | 10.39      | 010*              |
| 17999.....         |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| 19030.....         |     | A      | 1.62      | 0.52                  | 0.04             | 2.18       | 000*              |
| 19340.....         |     | A      | 6.67      | 11.48                 | 2.17             | 20.32      | 000*              |
| 19499.....         |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| 20500.....         |     | A      | 1.24      | 0.37                  | 0.04             | 1.65       | 010*              |
| 20501.....         |     | A      | 0.80      | 0.31                  | 0.02             | 1.13       | 000*              |
| 20650.....         |     | A      | 2.18      | 1.13                  | 0.14             | 3.45       | 010*              |
| 21116.....         |     | A      | 0.85      | 0.77                  | 0.06             | 1.68       | 000*              |
| 22840.....         |     | A      | 13.22     | 23.92                 | 3.83             | 40.97      | 000*              |
| 22842.....         |     | A      | 15.19     | 26.18                 | 4.23             | 45.60      | 000*              |
| 22845.....         |     | A      | 13.16     | 20.10                 | 3.45             | 36.71      | 000*              |
| 23350.....         |     | A      | 1.05      | 0.56                  | 0.05             | 1.66       | 000*              |
| 24220.....         |     | A      | 1.38      | 0.55                  | 0.05             | 1.98       | 000*              |
| 25246.....         |     | A      | 1.53      | 0.54                  | 0.05             | 2.12       | 000*              |
| 27093.....         |     | A      | 1.37      | 0.86                  | 0.11             | 2.34       | 000*              |
| 27095.....         |     | A      | 1.58      | 0.98                  | 0.13             | 2.69       | 000*              |
| 27370.....         |     | A      | 1.01      | 0.64                  | 0.05             | 1.70       | 000*              |
| 30800.....         |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX*              |
| 30801.....         |     | A      | 1.07      | 0.50                  | 0.05             | 1.62       | 010*              |
| 30805.....         |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX*              |
| 30820.....         |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX*              |
| 31071.....         |     | A      | 5.04      | 4.20                  | 0.22             | 9.46       | 090*              |
| 31708.....         |     | A      | 1.49      | 0.81                  | 0.09             | 2.39       | 000*              |
| 31715.....         |     | A      | 1.16      | 0.90                  | 0.08             | 2.14       | 000*              |
| 33960.....         |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| 33972.....         |     | A      | 2.14      | 0.67                  | 0.07             | 2.88       | XXX*              |
| 35450.....         |     | A      | 10.61     | 14.15                 | 1.46             | 26.22      | 000*              |
| 35452.....         |     | A      | 7.28      | 4.59                  | 0.65             | 12.52      | 000*              |
| 35454.....         |     | A      | 6.37      | 9.79                  | 1.62             | 17.78      | 000*              |
| 35456.....         |     | A      | 7.75      | 10.96                 | 1.78             | 20.49      | 000*              |
| 35458.....         |     | A      | 10.01     | 10.67                 | 1.92             | 22.60      | 000*              |
| 36000.....         |     | A      | 0.19      | 0.50                  | 0.04             | 0.73       | XXX*              |

## ADDENDUM B CORRECTIONS—Continued

[Relative Value Units (RVUs) and Related Information]

| HCCPS <sup>1</sup> | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|--------------------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| 36010.....         |     | A      | 2.56      | 2.22                  | 0.32             | 5.10       | XXX*              |
| 36011.....         |     | A      | 2.65      | 2.01                  | 0.23             | 4.89       | XXX*              |
| 36012.....         |     | A      | 3.71      | 2.82                  | 0.33             | 6.86       | XXX*              |
| 36013.....         |     | A      | 2.65      | 2.01                  | 0.23             | 4.89       | XXX*              |
| 36014.....         |     | A      | 3.18      | 2.41                  | 0.28             | 5.87       | XXX*              |
| 36015.....         |     | A      | 3.71      | 2.82                  | 0.33             | 6.86       | XXX*              |
| 36100.....         |     | A      | 3.18      | 2.73                  | 0.33             | 6.24       | XXX*              |
| 36120.....         |     | A      | 2.12      | 2.45                  | 0.31             | 4.88       | XXX*              |
| 36140.....         |     | A      | 2.12      | 1.49                  | 0.25             | 3.86       | XXX*              |
| 36145.....         |     | A      | 2.12      | 3.46                  | 0.52             | 6.10       | XXX*              |
| 36160.....         |     | A      | 2.65      | 2.45                  | 0.36             | 5.46       | XXX*              |
| 36200.....         |     | A      | 3.18      | 2.88                  | 0.29             | 6.35       | XXX*              |
| 36215.....         |     | A      | 4.71      | 1.88                  | 0.19             | 6.78       | XXX*              |
| 36216.....         |     | A      | 5.57      | 3.48                  | 0.28             | 9.33       | XXX*              |
| 36217.....         |     | A      | 6.63      | 4.14                  | 0.33             | 11.10      | XXX*              |
| 36218.....         |     | A      | 1.06      | 0.66                  | 0.05             | 1.77       | XXX*              |
| 36230.....         |     | A      | 5.01      | 3.28                  | 0.27             | 8.56       | XXX*              |
| 36245.....         |     | A      | 5.35      | 1.73                  | 0.16             | 7.24       | XXX*              |
| 36246.....         |     | A      | 5.57      | 3.48                  | 0.28             | 9.33       | XXX*              |
| 36247.....         |     | A      | 6.63      | 4.14                  | 0.33             | 11.10      | XXX*              |
| 36248.....         |     | A      | 1.06      | 0.66                  | 0.05             | 1.77       | YYY*              |
| 36299.....         |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX*              |
| 36400.....         |     | A      | 0.19      | 0.09                  | 0.01             | 0.29       | XXX*              |
| 36405.....         |     | A      | 0.19      | 0.47                  | 0.03             | 0.69       | XXX*              |
| 36406.....         |     | A      | 0.19      | 0.16                  | 0.01             | 0.36       | XXX*              |
| 36410.....         |     | A      | 0.19      | 0.23                  | 0.02             | 0.44       | XXX*              |
| 36420.....         |     | A      | 1.06      | 0.55                  | 0.05             | 1.66       | XXX*              |
| 36425.....         |     | A      | 0.80      | 0.08                  | 0.01             | 0.89       | XXX*              |
| 36440.....         |     | A      | 1.08      | 0.99                  | 0.07             | 2.14       | XXX*              |
| 36450.....         |     | A      | 2.35      | 1.97                  | 0.19             | 4.51       | XXX*              |
| 36455.....         |     | A      | 2.56      | 2.40                  | 0.23             | 5.19       | XXX*              |
| 36460.....         |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX*              |
| 36488.....         |     | A      | 1.42      | 1.02                  | 0.14             | 2.58       | 000*              |
| 36489.....         |     | A      | 1.29      | 1.17                  | 0.18             | 2.64       | 000*              |
| 36490.....         |     | A      | 1.76      | 1.46                  | 0.21             | 3.43       | 000*              |
| 36491.....         |     | A      | 1.51      | 1.80                  | 0.33             | 3.64       | 000*              |
| 36493.....         |     | A      | 1.28      | 0.67                  | 0.16             | 2.11       | 000*              |
| 36500.....         |     | A      | 3.71      | 0.08                  | 0.01             | 3.80       | 000*              |
| 36510.....         |     | A      | 1.14      | 0.35                  | 0.02             | 1.51       | 000*              |
| 36520.....         |     | A      | 1.76      | 1.94                  | 0.12             | 3.82       | 000*              |
| 36600.....         |     | A      | 0.33      | 0.29                  | 0.02             | 0.64       | XXX*              |
| 36620.....         |     | A      | 1.21      | 0.70                  | 0.14             | 2.05       | 000*              |
| 36625.....         |     | A      | 2.22      | 0.91                  | 0.19             | 3.32       | 000*              |
| 36640.....         |     | A      | 2.21      | 2.45                  | 0.42             | 5.08       | 000*              |
| 36660.....         |     | A      | 1.48      | 1.29                  | 0.11             | 2.88       | 000*              |
| 36680.....         |     | A      | 1.27      | 1.07                  | 0.10             | 2.44       | 000*              |
| 36800.....         |     | A      | 2.56      | 2.34                  | 0.29             | 5.19       | 000*              |
| 36810.....         |     | A      | 4.18      | 5.10                  | 0.78             | 10.06      | 000*              |
| 36815.....         |     | A      | 2.76      | 3.82                  | 0.74             | 7.32       | 000*              |
| 36820.....         |     | A      | 4.78      | 7.07                  | 1.45             | 13.30      | 000*              |
| 37200.....         |     | A      | 4.80      | 1.68                  | 0.13             | 6.61       | 000*              |
| 37201.....         |     | A      | 7.64      | 5.79                  | 0.68             | 14.11      | 000*              |
| 37202.....         |     | A      | 5.99      | 4.54                  | 0.53             | 11.06      | 000*              |
| 37203.....         |     | A      | 5.31      | 4.02                  | 0.47             | 9.80       | 000*              |
| 37204.....         |     | A      | 19.11     | 14.49                 | 1.69             | 35.29      | 000*              |
| 38200.....         |     | A      | 2.79      | 1.8                   | 0.15             | 4.74       | 000*              |
| 38230.....         |     | A      | 3.33      | 2.93                  | 0.22             | 6.48       | 010*              |
| 38240.....         |     | A      | 2.36      | 2.19                  | 0.14             | 4.69       | XXX*              |
| 38241.....         |     | A      | 2.36      | 2.15                  | 0.13             | 4.64       | XXX*              |
| 38790.....         |     | A      | 1.36      | 2.48                  | 0.20             | 4.04       | 000*              |
| 40806.....         |     | A      | 0.32      | 0.37                  | 0.03             | 0.72       | 000*              |
| 42550.....         |     | A      | 1.32      | 0.46                  | 0.04             | 1.82       | 000*              |
| 47500.....         |     | A      | 2.07      | 1.59                  | 0.14             | 3.80       | 000*              |
| 47510.....         |     | A      | 6.37      | 3.02                  | 0.26             | 9.65       | 090*              |
| 47511.....         |     | A      | 7.43      | 4.63                  | 0.37             | 12.43      | 090*              |
| 50390.....         |     | A      | 3.42      | 1.78                  | 0.15             | 5.35       | 000*              |
| 50392.....         |     | A      | 4.25      | 2.49                  | 0.21             | 6.95       | 000*              |
| 50393.....         |     | A      | 4.79      | 3.17                  | 0.27             | 8.23       | 000*              |
| 50394.....         |     | A      | 2.17      | 0.59                  | 0.05             | 2.81       | 000*              |
| 50395.....         |     | A      | 5.43      | 3.51                  | 0.30             | 9.24       | 000*              |
| 50398.....         |     | A      | 2.20      | 1.53                  | 0.14             | 3.87       | 000*              |
| 50398.....         |     | A      | 1.54      | 0.57                  | 0.05             | 2.16       | 000*              |
| 50684.....         |     | A      | 0.8       | 0.52                  | 0.05             | 1.37       | 000*              |
| 50686.....         |     | A      | 1.59      | 0.38                  | 0.04             | 2.01       | 000*              |
| 50690.....         |     | A      | 1.22      | 0.33                  | 0.03             | 1.58       | 000*              |
| 51600.....         |     | A      | 0.93      | 0.29                  | 0.03             | 1.25       | 000*              |

## ADDENDUM B CORRECTIONS—Continued

[Relative Value Units (RVUs) and Related Information]

| HCCPS <sup>1</sup> | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|--------------------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| 51605              |     | A      | 1.18      | 0.31                  | 0.03             | 1.52       | 000*              |
| 51610              |     | A      | 1.68      | 0.28                  | 0.02             | 1.98       | 000*              |
| 51700              |     | A      | 0.93      | 0.23                  | 0.02             | 1.18       | 000*              |
| 51705              |     | A      | 1.04      | 0.39                  | 0.04             | 1.47       | 010*              |
| 51710              |     | A      | 1.54      | 0.61                  | 0.06             | 2.21       | 010*              |
| 51720              |     | A      | 2.07      | 0.48                  | 0.05             | 2.60       | 000*              |
| 51725              |     | A      | 1.59      | 1.06                  | 0.11             | 2.76       | 000*              |
| 51725              | 26  | A      | 1.59      | 0.67                  | 0.07             | 2.33       | 000*              |
| 51725              | TC  | A      | 0.00      | 0.39                  | 0.04             | 0.43       | 000*              |
| 51726              |     | A      | 1.80      | 1.36*                 | 0.13*            | 3.29*      | 000*              |
| 51726              | 26  | A      | 1.80      | 0.85                  | 0.08             | 2.73       | 000*              |
| 51726              | TC  | A      | 0.00      | 0.51*                 | 0.05*            | 0.56*      | 000*              |
| 51736              |     | A      | 0.88      | 0.42*                 | 0.04*            | 1.34*      | 000*              |
| 51736              | 26  | A      | 0.88      | 0.27                  | 0.03             | 1.18       | 000*              |
| 51736              | TC  | A      | 0.00      | 0.15*                 | 0.01*            | 0.16*      | 000*              |
| 51739              |     | A      | 0.97      | 0.84*                 | 0.08*            | 1.89*      | 000*              |
| 51739              | 26  | A      | 0.97      | 0.69                  | 0.07             | 1.73       | 000*              |
| 51739              | TC  | A      | 0.00      | 0.15*                 | 0.01*            | 0.16*      | 000*              |
| 51741              |     | A      | 1.66      | 0.58*                 | 0.06*            | 2.30*      | 000*              |
| 51741              | 26  | A      | 1.66      | 0.36                  | 0.04             | 2.06       | 000*              |
| 51741              | TC  | A      | 0.00      | 0.22*                 | 0.02*            | 0.24*      | 000*              |
| 51772              |     | A      | 1.70      | 1.00*                 | 0.11*            | 2.81*      | 000*              |
| 51772              | 26  | A      | 1.70      | 0.56                  | 0.06             | 2.32       | 000*              |
| 51772              | TC  | A      | 0.00      | 0.44*                 | 0.05*            | 0.49*      | 000*              |
| 51785              |     | A      | 1.62      | 1.1                   | 0.11             | 2.83       | 000*              |
| 51785              | 26  | A      | 1.62      | 0.69                  | 0.07             | 2.38       | 000*              |
| 51785              | TC  | A      | 0.00      | 0.41                  | 0.04             | 0.45       | 000*              |
| 51792              |     | A      | 1.15      | 2.04*                 | 0.20*            | 3.39*      | 000*              |
| 51792              | 26  | A      | 1.15      | 0.63                  | 0.06             | 1.84       | 000*              |
| 51792              | TC  | A      | 0.00      | 1.41*                 | 0.14*            | 1.55*      | 000*              |
| 51795              |     | A      | 1.61      | 1.53*                 | 0.16*            | 3.30*      | 000*              |
| 51795              | 26  | A      | 1.61      | 0.61                  | 0.06             | 2.28       | 000*              |
| 51795              | TC  | A      | 0.00      | 0.92*                 | 0.10*            | 1.02*      | 000*              |
| 51797              |     | A      | 1.69      | 1.02*                 | 0.10*            | 2.81*      | 000*              |
| 51797              | 26  | A      | 1.69      | 0.55                  | 0.05             | 2.29       | 000*              |
| 51797              | TC  | A      | 0.00      | 0.47*                 | 0.05*            | 0.52*      | 000*              |
| 53670              |     | A      | 0.53      | 0.23                  | 0.02             | 0.78       | 000*              |
| 53675              |     | A      | 1.55      | 0.50                  | 0.05             | 2.10       | 000*              |
| 53800              |     | X*     | 0.00      | 0.00                  | 0.00             | 0.00       | 000*              |
| 54220              |     | A      | 3.35      | 1.67                  | 0.17             | 5.19       | 010*              |
| 54230              |     | A      | 1.41      | 1.41                  | 0.13             | 2.95       | 000*              |
| 54240              |     | A      | 2.30      | 1.06*                 | 0.12             | 3.48*      | 000               |
| 54240              | 26  | A      | 2.30      | 0.55                  | 0.06             | 2.91       | 000               |
| 54240              | TC  | A      | 0.00      | 0.51*                 | 0.06             | 0.57*      | 000               |
| 54250              |     | A      | 2.34      | 0.85*                 | 0.08             | 3.27*      | 000               |
| 54250              | 26  | A      | 2.34      | 0.54                  | 0.05             | 2.93       | 000               |
| 54250              | TC  | A      | 0.00      | 0.31*                 | 0.03             | 0.34*      | 000               |
| 56720              |     | A      | 0.72      | 0.51                  | 0.11             | 1.34       | 000*              |
| 57150              |     | A      | 0.99      | 0.20                  | 0.04             | 1.23       | 000*              |
| 57160              |     | A      | 0.84      | 0.26                  | 0.05             | 1.25       | 000*              |
| 58340              |     | A      | 0.84      | 0.61                  | 0.08             | 1.53       | 000*              |
| 59020              |     | A      | 0.70      | 1.52*                 | 0.30*            | 2.52*      | 000               |
| 59020              | 26  | A      | 0.70      | 0.98                  | 0.20             | 1.88       | 000               |
| 59020              | TC  | A      | 0.00      | 0.54*                 | 0.10*            | 0.64*      | 000               |
| 59025              |     | A      | 0.57      | 0.64                  | 0.12*            | 1.33*      | 000               |
| 59025              | 26  | A      | 0.57      | 0.41                  | 0.08             | 1.06       | 000               |
| 59025              | TC  | A      | 0.00      | 0.23                  | 0.04*            | 0.27*      | 000               |
| 59050              |     | A      | 1.63      | 0.85                  | 0.15             | 2.63       | XXX*              |
| 59412              |     | A      | 1.80      | 1.29                  | 0.30             | 3.39       | MMM*              |
| 59525              |     | A      | 6.90      | 4.01                  | 0.93             | 11.84      | MMM*              |
| 61624              |     | A      | 21.23     | 16.1                  | 1.88             | 39.21      | 000*              |
| 61626              |     | A      | 17.51     | 13.28                 | 1.55             | 32.34      | 000*              |
| 61795              |     | A      | 4.25      | 3.09                  | 0.6              | 7.94       | 000*              |
| 62274              |     | A      | 1.61      | 0.78                  | 0.18             | 2.57       | 000*              |
| 62275              |     | A      | 1.88      | 0.63                  | 0.2              | 2.71       | 000*              |
| 62276              |     | A      | 2.15      | 1.3                   | 0.24             | 3.69       | 000*              |
| 62277              |     | A      | 2.07      | 0.88                  | 0.24             | 3.19       | 000*              |
| 62278              |     | A      | 1.59      | 1.03                  | 0.27             | 2.89       | 000*              |
| 62279              |     | A      | 1.67      | 0.86                  | 0.25             | 2.78       | 000*              |
| 62284              |     | A      | 1.63      | 2.36                  | 0.35             | 4.34       | 000*              |
| 62290              |     | A      | 3.77      | 1.95                  | 0.25             | 5.97       | 000*              |
| 62291              |     | A      | 3.07      | 1.87                  | 0.41             | 5.35       | 000*              |
| 64550              |     | A      | 0.19      | 0.46                  | 0.04             | 0.69       | 000*              |
| 64872              |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| 64874              |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| 64876              |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |

## ADDENDUM B CORRECTIONS—Continued

[Relative Value Units (RVUs) and Related Information]

| HCPCS <sup>1</sup> | MOD  | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|--------------------|------|--------|-----------|-----------------------|------------------|------------|-------------------|
| 64885.....         |      | A      | 17.63     | 13.37                 | 1.56             | 32.56      | 090 *             |
| 64886.....         |      | A      | 21.03     | 15.94                 | 1.86             | 38.83      | 090 *             |
| 67345.....         |      | A      | 2.32      | 1.94                  | 0.10             | 4.36       | 010 *             |
| 67820.....         |      | A      | 0.94      | 0.39                  | 0.02             | 1.35       | 000 *             |
| 68040.....         |      | A      | 0.89      | 0.47                  | 0.02             | 1.38       | 000 *             |
| 68550.....         |      | A      | 13.34     | 11.95                 | 0.78             | 26.07      | 090 *             |
| 69200.....         |      | A      | 0.81      | 0.44                  | 0.04             | 1.29       | 000 *             |
| 69220.....         |      | A      | 0.87      | 0.53                  | 0.05             | 1.45       | 000 *             |
| 69400.....         |      | A      | 0.87      | 0.47                  | 0.05             | 1.39       | 000 *             |
| 69401.....         |      | A      | 0.67      | 0.26                  | 0.03             | 0.96       | 000 *             |
| 69610.....         |      | A      | 4.62      | 0.98                  | 0.10             | 5.70       | 010 *             |
| 76350.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 76350.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 76350.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 76499.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 76499.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 76499.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 76999.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 76999.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 76999.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 77299.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 77299.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 77299.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 77399.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 77399.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 77399.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 77499.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 77499.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 77499.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 77778.....         |      | A      | 11.03 *   | 10.08                 | 1.03             | 22.14 *    | XXX               |
| 77778.....         | 26   | A      | 11.03 *   | 4.94                  | 0.71             | 16.68 *    | XXX               |
| 77778.....         | TC   | A      | 0.00      | 5.14                  | 0.32             | 5.46       | XXX               |
| 77799.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 77799.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 77799.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78099.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78099.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78099.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78199.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78199.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78199.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78299.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78299.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78299.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78399.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78399.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78399.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78499.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78499.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78499.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78599.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78599.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78599.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78699.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78699.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78699.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78799.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78799.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78799.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78999.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78999.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 78999.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 79999.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 79999.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 79999.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 85060.....         |      | A *    | 0.48      | 0.23                  | 0.02             | 0.73       | XXX               |
| 88199.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 88199.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 88199.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 88399.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 88399.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 88399.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 89399.....         |      | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 89399.....         | 26 * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 89399.....         | TC * | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 90841.....         |      | B *    | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |

## ADDENDUM B CORRECTIONS—Continued

[Relative Value Units (RVUs) and Related Information]

| HCPs <sup>1</sup> | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|-------------------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| 90870             |     | A      | 1.91      | 0.57                  | 0.08             | 2.56       | 000*              |
| 90871             |     | A      | 2.87      | 0.87                  | 0.13             | 3.87       | 000*              |
| 90899             |     | C*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 90900             |     | A      | 0.94      | 0.95                  | 0.08             | 1.97       | 000*              |
| 90902             |     | A      | 0.94      | 0.67                  | 0.05             | 1.66       | 000*              |
| 90904             |     | A      | 0.94      | 0.60                  | 0.08             | 1.62       | 000*              |
| 90906             |     | A      | 0.94      | 1.69                  | 0.11             | 2.74       | 000*              |
| 90908             |     | A      | 0.94      | 0.91                  | 0.06             | 1.91       | 000*              |
| 90910             |     | A      | 0.94      | 0.71                  | 0.10             | 1.75       | 000*              |
| 90915             |     | A      | 0.94      | 0.80                  | 0.06             | 1.80       | 000*              |
| 90935             |     | A      | 0.94      | 1.52                  | 0.10             | 2.56       | 000*              |
| 90937             |     | A      | 2.18      | 3.01                  | 0.19             | 5.38       | 000*              |
| 90945             |     | A      | 0.92      | 1.29                  | 0.08             | 2.29       | 000*              |
| 90947             |     | A      | 2.00      | 2.14                  | 0.14             | 4.28       | 000*              |
| 90997             |     | A      | 1.93      | 2.59                  | 0.16             | 4.68       | 000*              |
| 91010             |     | A      | 1.74      | 2.40*                 | 0.17             | 4.31*      | 000               |
| 91010             | 26  | A      | 1.74      | 1.58                  | 0.11             | 3.43       | 000               |
| 91010             | TC  | A      | 0.00      | 0.82*                 | 0.06             | 0.88*      | 000               |
| 91011             |     | A      | 2.09      | 2.80*                 | 0.18*            | 5.07*      | 000               |
| 91011             | 26  | A      | 2.09      | 1.77                  | 0.11             | 3.97       | 000               |
| 91011             | TC  | A      | 0.00      | 1.03*                 | 0.07*            | 1.10*      | 000               |
| 91012             |     | A      | 2.03      | 3.28                  | 0.23*            | 5.54*      | 000               |
| 91012             | 26  | A      | 2.03      | 2.13                  | 0.15             | 4.31       | 000               |
| 91012             | TC  | A      | 0.00      | 1.15                  | 0.08*            | 1.23*      | 000               |
| 91020             |     | A      | 2.00      | 2.63*                 | 0.18*            | 4.81*      | 000               |
| 91020             | 26  | A      | 2.00      | 1.86                  | 0.12             | 3.98       | 000               |
| 91020             | TC  | A      | 0.00      | 0.77*                 | 0.06*            | 0.83*      | 000               |
| 91030             |     | A      | 1.27      | 0.58*                 | 0.05             | 1.90*      | 000               |
| 91030             | 26  | A      | 1.27      | 0.36                  | 0.03             | 1.66       | 000               |
| 91030             | TC  | A      | 0.00      | 0.22*                 | 0.02             | 0.24*      | 000               |
| 91032             |     | A      | 1.68      | 2.07*                 | 0.16*            | 3.91*      | 000               |
| 91032             | 26  | A      | 1.68      | 1.32                  | 0.10             | 3.10       | 000               |
| 91032             | TC  | A      | 0.00      | 0.75*                 | 0.06*            | 0.81*      | 000               |
| 91033             |     | A      | 1.80      | 3.13*                 | 0.25*            | 5.18*      | 000               |
| 91033             | 26  | A      | 1.80      | 1.78                  | 0.14             | 3.72       | 000               |
| 91033             | TC  | A      | 0.00      | 1.35*                 | 0.11*            | 1.46*      | 000               |
| 91052             |     | A      | 1.80      | 0.87*                 | 0.07*            | 2.74*      | 000               |
| 91052             | 26  | A      | 1.80      | 0.54                  | 0.04             | 2.38       | 000               |
| 91052             | TC  | A      | 0.00      | 0.33*                 | 0.03*            | 0.36*      | 000               |
| 91055             |     | A      | 1.35      | 0.85*                 | 0.06*            | 2.26*      | 000               |
| 91055             | 26  | A      | 1.35      | 0.55                  | 0.04             | 1.94       | 000               |
| 91055             | TC  | A      | 0.00      | 0.30*                 | 0.02*            | 0.32*      | 000               |
| 91065             |     | A      | 0.47      | 0.87*                 | 0.05             | 1.39*      | 000               |
| 91065             | 26  | A      | 0.47      | 0.52                  | 0.03             | 1.02       | 000               |
| 91065             | TC  | A      | 0.00      | 0.35*                 | 0.02             | 0.37*      | 000               |
| 91122             |     | A      | 1.86      | 1.82*                 | 0.22             | 3.90*      | 000               |
| 91122             | 26  | A      | 1.86      | 1.11                  | 0.13             | 3.10       | 000               |
| 91122             | TC  | A      | 0.00      | 0.71*                 | 0.09             | 0.80*      | 000               |
| 91299             |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 91299             | 26* | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 91299             | TC* | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 92499             |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 92499             | 26* | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 92499             | TC* | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 92541             |     | A      | 0.42      | 0.71*                 | 0.07*            | 1.20*      | XXX               |
| 92541             | 26  | A      | 0.42      | 0.48                  | 0.05             | 0.95       | XXX               |
| 92541             | TC  | A      | 0.00      | 0.23*                 | 0.02*            | 0.25*      | XXX               |
| 92542             |     | A      | 0.34      | 0.63*                 | 0.07*            | 1.04*      | XXX               |
| 92542             | 26  | A      | 0.34      | 0.37                  | 0.04             | 0.75       | XXX               |
| 92542             | TC  | A      | 0.00      | 0.26*                 | 0.03*            | 0.29*      | XXX               |
| 92543             |     | A      | 0.39      | 0.86*                 | 0.09*            | 1.34*      | XXX               |
| 92543             | 26  | A      | 0.39      | 0.44                  | 0.05             | 0.88       | XXX               |
| 92543             | TC  | A      | 0.00      | 0.42*                 | 0.04*            | 0.46*      | XXX               |
| 92544             |     | A      | 0.27      | 0.49*                 | 0.05*            | 0.81*      | XXX               |
| 92544             | 26  | A      | 0.27      | 0.28                  | 0.03             | 0.58       | XXX               |
| 92544             | TC  | A      | 0.00      | 0.21*                 | 0.02*            | 0.23*      | XXX               |
| 92545             |     | A      | 0.24      | 0.42*                 | 0.04*            | 0.70*      | XXX               |
| 92545             | 26  | A      | 0.24      | 0.21                  | 0.02             | 0.47       | XXX               |
| 92545             | TC  | A      | 0.00      | 0.21*                 | 0.02*            | 0.23*      | XXX               |
| 92546             |     | A      | 0.30      | 0.55*                 | 0.05*            | 0.90*      | XXX               |
| 92546             | 26  | A      | 0.30      | 0.31                  | 0.03             | 0.64       | XXX               |
| 92546             | TC  | A      | 0.00      | 0.24*                 | 0.02*            | 0.26*      | XXX               |
| 92599             |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 92599             | 26* | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 92599             | TC* | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 92986             |     | A      | 21.44     | 12.68                 | 0.95             | 35.07      | 090*              |

## ADDENDUM B CORRECTIONS—Continued

[Relative Value Units (RVUs) and Related Information]

| HCPCS <sup>1</sup> | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|--------------------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| 92990.....         |     | A      | 17.1      | 10.11                 | 0.75             | 27.96      | 090*              |
| 93012.....         |     | A      | 0.00      | 0.26*                 | 0.02             | 0.28       | XXX               |
| 93015.....         |     | A      | 0.47      | 2.50*                 | 0.18             | 3.15*      | XXX               |
| 93017.....         |     | A      | 0.00      | 1.69*                 | 0.12             | 1.81*      | XXX               |
| 93018.....         |     | A      | 0.47      | 0.81                  | 0.06             | 1.34       | XXX               |
| 93024.....         |     | A      | 1.23      | 2.90*                 | 0.23*            | 4.36*      | XXX               |
| 93024.....         | 26  | A      | 1.23      | 1.78                  | 0.14             | 3.15       | XXX               |
| 93024.....         | TC  | A      | 0.00      | 1.12*                 | 0.09*            | 1.21*      | XXX               |
| 93201.....         |     | A      | 0.44      | 1.08*                 | 0.09*            | 1.61*      | XXX               |
| 93202.....         |     | A      | 0.00      | 0.79*                 | 0.07*            | 0.86*      | XXX               |
| 93204.....         |     | A      | 0.44      | 0.29                  | 0.02             | 0.75       | XXX               |
| 93205.....         |     | A      | 0.49      | 0.93                  | 0.07             | 1.49*      | XXX               |
| 93208.....         |     | A      | 0.00      | 0.34*                 | 0.03             | 0.37*      | XXX               |
| 93209.....         |     | A      | 0.49      | 0.59                  | 0.04             | 1.12       | XXX               |
| 93210.....         |     | A      | 0.97      | 1.82*                 | 0.13*            | 2.92*      | XXX               |
| 93210.....         | 26  | A      | 0.97      | 0.86                  | 0.06             | 1.89       | XXX               |
| 93210.....         | TC  | A      | 0.00      | 0.96*                 | 0.07*            | 1.03*      | XXX               |
| 93220.....         |     | A      | 0.27      | 1.09*                 | 0.07*            | 1.43*      | XXX               |
| 93221.....         |     | A      | 0.00      | 0.62*                 | 0.04*            | 0.66*      | XXX               |
| 93222.....         |     | A      | 0.27      | 0.47                  | 0.03             | 0.77       | XXX               |
| 93224.....         |     | A      | 0.56      | 4.35*                 | 0.31*            | 5.22*      | XXX               |
| 93225.....         |     | A      | 0.00      | 1.24*                 | 0.09             | 1.33*      | XXX               |
| 93226.....         |     | A      | 0.00      | 2.19*                 | 0.16*            | 2.35*      | XXX               |
| 93227.....         |     | A      | 0.56      | 0.92                  | 0.06             | 1.54       | XXX               |
| 93230.....         |     | A      | 0.56      | 4.84*                 | 0.34*            | 5.74*      | XXX               |
| 93231.....         |     | A      | 0.00      | 1.53*                 | 0.11*            | 1.64*      | XXX               |
| 93232.....         |     | A      | 0.00      | 2.18*                 | 0.15*            | 2.33*      | XXX               |
| 93233.....         |     | A      | 0.56      | 1.13                  | 0.08             | 1.77       | XXX               |
| 93235.....         |     | A      | 0.47      | 3.59*                 | 0.24*            | 4.30*      | XXX               |
| 93236.....         |     | A      | 0.00      | 2.63*                 | 0.18*            | 2.81*      | XXX               |
| 93237.....         |     | A      | 0.47      | 0.96                  | 0.06             | 1.49       | XXX               |
| 93268.....         |     | A      | 0.36      | 0.84*                 | 0.07*            | 1.27*      | XXX               |
| 93268.....         | 26  | A      | 0.36      | 0.38                  | 0.03             | 0.77       | XXX               |
| 93268.....         | TC  | A      | 0.00      | 0.46*                 | 0.04*            | 0.50*      | XXX               |
| 93278.....         |     | A      | 0.36      | 1.94*                 | 0.18*            | 2.48*      | XXX               |
| 93278.....         | 26  | A      | 0.36      | 0.79                  | 0.06             | 1.21       | XXX               |
| 93278.....         | TC  | A      | 0.00      | 1.15*                 | 0.12*            | 1.27*      | XXX               |
| 93280.....         |     | A      | 0.45      | 0.91*                 | 0.07             | 1.43*      | XXX               |
| 93280.....         | 26  | A      | 0.45      | 0.51                  | 0.04             | 1.00       | XXX               |
| 93280.....         | TC  | A      | 0.00      | 0.40*                 | 0.03             | 0.43*      | XXX               |
| 93307.....         |     | A      | 0.41      | 5.13*                 | 0.37             | 5.91*      | XXX               |
| 93307.....         | 26  | A      | 0.41      | 1.25                  | 0.09             | 1.75       | XXX               |
| 93307.....         | TC  | A      | 0.00      | 3.88*                 | 0.28             | 4.16*      | XXX               |
| 93308.....         |     | A      | 0.15      | 2.66*                 | 0.19*            | 3.00*      | XXX               |
| 93308.....         | 26  | A      | 0.15      | 0.72                  | 0.05             | 0.92       | XXX               |
| 93308.....         | TC  | A      | 0.00      | 1.94*                 | 0.14*            | 2.08*      | XXX               |
| 93312.....         |     | A      | 0.53      | 5.23*                 | 0.46*            | 6.22*      | XXX               |
| 93312.....         | 26  | A      | 0.53      | 1.43                  | 0.12             | 2.08       | XXX               |
| 93312.....         | TC  | A      | 0.00      | 3.80*                 | 0.34*            | 4.14*      | XXX               |
| 93320.....         |     | A      | 0.39      | 2.45*                 | 0.18             | 3.02*      | XXX               |
| 93320.....         | 26  | A      | 0.39      | 0.73                  | 0.05             | 1.17       | XXX               |
| 93320.....         | TC  | A      | 0.00      | 1.72*                 | 0.13             | 1.85*      | XXX               |
| 93321.....         |     | A      | 0.15      | 1.40*                 | 0.11*            | 1.66*      | XXX               |
| 93321.....         | 26  | A      | 0.15      | 0.29                  | 0.02             | 0.46       | XXX               |
| 93321.....         | TC  | A      | 0.00      | 1.11*                 | 0.09*            | 1.20*      | XXX               |
| 93350.....         |     | A      | 1.20      | 4.30*                 | 0.33*            | 5.83*      | XXX               |
| 93350.....         | 26  | A      | 1.20      | 0.84                  | 0.06             | 2.10       | XXX               |
| 93350.....         | TC  | A      | 0.00      | 3.46*                 | 0.27*            | 3.73*      | XXX               |
| 93501.....         |     | A      | 3.18      | 20.78*                | 1.62*            | 25.58*     | 000               |
| 93501.....         | 26  | A      | 3.18      | 3.81                  | 0.35             | 7.34       | 000               |
| 93501.....         | TC  | A      | 0.00      | 16.97*                | 1.27*            | 18.24*     | 000               |
| 93505.....         |     | A      | 4.80      | 5.19*                 | 0.48*            | 10.47*     | 000               |
| 93505.....         | 26  | A      | 4.80      | 3.19                  | 0.29             | 8.28       | 000               |
| 93505.....         | TC  | A      | 0.00      | 2.00*                 | 0.19*            | 2.19*      | 000               |
| 93510.....         |     | A      | 4.51      | 40.40*                | 3.01*            | 47.92*     | 000               |
| 93510.....         | 26  | A      | 4.51      | 4.26                  | 0.31             | 9.08       | 000               |
| 93510.....         | TC  | A      | 0.00      | 36.14*                | 2.70*            | 38.84*     | 000               |
| 93511.....         |     | A      | 5.31      | 38.90*                | 2.91*            | 47.12*     | 000               |
| 93511.....         | 26  | A      | 5.31      | 2.76                  | 0.21             | 8.28       | 000               |
| 93511.....         | TC  | A      | 0.00      | 36.14*                | 2.70*            | 38.84*     | 000               |
| 93514.....         |     | A      | 7.43      | 40.93*                | 3.09*            | 51.45*     | 000               |
| 93514.....         | 26  | A      | 7.43      | 4.79                  | 0.39             | 12.61      | 000               |
| 93514.....         | TC  | A      | 0.00      | 36.14*                | 2.70*            | 38.84*     | 000               |
| 93524.....         |     | A      | 7.32      | 52.11*                | 3.88*            | 63.31*     | 000               |
| 93524.....         | 26  | A      | 7.32      | 4.90                  | 0.35             | 12.57      | 000               |
| 93524.....         | TC  | A      | 0.00      | 47.21*                | 3.53*            | 50.74*     | 000               |

## ADDENDUM B CORRECTIONS—Continued

[Relative Value Units (RVUs) and Related Information]

| HCPCS <sup>1</sup> | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|--------------------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| 93526.....         |     | A      | 6.23      | 54.31*                | 4.03*            | 64.57*     | 000               |
| 93526.....         | 26  | A      | 6.23      | 7.10                  | 0.50             | 13.83      | 000               |
| 93526.....         | TC  | A      | 0.00      | 47.21*                | 3.53*            | 50.74*     | 000               |
| 93527.....         |     | A      | 7.67      | 54.74*                | 4.06*            | 66.47*     | 000               |
| 93527.....         | 26  | A      | 7.67      | 7.53                  | 0.53             | 15.73      | 000               |
| 93527.....         | TC  | A      | 0.00      | 47.21*                | 3.53*            | 50.74*     | 000               |
| 93528.....         |     | A      | 9.48      | 51.88*                | 3.87*            | 65.23*     | 000               |
| 93528.....         | 26  | A      | 9.48      | 4.67                  | 0.34             | 14.49      | 000               |
| 93528.....         | TC  | A      | 0.00      | 47.21*                | 3.53*            | 50.74*     | 000               |
| 93529.....         |     | A*     | 5.05      | 50.30*                | 3.76*            | 59.11*     | 000               |
| 93529.....         | 26  | A      | 5.05      | 3.09                  | 0.23             | 8.37       | 000               |
| 93529.....         | TC  | A      | 0.00      | 47.21*                | 3.53*            | 50.74*     | 000               |
| 93546.....         |     | A      | 4.72      | 46.69*                | 3.47*            | 54.88*     | 000               |
| 93546.....         | 26  | A      | 4.72      | 6.83                  | 0.49             | 12.04      | 000               |
| 93546.....         | TC  | A      | 0.00      | 39.86*                | 2.98*            | 42.84*     | 000               |
| 93547.....         |     | A      | 4.94      | 48.31*                | 3.59*            | 56.84*     | 000               |
| 93547.....         | 26  | A      | 4.94      | 8.45                  | 0.61             | 14.00      | 000               |
| 93547.....         | TC  | A      | 0.00      | 39.86*                | 2.98*            | 42.84*     | 000               |
| 93548.....         |     | A      | 5.15      | 49.13*                | 3.65*            | 57.93*     | 000               |
| 93548.....         | 26  | A      | 5.15      | 9.27                  | 0.67             | 15.09      | 000               |
| 93548.....         | TC  | A      | 0.00      | 39.86*                | 2.98*            | 42.84*     | 000               |
| 93549.....         |     | A      | 6.65      | 50.66*                | 3.76*            | 61.07*     | 000               |
| 93549.....         | 26  | A      | 6.65      | 10.80                 | 0.78             | 18.23      | 000               |
| 93549.....         | TC  | A      | 0.00      | 39.86*                | 2.98*            | 42.84*     | 000               |
| 93550.....         |     | A      | 6.87      | 52.24*                | 3.88*            | 62.99*     | 000               |
| 93550.....         | 26  | A      | 6.87      | 12.38                 | 0.90             | 20.15      | 000               |
| 93550.....         | TC  | A      | 0.00      | 39.86*                | 2.98*            | 42.84*     | 000               |
| 93552.....         |     | A      | 5.15      | 55.02*                | 4.08*            | 64.25*     | 000               |
| 93552.....         | 26  | A      | 5.15      | 10.91                 | 0.78             | 16.84      | 000               |
| 93552.....         | TC  | A      | 0.00      | 44.11*                | 3.30*            | 47.41*     | 000               |
| 93553.....         |     | A      | 5.36      | 57.34*                | 4.28*            | 66.98*     | 000               |
| 93553.....         | 26  | A      | 5.36      | 13.23                 | 0.98             | 19.57      | 000               |
| 93553.....         | TC  | A      | 0.00      | 44.11*                | 3.30*            | 47.41*     | 000               |
| 93561.....         |     | A      | 1.21      | 1.32*                 | 0.16*            | 2.69*      | 000               |
| 93561.....         | 26  | A      | 1.21      | 0.79                  | 0.09             | 2.09       | 000               |
| 93561.....         | TC  | A      | 0.00      | 0.53*                 | 0.07*            | 0.60*      | 000               |
| 93562.....         |     | A      | 0.38      | 0.83*                 | 0.10             | 1.31*      | 000               |
| 93562.....         | 26  | A      | 0.38      | 0.52                  | 0.06             | 0.96       | 000               |
| 93562.....         | TC  | A      | 0.00      | 0.31*                 | 0.04             | 0.35*      | 000               |
| 93600.....         |     | A      | 2.23      | 5.38*                 | 0.39*            | 8.00*      | 000               |
| 93600.....         | 26  | A      | 2.23      | 3.43                  | 0.25             | 5.91       | 000               |
| 93600.....         | TC  | A      | 0.00      | 1.95*                 | 0.14*            | 2.09*      | 000               |
| 93602.....         |     | A      | 2.23      | 2.97*                 | 0.22             | 5.42*      | 000               |
| 93602.....         | 26  | A      | 2.23      | 1.86                  | 0.14             | 4.23       | 000               |
| 93602.....         | TC  | A      | 0.00      | 1.11*                 | 0.08             | 1.19*      | 000               |
| 93603.....         |     | A      | 2.23      | 3.99*                 | 0.28             | 6.50*      | 000               |
| 93603.....         | 26  | A      | 2.23      | 2.30                  | 0.16             | 4.69       | 000               |
| 93603.....         | TC  | A      | 0.00      | 1.69*                 | 0.12             | 1.81*      | 000               |
| 93607.....         |     | A      | 3.44      | 3.82*                 | 0.28*            | 7.54*      | 000               |
| 93607.....         | 26  | A      | 3.44      | 2.32                  | 0.17             | 5.93       | 000               |
| 93607.....         | TC  | A      | 0.00      | 1.50*                 | 0.11*            | 1.61*      | 000               |
| 93609.....         |     | A      | 10.61     | 6.77*                 | 0.49*            | 17.87*     | 000               |
| 93609.....         | 26  | A      | 10.61     | 4.04                  | 0.29             | 14.94      | 000               |
| 93609.....         | TC  | A      | 0.00      | 2.73*                 | 0.20*            | 2.93*      | 000               |
| 93610.....         |     | A      | 3.18      | 3.80*                 | 0.28*            | 7.26*      | 000               |
| 93610.....         | 26  | A      | 3.18      | 2.44                  | 0.18             | 5.80       | 000               |
| 93610.....         | TC  | A      | 0.00      | 1.36*                 | 0.10*            | 1.46*      | 000               |
| 93612.....         |     | A      | 3.18      | 4.10*                 | 0.30             | 7.58*      | 000               |
| 93612.....         | 26  | A      | 3.18      | 2.47                  | 0.18             | 5.83       | 000               |
| 93612.....         | TC  | A      | 0.00      | 1.63*                 | 0.12             | 1.75*      | 000               |
| 93618.....         |     | A      | 3.18      | 10.39*                | 0.75*            | 14.32*     | 000               |
| 93618.....         | 26  | A      | 3.18      | 6.41                  | 0.48             | 10.05      | 000               |
| 93618.....         | TC  | A      | 0.00      | 3.98*                 | 0.29*            | 4.27*      | 000               |
| 93620.....         |     | A      | 12.21     | 23.25*                | 1.64*            | 37.10*     | 000               |
| 93620.....         | 26  | A      | 12.21     | 14.26                 | 1.00             | 27.47      | 000               |
| 93620.....         | TC  | A      | 0.00      | 8.99*                 | 0.64*            | 9.63*      | 000               |
| 93624.....         |     | A      | 4.28      | 5.15*                 | 0.36*            | 9.79       | 000               |
| 93624.....         | 26  | A      | 4.28      | 3.15                  | 0.22             | 7.65       | 000               |
| 93624.....         | TC  | A      | 0.00      | 2.00*                 | 0.14*            | 2.14       | 000               |
| 93631.....         |     | A      | 6.10      | 18.80*                | 1.96*            | 26.66*     | 000               |
| 93631.....         | 26  | A      | 6.10      | 12.62                 | 1.22             | 19.94      | 000               |
| 93631.....         | TC  | A      | 0.00      | 6.18*                 | 0.74*            | 6.92*      | 000               |
| 93640.....         |     | A      | 3.71      | 9.41*                 | 0.67*            | 13.79*     | 000               |
| 93640.....         | 26  | A      | 3.71      | 2.20                  | 0.16             | 6.07       | 000               |
| 93640.....         | TC  | A      | 0.00      | 7.21*                 | 0.51*            | 7.72*      | 000               |
| 93720.....         |     | A      | 0.18      | 1.04*                 | 0.10*            | 1.32*      | XXX               |

## ADDENDUM B CORRECTIONS—Continued

[Relative Value Units (RVUs) and Related Information]

| HCPCS <sup>1</sup> | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|--------------------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| 93721              |     | A      | 0.00      | 0.71*                 | 0.07*            | 0.78*      | XXX               |
| 93722              |     | A      | 0.18      | 0.33                  | 0.03             | 0.54       | XXX               |
| 93731              |     | A      | 0.48      | 0.83*                 | 0.07*            | 1.38*      | XXX               |
| 93731              | 26  | A      | 0.48      | 0.33                  | 0.03             | 0.84       | XXX               |
| 93731              | TC  | A      | 0.00      | 0.50*                 | 0.04*            | 0.54*      | XXX               |
| 93732              |     | A      | 0.69      | 0.96*                 | 0.08             | 1.73*      | XXX               |
| 93732              | 26  | A      | 0.69      | 0.44                  | 0.04             | 1.17       | XXX               |
| 93732              | TC  | A      | 0.00      | 0.52*                 | 0.04             | 0.56*      | XXX               |
| 93733              |     | A      | 0.48      | 1.01*                 | 0.08*            | 1.57*      | XXX               |
| 93733              | 26  | A      | 0.48      | 0.28                  | 0.02             | 0.78       | XXX               |
| 93733              | TC  | A      | 0.00      | 0.73*                 | 0.06*            | 0.79*      | XXX               |
| 93734              |     | A      | 0.39      | 0.66*                 | 0.06             | 1.11*      | XXX               |
| 93734              | 26  | A      | 0.39      | 0.32                  | 0.03             | 0.74       | XXX               |
| 93734              | TC  | A      | 0.00      | 0.34*                 | 0.03             | 0.37*      | XXX               |
| 93735              |     | A      | 0.53      | 0.89*                 | 0.08             | 1.50*      | XXX               |
| 93735              | 26  | A      | 0.53      | 0.45                  | 0.04             | 1.02       | XXX               |
| 93735              | TC  | A      | 0.00      | 0.44*                 | 0.04             | 0.48*      | XXX               |
| 93736              |     | A      | 0.39      | 0.93*                 | 0.09*            | 1.41*      | XXX               |
| 93736              | 26  | A      | 0.39      | 0.29                  | 0.03             | 0.71       | XXX               |
| 93736              | TC  | A      | 0.00      | 0.64*                 | 0.06*            | 0.70*      | XXX               |
| 93737              |     | A      | 0.47      | 0.78*                 | 0.06*            | 1.31*      | XXX               |
| 93737              | 26  | A      | 0.47      | 0.28                  | 0.02             | 0.77       | XXX               |
| 93737              | TC  | A      | 0.00      | 0.50*                 | 0.04*            | 0.54*      | XXX               |
| 93738              |     | A      | 0.69      | 0.93*                 | 0.07             | 1.69*      | XXX               |
| 93738              | 26  | A      | 0.69      | 0.41                  | 0.03             | 1.13       | XXX               |
| 93738              | TC  | A      | 0.00      | 0.52*                 | 0.04             | 0.56*      | XXX               |
| 93740              |     | A      | 0.16      | 0.46*                 | 0.04             | 0.66*      | XXX               |
| 93740              | 26  | A      | 0.16      | 0.31                  | 0.03             | 0.50       | XXX               |
| 93740              | TC  | A      | 0.00      | 0.15*                 | 0.01             | 0.16*      | XXX               |
| 93760              |     | A      | 0.16      | 1.70*                 | 0.16*            | 2.02*      | XXX               |
| 93760              | 26  | A      | 0.16      | 0.56                  | 0.05             | 0.77       | XXX               |
| 93760              | TC  | A      | 0.00      | 1.14*                 | 0.11*            | 1.25*      | XXX               |
| 93762              |     | A      | 0.16      | 2.05*                 | 0.21*            | 2.42*      | XXX               |
| 93762              | 26  | A      | 0.16      | 0.59                  | 0.05             | 0.80       | XXX               |
| 93762              | TC  | A      | 0.00      | 1.46*                 | 0.16*            | 1.62*      | XXX               |
| 93770              |     | A      | 0.16      | 0.20*                 | 0.02             | 0.38*      | XXX               |
| 93770              | 26  | A      | 0.16      | 0.17                  | 0.02             | 0.35       | XXX               |
| 93770              | TC  | A      | 0.00      | 0.03*                 | 0.00             | 0.03*      | XXX               |
| 93799              |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 93799              | 26* | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 93799              | TC* | C      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 93875              |     | A      | 0.23      | 1.68*                 | 0.18*            | 2.09*      | XXX               |
| 93875              | 26  | A      | 0.23      | 0.58                  | 0.06             | 0.87       | XXX               |
| 93875              | TC  | A      | 0.00      | 1.10*                 | 0.12*            | 1.22*      | XXX               |
| 93880              |     | A      | 0.64      | 3.99*                 | 0.44*            | 5.07*      | XXX               |
| 93880              | 26  | A      | 0.64      | 0.48                  | 0.05             | 1.17       | XXX               |
| 93880              | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93882              |     | A      | 0.31      | 3.75*                 | 0.42*            | 4.48*      | XXX               |
| 93882              | 26  | A      | 0.31      | 0.24                  | 0.03             | 0.58       | XXX               |
| 93882              | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93886              |     | A      | 0.96      | 4.23*                 | 0.47*            | 5.66*      | XXX               |
| 93886              | 26  | A      | 0.96      | 0.72                  | 0.08             | 1.76       | XXX               |
| 93886              | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93888              |     | A      | 0.47      | 3.87*                 | 0.43*            | 4.77*      | XXX               |
| 93888              | 26  | A      | 0.47      | 0.36                  | 0.04             | 0.87       | XXX               |
| 93888              | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93920              |     | A      | 0.32      | 3.31*                 | 0.36*            | 3.99*      | XXX               |
| 93920              | 26  | A      | 0.32      | 0.68                  | 0.07             | 1.07       | XXX               |
| 93920              | TC  | A      | 0.00      | 2.63*                 | 0.29*            | 2.92*      | XXX               |
| 93921              |     | A      | 0.42      | 2.62*                 | 0.34*            | 3.38*      | XXX               |
| 93921              | 26  | A      | 0.42      | 0.68                  | 0.09             | 1.19       | XXX               |
| 93921              | TC  | A      | 0.00      | 1.94*                 | 0.25*            | 2.19*      | XXX               |
| 93925              |     | A      | 0.64      | 3.99*                 | 0.44*            | 5.07*      | XXX               |
| 93925              | 26  | A      | 0.64      | 0.48                  | 0.05             | 1.17       | XXX               |
| 93925              | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93926              |     | A      | 0.31      | 3.75*                 | 0.42*            | 4.48*      | XXX               |
| 93926              | 26  | A      | 0.31      | 0.24                  | 0.03             | 0.58       | XXX               |
| 93926              | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93930              |     | A      | 0.54      | 3.91*                 | 0.43*            | 4.88*      | XXX               |
| 93930              | 26  | A      | 0.54      | 0.40                  | 0.04             | 0.98       | XXX               |
| 93930              | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93931              |     | A      | 0.26      | 3.71*                 | 0.41*            | 4.38*      | XXX               |
| 93931              | 26  | A      | 0.26      | 0.20                  | 0.02             | 0.48       | XXX               |
| 93931              | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93965              |     | A      | 0.36      | 1.59*                 | 0.19*            | 2.14*      | XXX               |
| 93965              | 26  | A      | 0.36      | 0.50                  | 0.06             | 0.92       | XXX               |

**ADDENDUM B CORRECTIONS—Continued**  
 [Relative Value Units (RVUs) and Related Information]

| HCPCS <sup>1</sup> | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|--------------------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| 93965.....         | TC  | A      | 0.00      | 1.09*                 | 0.13*            | 1.22*      | XXX               |
| 93970.....         |     | A      | 0.74      | 4.08*                 | 0.46*            | 5.28*      | XXX               |
| 93970.....         | 26  | A      | 0.74      | 0.57                  | 0.07             | 1.38       | XXX               |
| 93970.....         | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93971.....         |     | A      | 0.37      | 3.79*                 | 0.42*            | 4.58*      | XXX               |
| 93971.....         | 26  | A      | 0.37      | 0.28                  | 0.03             | 0.68       | XXX               |
| 93971.....         | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93975.....         |     | A      | 1.06      | 4.32*                 | 0.48*            | 5.86*      | XXX               |
| 93975.....         | 26  | A      | 1.06      | 0.81                  | 0.09             | 1.96       | XXX               |
| 93975.....         | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93976.....         |     | A      | 0.54      | 3.91*                 | 0.43*            | 4.88*      | XXX               |
| 93976.....         | 26  | A      | 0.54      | 0.40                  | 0.04             | 0.98       | XXX               |
| 93976.....         | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93978.....         |     | A      | 0.71      | 4.05*                 | 0.45*            | 5.21*      | XXX               |
| 93978.....         | 26  | A      | 0.71      | 0.54                  | 0.06             | 1.31       | XXX               |
| 93978.....         | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 93979.....         |     | A      | 0.36      | 3.78*                 | 0.42*            | 4.56*      | XXX               |
| 93979.....         | 26  | A      | 0.36      | 0.27                  | 0.03             | 0.66       | XXX               |
| 93979.....         | TC  | A      | 0.00      | 3.51*                 | 0.39*            | 3.90*      | XXX               |
| 94060.....         |     | A      | 0.32      | 1.33*                 | 0.09             | 1.74*      | XXX               |
| 94060.....         | 26  | A      | 0.32      | 0.39                  | 0.03             | 0.74       | XXX               |
| 94060.....         | TC  | A      | 0.00      | 0.94*                 | 0.06             | 1.00*      | XXX               |
| 94070.....         |     | A      | 0.64      | 1.86*                 | 0.13*            | 2.63*      | XXX               |
| 94070.....         | 26  | A      | 0.64      | 0.39                  | 0.03             | 1.06       | XXX               |
| 94070.....         | TC  | A      | 0.00      | 1.47*                 | 0.10*            | 1.57*      | XXX               |
| 94160.....         |     | A      | 0.19      | 0.39*                 | 0.02             | 0.60*      | XXX               |
| 94160.....         | 26  | A      | 0.19      | 0.20                  | 0.01             | 0.40       | XXX               |
| 94160.....         | TC  | A      | 0.00      | 0.19*                 | 0.01             | 0.20*      | XXX               |
| 94200.....         |     | A      | 0.11      | 0.44*                 | 0.03             | 0.58*      | XXX               |
| 94200.....         | 26  | A      | 0.11      | 0.19                  | 0.01             | 0.31       | XXX               |
| 94200.....         | TC  | A      | 0.00      | 0.25*                 | 0.02             | 0.27*      | XXX               |
| 94240.....         |     | A      | 0.27      | 0.93*                 | 0.07*            | 1.27*      | XXX               |
| 94240.....         | 26  | A      | 0.27      | 0.24                  | 0.02             | 0.53       | XXX               |
| 94240.....         | TC  | A      | 0.00      | 0.69*                 | 0.05*            | 0.74*      | XXX               |
| 94250.....         |     | A      | 0.11      | 0.28*                 | 0.02             | 0.41*      | XXX               |
| 94250.....         | 26  | A      | 0.11      | 0.15                  | 0.01             | 0.27       | XXX               |
| 94250.....         | TC  | A      | 0.00      | 0.13*                 | 0.01             | 0.14*      | XXX               |
| 94260.....         |     | A      | 0.13      | 0.83*                 | 0.06*            | 1.02*      | XXX               |
| 94260.....         | 26  | A      | 0.13      | 0.27                  | 0.02             | 0.42       | XXX               |
| 94260.....         | TC  | A      | 0.00      | 0.56*                 | 0.04*            | 0.60*      | XXX               |
| 94350.....         |     | A      | 0.27      | 0.78*                 | 0.05*            | 1.10*      | XXX               |
| 94350.....         | 26  | A      | 0.27      | 0.22                  | 0.01             | 0.50       | XXX               |
| 94350.....         | TC  | A      | 0.00      | 0.56*                 | 0.04*            | 0.60*      | XXX               |
| 94360.....         |     | A      | 0.27      | 1.17*                 | 0.07*            | 1.51*      | XXX               |
| 94360.....         | 26  | A      | 0.27      | 0.20                  | 0.01             | 0.48       | XXX               |
| 94360.....         | TC  | A      | 0.00      | 0.97*                 | 0.06*            | 1.03*      | XXX               |
| 94370.....         |     | A      | 0.27      | 0.41*                 | 0.03*            | 0.71*      | XXX               |
| 94370.....         | 26  | A      | 0.27      | 0.14                  | 0.01             | 0.42       | XXX               |
| 94370.....         | TC  | A      | 0.00      | 0.27*                 | 0.02*            | 0.29*      | XXX               |
| 94375.....         |     | A      | 0.32      | 0.71*                 | 0.04             | 1.07*      | XXX               |
| 94375.....         | 26  | A      | 0.32      | 0.22                  | 0.01             | 0.55       | XXX               |
| 94375.....         | TC  | A      | 0.00      | 0.49*                 | 0.03             | 0.52*      | XXX               |
| 94400.....         |     | A      | 0.42      | 0.81*                 | 0.19*            | 1.42*      | XXX               |
| 94400.....         | 26  | A      | 0.42      | 0.50                  | 0.13             | 1.05       | XXX               |
| 94400.....         | TC  | A      | 0.00      | 0.31*                 | 0.06*            | 0.37*      | XXX               |
| 94450.....         |     | A      | 0.42      | 0.63*                 | 0.05*            | 1.10*      | XXX               |
| 94450.....         | 26  | A      | 0.42      | 0.25                  | 0.02             | 0.69       | XXX               |
| 94450.....         | TC  | A      | 0.00      | 0.38*                 | 0.03*            | 0.41*      | XXX               |
| 94620.....         |     | A      | 0.93      | 2.17*                 | 0.15*            | 3.25*      | XXX               |
| 94620.....         | 26  | A      | 0.93      | 0.74                  | 0.05             | 1.72       | XXX               |
| 94620.....         | TC  | A      | 0.00      | 1.43*                 | 0.10*            | 1.53*      | XXX               |
| 94680.....         |     | A      | 0.27      | 0.86*                 | 0.10*            | 1.23*      | XXX               |
| 94680.....         | 26  | A      | 0.27      | 0.34                  | 0.03             | 0.64       | XXX               |
| 94680.....         | TC  | A      | 0.00      | 0.52*                 | 0.07*            | 0.59*      | XXX               |
| 94681.....         |     | A      | 0.21      | 1.87*                 | 0.17*            | 2.25*      | XXX               |
| 94681.....         | 26  | A      | 0.21      | 0.48                  | 0.04             | 0.73       | XXX               |
| 94681.....         | TC  | A      | 0.00      | 1.39*                 | 0.13*            | 1.52*      | XXX               |
| 94690.....         |     | A      | 0.07      | 0.60*                 | 0.04*            | 0.71*      | XXX               |
| 94690.....         | 26  | A      | 0.07      | 0.05                  | 0.00             | 0.12       | XXX               |
| 94690.....         | TC  | A      | 0.00      | 0.55*                 | 0.04*            | 0.59*      | XXX               |
| 94715.....         |     | A      | 0.21      | 0.40*                 | 0.07*            | 0.68*      | XXX               |
| 94715.....         | 26  | A      | 0.21      | 0.23                  | 0.04             | 0.48       | XXX               |
| 94715.....         | TC  | A      | 0.00      | 0.17*                 | 0.03*            | 0.20*      | XXX               |
| 94720.....         |     | A      | 0.27      | 1.08*                 | 0.08*            | 1.43*      | XXX               |
| 94720.....         | 26  | A      | 0.27      | 0.24                  | 0.02             | 0.53       | XXX               |
| 94720.....         | TC  | A      | 0.00      | 0.84*                 | 0.06*            | 0.90*      | XXX               |

**ADDENDUM B CORRECTIONS—Continued**  
 [Relative Value Units (RVUs) and Related Information]

| HCCPS <sup>1</sup> | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|--------------------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| 94725.....         |     | A      | 0.27      | 1.94*                 | 0.14*            | 2.35*      | XXX               |
| 94725.....         | 26  | A      | 0.27      | 0.19                  | 0.01             | 0.47       | XXX               |
| 94725.....         | TC  | A      | 0.00      | 1.75*                 | 0.13*            | 1.88*      | XXX               |
| 94750.....         |     | A      | 0.24      | 0.88*                 | 0.06*            | 1.18*      | XXX               |
| 94750.....         | 26  | A      | 0.24      | 0.29                  | 0.02             | 0.55       | XXX               |
| 94750.....         | TC  | A      | 0.00      | 0.59*                 | 0.04*            | 0.63*      | XXX               |
| 94770.....         |     | A      | 0.21      | 0.41*                 | 0.11*            | 0.73*      | XXX               |
| 94770.....         | 26  | A      | 0.21      | 0.11                  | 0.03             | 0.35       | XXX               |
| 94770.....         | TC  | A      | 0.00      | 0.30*                 | 0.08*            | 0.38*      | XXX               |
| 94799.....         |     | A      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 94799.....         | 26* | A      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 94799.....         | TC* | A      | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 95805.....         |     | A      | 0.80      | 5.82*                 | 0.46*            | 7.08*      | XXX               |
| 95805.....         | 26  | A      | 0.80      | 0.60                  | 0.07             | 1.47       | XXX               |
| 95805.....         | TC  | A      | 0.00      | 5.22*                 | 0.39*            | 5.61*      | XXX               |
| 95816.....         |     | A      | 0.39      | 1.62*                 | 0.13             | 2.14*      | XXX               |
| 95816.....         | 26  | A      | 0.39      | 0.29                  | 0.03             | 0.71       | XXX               |
| 95816.....         | TC  | A      | 0.00      | 1.33*                 | 0.10             | 1.43*      | XXX               |
| 95817.....         |     | A      | 0.39      | 2.24*                 | 0.18*            | 2.81*      | XXX               |
| 95817.....         | 26  | A      | 0.39      | 0.29                  | 0.03             | 0.71       | XXX               |
| 95817.....         | TC  | A      | 0.00      | 1.95*                 | 0.15*            | 2.10*      | XXX               |
| 95819.....         |     | A      | 0.39      | 1.86*                 | 0.14             | 2.39*      | XXX               |
| 95819.....         | 26  | A      | 0.39      | 0.53                  | 0.04             | 0.96       | XXX               |
| 95819.....         | TC  | A      | 0.00      | 1.33*                 | 0.10             | 1.43*      | XXX               |
| 95821.....         |     | A      | 0.39      | 2.56*                 | 0.19*            | 3.14*      | XXX               |
| 95821.....         | 26  | A      | 0.39      | 0.61                  | 0.04             | 1.04       | XXX               |
| 95821.....         | TC  | A      | 0.00      | 1.95*                 | 0.15*            | 2.10*      | XXX               |
| 95822.....         |     | A      | 0.45      | 2.41*                 | 0.18*            | 3.04*      | XXX               |
| 95822.....         | 26  | A      | 0.45      | 0.60                  | 0.04             | 1.09       | XXX               |
| 95822.....         | TC  | A      | 0.00      | 1.81*                 | 0.14*            | 1.95*      | XXX               |
| 95823.....         |     | A      | 0.45      | 2.38*                 | 0.18             | 3.01*      | XXX               |
| 95823.....         | 26  | A      | 0.45      | 0.67                  | 0.05             | 1.17       | XXX               |
| 95823.....         | TC  | A      | 0.00      | 1.71*                 | 0.13             | 1.84*      | XXX               |
| 95824.....         |     | A      | 0.27      | 1.04*                 | 0.07*            | 1.38*      | XXX               |
| 95824.....         | 26  | A      | 0.27      | 0.62                  | 0.04             | 0.93       | XXX               |
| 95824.....         | TC  | A      | 0.00      | 0.42*                 | 0.03*            | 0.45*      | XXX               |
| 95826.....         |     | A      | 0.44      | 1.44*                 | 0.10*            | 1.98*      | XXX               |
| 95826.....         | 26  | A      | 0.44      | 0.71                  | 0.05             | 1.20       | XXX               |
| 95826.....         | TC  | A      | 0.00      | 0.73*                 | 0.05*            | 0.78*      | XXX               |
| 95827.....         |     | A      | 0.67      | 3.22*                 | 0.24*            | 4.13*      | XXX               |
| 95827.....         | 26  | A      | 0.67      | 0.93                  | 0.07             | 1.67       | XXX               |
| 95827.....         | TC  | A      | 0.00      | 2.29*                 | 0.17*            | 2.46*      | XXX               |
| 95828.....         |     | A      | 1.35      | 7.13*                 | 0.53*            | 9.01*      | XXX               |
| 95828.....         | 26  | A      | 1.35      | 1.91                  | 0.14             | 3.40       | XXX               |
| 95828.....         | TC  | A      | 0.00      | 5.22*                 | 0.39*            | 5.61*      | XXX               |
| 95829.....         |     | A      | 1.00      | 0.61*                 | 0.05*            | 1.66*      | XXX               |
| 95829.....         | 26  | A      | 1.00      | 0.47                  | 0.03             | 1.50       | XXX               |
| 95829.....         | TC  | A      | 0.00      | 0.14*                 | 0.02*            | 0.16*      | XXX               |
| 95842.....         |     | A      | 0.58      | 0.64*                 | 0.06             | 1.28*      | XXX               |
| 95842.....         | 26  | A      | 0.58      | 0.44                  | 0.04             | 1.06       | XXX               |
| 95842.....         | TC  | A      | 0.00      | 0.20*                 | 0.02             | 0.22*      | XXX               |
| 95858.....         |     | A      | 1.65      | 1.08*                 | 0.09*            | 2.82*      | XXX               |
| 95858.....         | 26  | A      | 1.65      | 0.68                  | 0.05             | 2.38       | XXX               |
| 95858.....         | TC  | A      | 0.00      | 0.40*                 | 0.04*            | 0.44*      | XXX               |
| 95860.....         |     | A      | 1.01      | 1.14*                 | 0.09*            | 2.24*      | XXX               |
| 95860.....         | 26  | A      | 1.01      | 0.77                  | 0.06             | 1.84       | XXX               |
| 95860.....         | TC  | A      | 0.00      | 0.37*                 | 0.03*            | 0.04*      | XXX               |
| 95861.....         |     | A      | 1.63      | 2.08*                 | 0.16*            | 3.87*      | XXX               |
| 95861.....         | 26  | A      | 1.63      | 1.34                  | 0.10             | 3.07       | XXX               |
| 95861.....         | TC  | A      | 0.00      | 0.74*                 | 0.06*            | 0.80*      | XXX               |
| 95863.....         |     | A      | 1.96      | 2.43*                 | 0.18*            | 4.57*      | XXX               |
| 95863.....         | 26  | A      | 1.96      | 1.49                  | 0.11             | 3.56       | XXX               |
| 95863.....         | TC  | A      | 0.00      | 0.94*                 | 0.07*            | 1.01*      | XXX               |
| 95864.....         |     | A      | 2.10      | 3.63*                 | 0.27*            | 6.00*      | XXX               |
| 95864.....         | 26  | A      | 2.10      | 1.84                  | 0.14             | 4.08       | XXX               |
| 95864.....         | TC  | A      | 0.00      | 1.79*                 | 0.13*            | 1.92*      | XXX               |
| 95867.....         |     | A      | 0.66      | 1.21*                 | 0.09*            | 1.96*      | XXX               |
| 95867.....         | 26  | A      | 0.66      | 0.62                  | 0.05             | 1.33       | XXX               |
| 95867.....         | TC  | A      | 0.00      | 0.59*                 | 0.04*            | 0.63*      | XXX               |
| 95868.....         |     | A      | 1.58      | 2.03*                 | 0.15             | 3.76*      | XXX               |
| 95868.....         | 26  | A      | 1.58      | 1.33                  | 0.10             | 3.01       | XXX               |
| 95868.....         | TC  | A      | 0.00      | 0.70*                 | 0.05             | 0.75*      | XXX               |
| 95869.....         |     | A      | 0.38      | 0.55*                 | 0.05             | 0.98*      | XXX               |
| 95869.....         | 26  | A      | 0.38      | 0.34                  | 0.03             | 0.75       | XXX               |
| 95869.....         | TC  | A      | 0.00      | 0.21*                 | 0.02             | 0.23*      | XXX               |
| 95872.....         |     | A      | 1.58      | 1.33*                 | 0.11             | 3.02*      | XXX               |

## ADDENDUM B CORRECTIONS—Continued

[Relative Value Units (RVUs) and Related Information]

| HCPCS <sup>1</sup> | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|--------------------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| 95872.....         | 26  | A      | 1.58      | 0.72                  | 0.06             | 2.36       | XXX               |
| 95872.....         | TC  | A      | 0.00      | 0.61*                 | 0.05             | 0.66*      | XXX               |
| 95875.....         |     | A      | 1.41      | 0.63*                 | 0.10*            | 2.14*      | XXX               |
| 95875.....         | 26  | A      | 1.41      | 0.23                  | 0.04             | 1.68       | XXX               |
| 95875.....         | TC  | A      | 0.00      | 0.40*                 | 0.06*            | 0.46*      | XXX               |
| 95900.....         |     | A      | 0.44      | 0.64*                 | 0.05             | 1.13*      | XXX               |
| 95900.....         | 26  | A      | 0.44      | 0.36                  | 0.03             | 0.83       | XXX               |
| 95900.....         | TC  | A      | 0.00      | 0.28*                 | 0.02             | 0.30*      | XXX               |
| 95904.....         |     | A      | 0.35      | 0.57*                 | 0.05             | 0.97*      | XXX               |
| 95904.....         | 26  | A      | 0.35      | 0.35                  | 0.03             | 0.73       | XXX               |
| 95904.....         | TC  | A      | 0.00      | 0.22*                 | 0.02             | 0.24*      | XXX               |
| 95925.....         |     | A      | 0.53      | 2.40*                 | 0.19*            | 3.12*      | XXX               |
| 95925.....         | 26  | A      | 0.53      | 1.01                  | 0.08             | 1.62       | XXX               |
| 95925.....         | TC  | A      | 0.00      | 1.39*                 | 0.11*            | 1.50*      | XXX               |
| 95933.....         |     | A      | 0.63      | 1.32*                 | 0.10*            | 2.05*      | XXX               |
| 95933.....         | 26  | A      | 0.63      | 0.53                  | 0.04             | 1.20       | XXX               |
| 95933.....         | TC  | A      | 0.00      | 0.79*                 | 0.06*            | 0.85*      | XXX               |
| 95935.....         |     | A      | 0.63      | 0.56*                 | 0.05             | 1.24*      | XXX               |
| 95935.....         | 26  | A      | 0.63      | 0.35                  | 0.03             | 1.01       | XXX               |
| 95935.....         | TC  | A      | 0.00      | 0.21*                 | 0.02             | 0.23*      | XXX               |
| 95937.....         |     | A      | 0.64      | 0.80*                 | 0.07             | 1.51*      | XXX               |
| 95937.....         | 26  | A      | 0.64      | 0.47                  | 0.04             | 1.15       | XXX               |
| 95937.....         | TC  | A      | 0.00      | 0.33*                 | 0.03             | 0.36*      | XXX               |
| 95950.....         |     | A      | 1.59      | 7.65*                 | 0.63*            | 9.87*      | XXX               |
| 95950.....         | 26  | A      | 1.59      | 1.28                  | 0.10             | 2.97       | XXX               |
| 95950.....         | TC  | A      | 0.00      | 6.37*                 | 0.53*            | 6.90*      | XXX               |
| 95951.....         |     | A      | 1.91      | 9.30*                 | 0.68*            | 11.89*     | XXX               |
| 95951.....         | 26  | A      | 1.91      | 1.58                  | 0.11             | 3.60       | XXX               |
| 95951.....         | TC  | A      | 0.00      | 7.72*                 | 0.57*            | 8.29*      | XXX               |
| 95952.....         |     | A      | 1.59      | 3.57*                 | 0.28*            | 5.44*      | XXX               |
| 95952.....         | 26  | A      | 1.59      | 2.26                  | 0.18             | 4.03       | XXX               |
| 95952.....         | TC  | A      | 0.00      | 1.31*                 | 0.10*            | 1.41*      | XXX               |
| 95954.....         |     | A      | 0.96      | 1.07*                 | 0.13*            | 2.16*      | XXX               |
| 95954.....         | 26  | A      | 0.96      | 0.59                  | 0.07             | 1.62       | XXX               |
| 95954.....         | TC  | A      | 0.00      | 0.48*                 | 0.06*            | 0.54*      | XXX               |
| 95955.....         |     | A      | 1.06      | 3.04*                 | 0.31*            | 4.41*      | XXX               |
| 95955.....         | 26  | A      | 1.06      | 1.08                  | 0.11             | 2.25       | XXX               |
| 95955.....         | TC  | A      | 0.00      | 1.96*                 | 0.20*            | 2.16*      | XXX               |
| 95958.....         |     | A      | 2.12      | 4.73*                 | 0.41*            | 7.26*      | XXX               |
| 95958.....         | 26  | A      | 2.12      | 2.98                  | 0.27             | 5.37       | XXX               |
| 95958.....         | TC  | A      | 0.00      | 1.75*                 | 0.14*            | 1.89*      | XXX               |
| 97752.....         |     | A      | 0.48      | 0.62*                 | 0.07*            | 1.17*      | XXX               |
| 97752.....         | 26  | A      | 0.48      | 0.37                  | 0.04             | 0.89       | XXX               |
| 97752.....         | TC  | A      | 0.00      | 0.25*                 | 0.03*            | 0.28*      | XXX               |
| 99171.....         |     | V*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 99172.....         |     | V*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 99173.....         |     | V*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| 99174.....         |     | V*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |

<sup>1</sup> All CPT HCPCS copyright 1991 American Medical Association.

## ADDENDUM B CORRECTIONS

[Relative value units (RVUs) and related information]

| HCPCS      | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|------------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| A4250..... |     | B*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| A4565..... |     | X*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| A4570..... |     | X*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| A4572..... |     | X*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| A4580..... |     | X*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| A4581..... |     | X*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| A4590..... |     | X*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| D0110..... |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0120..... |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0130..... |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0210..... |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0220..... |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0230..... |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0240..... |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0250..... |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0260..... |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0270..... |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |

## ADDENDUM B CORRECTIONS—Continued

[Relative value units (RVUs) and related information]

| HCPs  | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|-------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| D0272 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0274 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0275 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0290 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0310 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0320 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0321 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0322 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0330 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0340 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0410 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0415 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0420 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0425 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0460 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0470 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0471 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0501 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0502 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0999 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1110 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0120 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1201 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D0202 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1203 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1204 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1205 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1310 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1330 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1351 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1510 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1515 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1520 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1525 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D1550 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2110 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2120 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2130 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2131 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2140 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2150 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2160 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2161 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2210 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2330 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2331 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2332 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2335 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2336 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2380 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2381 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2382 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2385 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2386 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2387 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2410 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2420 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2430 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2510 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2520 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2530 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2540 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2610 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2620 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2630 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2640 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2650 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2651 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2652 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2660 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2710 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2720 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2721 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2722 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2740 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2750 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |

## ADDENDUM B CORRECTIONS—Continued

[Relative value units (RVUs) and related information]

| HCPCS | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|-------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| D2751 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2752 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2790 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2791 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2792 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2810 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2910 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2920 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2930 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2931 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2932 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2933 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2940 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2950 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2951 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2952 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2953 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2954 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2960 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2970 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2980 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D2999 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3110 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3120 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3220 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3310 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3320 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3330 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3340 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3346 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3347 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3348 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3350 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3351 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3352 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3353 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3410 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3411 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3421 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3425 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3426 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3430 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3440 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3450 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3460 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3470 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3910 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3920 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3940 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3950 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3960 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D3999 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4210 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4211 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4220 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4240 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4249 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4250 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4260 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4261 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4262 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4268 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4270 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4271 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4272 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4320 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4321 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4340 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4341 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4910 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4920 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D4999 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5110 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5120 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5130 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5140 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |

## ADDENDUM B CORRECTIONS—Continued

[Relative value units (RVUs) and related information]

| HCPCS | MOD | Status | Work RVUs | Practice<br>expense<br>RVUs | Malpractice<br>RVUs | Total RVUs | Global fee<br>period |
|-------|-----|--------|-----------|-----------------------------|---------------------|------------|----------------------|
| D5211 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5212 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5213 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5214 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5215 |     | D      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5216 |     | D      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5280 |     | D      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5281 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5410 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5411 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5421 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5422 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5510 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5520 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5810 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5820 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5830 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5840 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5850 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5860 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5710 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5711 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5720 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5721 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5730 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5731 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5740 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5741 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5750 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5751 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5760 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5761 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5810 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5811 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5820 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5821 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5850 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5851 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5860 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5861 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5862 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5899 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5911 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5912 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5913 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5914 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5915 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5916 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5917 |     | D      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5918 |     | D      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5919 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5920 |     | D      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5921 |     | D      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5922 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5923 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5924 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5925 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5926 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5927 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5928 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5929 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5931 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5932 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5933 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5934 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5935 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5936 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5937 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5951 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5952 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5953 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5954 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5955 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5956 |     | D      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5957 |     | D      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |
| D5958 |     | C      | 0.00      | 0.00                        | 0.00                | 0.00       | YYY*                 |

## ADDENDUM B CORRECTIONS—Continued

[Relative value units (RVUs) and related information]

| HCPs  | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|-------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| D5959 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5960 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5971 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5972 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5973 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5974 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5976 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5982 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5983 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5984 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5985 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5986 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5988 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D5999 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6030 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6040 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6050 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6055 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6080 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6090 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6100 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6199 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6210 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6211 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6212 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6240 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6241 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6242 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6250 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6251 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6252 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6520 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6530 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6540 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6545 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6720 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6721 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6722 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6750 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6751 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6752 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6780 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6790 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6791 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6792 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6930 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6940 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6950 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6970 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6971 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6972 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6973 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6975 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6980 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D6999 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7110 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7120 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7130 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7210 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7220 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7230 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7240 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7241 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7250 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7260 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7270 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7271 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7272 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7280 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7281 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7285 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7286 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7290 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7291 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7310 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7320 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |

## ADDENDUM B CORRECTIONS—Continued

[Relative value units (RVUs) and related information]

| HCPCS | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|-------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| D7340 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7350 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7410 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7420 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7430 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7431 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7440 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7441 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7450 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7451 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7460 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7461 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7465 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7470 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7480 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7490 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7510 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7520 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7530 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7540 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7550 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7560 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7610 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7620 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7630 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7640 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7650 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7660 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7670 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7680 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7710 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7720 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7730 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7740 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7750 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7760 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7770 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7780 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7810 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7820 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7830 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7840 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7850 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7852 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7854 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7856 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7858 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7860 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7865 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7870 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7872 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7873 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7874 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7875 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7876 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7877 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7880 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7899 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7910 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7911 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7912 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7920 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7940 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7941 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7942 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7943 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7944 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7945 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7946 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7947 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7948 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7949 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7950 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7955 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7960 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7970 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |

## ADDENDUM B CORRECTIONS—Continued

[Relative value units (RVUs) and related information]

| HCPCS | MOD | Status | Work RVUs | Practice expense RVUs | Malpractice RVUs | Total RVUs | Global fee period |
|-------|-----|--------|-----------|-----------------------|------------------|------------|-------------------|
| D7971 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7980 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7981 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7982 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7983 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7990 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7991 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7992 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7993 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7994 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D7999 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8110 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8120 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8210 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8220 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8360 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8370 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8460 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8470 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8480 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8560 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8570 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8580 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8650 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8750 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D8999 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9110 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9210 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9211 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9212 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9215 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9220 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9230 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9240 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9310 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9410 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9420 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9430 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9440 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9610 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9630 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9910 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9920 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9930 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9940 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9941 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9950 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9951 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9952 |     | C      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| D9960 |     | D      | 0.00      | 0.00                  | 0.00             | 0.00       | YYY*              |
| J3520 |     | E*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| J9218 |     | E*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| M0300 |     | C*     | 0.00      | 0.00                  | 0.00             | 0.00       | XXX               |
| M0702 |     | A      | 0.47      | 0.25                  | 0.02             | 0.74       | 000*              |
| M0704 |     | A      | 0.66      | 0.41                  | 0.03             | 1.10       | 000*              |
| M0706 |     | A      | 0.92      | 0.40                  | 0.03             | 1.35       | 000*              |
| M0708 |     | A      | 1.08      | 0.45                  | 0.04             | 1.57       | 000*              |
| M0710 |     | A      | 1.25      | 0.40                  | 0.03             | 1.68       | 000*              |
| M0722 |     | A      | 0.47      | 0.62                  | 0.05             | 1.14       | 000*              |
| M0724 |     | A      | 0.69      | 0.85                  | 0.07             | 1.61       | 000*              |
| M0726 |     | A      | 0.92      | 0.82                  | 0.06             | 1.80       | 000*              |
| M0728 |     | A      | 1.07      | 0.36                  | 0.03             | 1.46       | 000*              |
| M0730 |     | A      | 1.25      | 0.55                  | 0.04             | 1.84       | 000*              |
| Q0035 |     | A      | 0.18      | 0.50*                 | 0.04*            | 0.72*      | XXX               |
| Q0035 | 26  | A      | 0.18      | 0.12                  | 0.01             | 0.31       | XXX               |
| Q0035 | TC  | A      | 0.00      | 0.38*                 | 0.03*            | 0.41*      | XXX               |

## Addendum F

## A. Pages 59802 through 59810

Remove the following HCPCS codes and descriptions from the list of

procedure codes subject to the outpatient limit.

| HCPCS | Description               |
|-------|---------------------------|
| 10141 | Drainage of Hematoma.     |
| 11042 | Cleansing of skin/tissue. |
| 11404 | Removal of skin lesion.   |
| 11424 | Removal of skin lesion.   |

| HCPCS | Description                    |
|-------|--------------------------------|
| 11444 | Removal of skin lesion.        |
| 11446 | Removal of skin lesion.        |
| 11604 | Removal of skin lesion.        |
| 11624 | Removal of skin lesion.        |
| 11644 | Removal of skin lesion.        |
| 13100 | Repair of wound or lesion.     |
| 13101 | Repair of wound or lesion.     |
| 13131 | Repair of wound or lesion.     |
| 13132 | Repair of wound or lesion.     |
| 13150 | Repair of wound or lesion.     |
| 14000 | Skin tissue rearrangement.     |
| 14020 | Skin tissue rearrangement.     |
| 14040 | Skin tissue rearrangement.     |
| 19100 | Biopsy of breast.              |
| 20670 | Removal of support implant.    |
| 21040 | Removal of jaw bone lesion.    |
| 23066 | Biopsy shoulder tissues.       |
| 26605 | Treatment metacarpal fracture. |
| 27520 | Treat kneecap fracture.        |
| 27780 | Treatment of fibula fracture.  |
| 27786 | Treatment of ankle fracture.   |
| 28090 | Removal of foot lesion.        |
| 28285 | Revision of hammertoe.         |
| 28298 | Correction of bunion.          |
| 28308 | Incision of metatarsal.        |
| 28400 | Treatment of heel fracture.    |
| 31525 | Diagnostic laryngoscopy.       |
| 38505 | Needle biopsy, lymph node(s).  |
| 41112 | Excision of tongue lesion.     |
| 45305 | Proctosigmoidoscopy; biopsy.   |
| 45310 | Proctosigmoidoscopy.           |
| 45355 | Surgical colonoscopy.          |
| 46050 | Incision of anal abscess.      |
| 50690 | Injection for ureter x-ray.    |
| 52000 | Cytoscopy.                     |
| 52281 | Cytoscopy and treatment.       |
| 55700 | Biopsy of prostate.            |
| 61070 | Brain canal shunt procedure.   |
| 64415 | Injection for nerve block.     |
| 64420 | Injection for nerve block.     |
| 66762 | Revision of iris.              |
| 67031 | Laser surgery, eye strands.    |
| 67105 | Repair, detached retina.       |
| 67141 | Treatment of retina.           |
| 67208 | Treatment of retinal lesion.   |
| 67921 | Repair eyelid defect.          |
| 68700 | Repair tear ducts.             |

## B. Page 59809

The descriptions for procedure codes 99212 through 99215 are corrected to read as follows:

| HCPCS | Description                                                |
|-------|------------------------------------------------------------|
| 99212 | Office and other outpatient, established patient, level 2. |
| 99213 | Office and other outpatient, established patient, level 3. |
| 99214 | Office and other outpatient, established patient, level 4. |
| 99215 | Office and other outpatient, established patient, level 5. |

## Addendum G

## Page 59811

The following HCPCS codes and descriptions are added in numerical order to the list of facility-based procedures for which an additional amount for supplies may be payable if performed in a physician's office, to read as follows:

| HCPCS | Description                  |
|-------|------------------------------|
| 49081 | Removal of abdominal fluid.  |
| 85100 | Bone marrow examination.     |
| 85101 | Aspirate, stain bone marrow. |

(Catalog of Federal Domestic Assistance Program No. 93.774, Medicare—Supplementary Medical Insurance Program)

Dated: September 9, 1992.

Joanne Amato,

Acting Deputy Assistant Secretary for Information Resources Management.

[FR Doc. 92-22151 Filed 9-14-92; 8:45 am]

BILLING CODE 4120-01-M

## FEDERAL COMMUNICATIONS COMMISSION

## 47 CFR Part 73

[MM Docket No. 92-118; RM-7667]

## Radio Broadcasting Services; Wrightsville, AR

AGENCY: Federal Communications Commission.

ACTION: Final rule.

**SUMMARY:** This document substitutes Channel 299C2 for Channel 299A at Wrightsville, Arkansas, and modifies the permit for Station KYTN (FM) to specify operation on the higher powered channel, as requested by Wrightsville Communications Company, Inc. See 57 FR 24577, June 10, 1992. Coordinates for Channel 299C2 at Wrightsville are 34-36-24 and 92-14-17. With this action, the proceeding is terminated.

**EFFECTIVE DATE:** October 26, 1992.

**FOR FURTHER INFORMATION CONTACT:** Nancy Joyner, Mass Media Bureau, (202) 634-6530.

**SUPPLEMENTARY INFORMATION:** This is a synopsis of the Commission's Report and Order, MM Docket No. 92-118, adopted August 12, 1992, and released September 9, 1992. The full text of this Commission decision is available for inspection and copying during normal business hours in the FCC Dockets Branch (Room 230), 1919 M Street NW., Washington, DC. The complete text of this decision may also be purchased from the Commission's copy contractors, Downtown Copy Center, (202) 452-1422, 1990 M Street NW., suite 640, Washington, DC 20036.

## List of Subjects in 47 CFR Part 73

Radio broadcasting.

## PART 73—[AMENDED]

1. The authority citation for part 73 continues to read as follows:

Authority: 47 U.S.C. 154, 303.

## § 73.202 [Amended]

2. Section 73.202(b), the Table of FM Allotments under Arkansas, is amended by removing Channel 299A and adding Channel 299C2 at Wrightsville.

Federal Communications Commission.

Michael C. Ruger,

Chief, Allocations Branch, Policy and Rules Division, Mass Media Bureau.

[FR Doc. 92-22157 Filed 9-14-92; 8:45 am]

BILLING CODE 6712-01-M#

## 47 CFR Part 73

[MM Docket No. 88-593; RM-6490, RM-6713]

## Radio Broadcasting Services; Wetumpka, Brantley, and Luverne, AL

AGENCY: Federal Communications Commission.

ACTION: Final rule.

**SUMMARY:** This document allots Channel 250A to Wetumpka, Alabama. This document also substitutes Channel 282C1 for Channel 282A at Brantley, Alabama, reallocates the channel to Luverne, Alabama, and modifies the construction permit of Station WDHT to specify operation on Channel 282C1 at Luverne, Alabama. See 54 FR 3822, published January 26, 1989. The reference coordinates for the Channel 250A allotment at Wetumpka, Alabama, are 32-28-23 and 86-09-22, with a site restriction 7.2 kilometers (4.8 miles) east of the community. The reference coordinates for the Channel 282C1 allotment at Luverne, Alabama, are 32-04-05 and 85-59-35, with a site restriction 46.9 kilometers (29.2 miles) northeast of the community. With this action, the proceeding is terminated.

**DATES:** Effective October 23, 1992. The window period for filing applications will open on October 26, 1992, and close on November 25, 1992.

**FOR FURTHER INFORMATION CONTACT:** Robert Hayne, Mass Media Bureau, (202) 634-6530.

**SUPPLEMENTARY INFORMATION:** This is a synopsis of the Commission's Report and Order, MM Docket No. 88-593, adopted August 14, 1992, and released September 8, 1992. The full text of this Commission decision is available for inspection and copying during normal business hours in the FCC Dockets Branch (Room 230), 1919 M Street NW., Washington, DC. The complete text of this decision may also be purchased from the Commission's copy contractors, Downtown Copy Center, (202) 452-1422,